



Kent Academic Repository

Tucker, Joshua T., Strange, Paul, Mironowicz, Piotr and Quintanilla, Jorge (2024)
Quantum-assisted Rendezvous on Graphs: Explicit Algorithms and Quantum Computer Simulations. *New Journal of Physics*, 26 . ISSN 1367-2630.

Downloaded from

<https://kar.kent.ac.uk/106104/> The University of Kent's Academic Repository KAR

The version of record is available from

<https://doi.org/10.1088/1367-2630/ad78f8>

This document version

Author's Accepted Manuscript

DOI for this version

Licence for this version

CC BY (Attribution)

Additional information

For the purpose of open access, the author has applied a CC BY public copyright licence to any Author Accepted Manuscript version arising from this submission.

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in ***Title of Journal***, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our [Take Down policy](https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies) (available from <https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies>).

ACCEPTED MANUSCRIPT • OPEN ACCESS

Quantum-assisted Rendezvous on Graphs: Explicit Algorithms and Quantum Computer Simulations

To cite this article before publication: Joshua T. Tucker *et al* 2024 *New J. Phys.* in press <https://doi.org/10.1088/1367-2630/ad78f8>

Manuscript version: Accepted Manuscript

Accepted Manuscript is “the version of the article accepted for publication including all changes made as a result of the peer review process, and which may also include the addition to the article by IOP Publishing of a header, an article ID, a cover sheet and/or an ‘Accepted Manuscript’ watermark, but excluding any other editing, typesetting or other changes made by IOP Publishing and/or its licensors”

This Accepted Manuscript is © 2024 The Author(s). Published by IOP Publishing Ltd on behalf of the Institute of Physics and Deutsche Physikalische Gesellschaft.



As the Version of Record of this article is going to be / has been published on a gold open access basis under a CC BY 4.0 licence, this Accepted Manuscript is available for reuse under a CC BY 4.0 licence immediately.

Everyone is permitted to use all or part of the original content in this article, provided that they adhere to all the terms of the licence <https://creativecommons.org/licenses/by/4.0>

Although reasonable endeavours have been taken to obtain all necessary permissions from third parties to include their copyrighted content within this article, their full citation and copyright line may not be present in this Accepted Manuscript version. Before using any content from this article, please refer to the Version of Record on IOPscience once published for full citation and copyright details, as permissions may be required. All third party content is fully copyright protected and is not published on a gold open access basis under a CC BY licence, unless that is specifically stated in the figure caption in the Version of Record.

View the [article online](#) for updates and enhancements.

Quantum-assisted Rendezvous on Graphs: Explicit Algorithms and Quantum Computer Simulations

J. Tucker^a, P. Strange^a, P. Mironowicz^{b,c,d}, and J. Quintanilla^{a*}

^aUniversity of Kent, School of Physics & Astronomy
Ingram Building, Canterbury, Kent, CT2 7NH, United Kingdom

^bInternational Centre for Theory of Quantum Technologies,
University of Gdańsk, Wita Stwosza 63, 80-308 Gdańsk, Poland

^cDepartment of Physics, Stockholm University,
S-10691 Stockholm, Sweden

^dDepartment of Algorithms and System Modeling,
Faculty of Electronics, Telecommunications and Informatics,
Gdańsk University of Technology, Poland

August 12, 2024

Abstract

We study quantum advantage in one-step rendezvous games on simple graphs analytically, numerically, and using noisy intermediate-scale quantum (NISQ) processors. Our protocols realise the recently discovered [1] optimal bounds for small cycle graphs and cubic graphs. In the case of cycle graphs, we generalise the protocols to arbitrary graph size. The NISQ processor experiments realise the expected quantum advantage with high accuracy for rendezvous on the complete graph K_3 . In

*To whom correspondence should be addressed: j.quintanilla@kent.ac.uk.

contrast, for the graph $2K_4$, formed by two disconnected 4-vertex complete graphs, the performance of the NISQ hardware is sub-classical, consistent with the deeper circuit and known qubit decoherence and gate error rates.

1 Introduction

Quantum entanglement, as illustrated by the violation of Bell's inequalities [2, 3], is a fundamental feature of the physical universe and the basis of an increasing number of quantum technologies [4]. Here we are concerned with the use of quantum entanglement to allow separate agents to achieve higher levels of coordination than would be possible classically without sending signals. The theoretical underpinning of this possibility is provided by quantum game theory [5] which extends classical game theory [6] by allowing players to exploit shared, entangled quantum resources. This has potential applications, for instance, for distributing tasks efficiently within an edge computing paradigm [7], where the aim is to carry out computational tasks on the "edge" of the network, minimizing traffic.

Our particular interest is in using quantum entanglement to coordinate the actions of spatially-separated, mobile agents that are trying to converge on the same location. A simple scenario of this type was first introduced by Brukner, Paunković, Rudolph, and Vedral [8]. In it, two "agents" or "players" start at the N and S poles of a sphere and converge on the equator. If the players share a Bell state, they can probe it locally to decide which direction to move and find each other with greater probability than would be possible classically.

In the present work, we are concerned with rendezvous problems. The rendezvous problem, originally formulated by Alpern [9], involves scenarios where individuals or entities must find each other without prior knowledge of each other's initial locations. This contrasts with the scenario in Ref. [8] where initial locations are known.

Rendezvous problems exhibit diverse variations. One of the distinguishing traits is whether the entities conduct their moves synchronously [10, 11, 12] or asynchronously [13, 14, 15]. The reason for synchronous moves usually lays in waiting times at the rendezvous points, or in specific travel timings. In this work we concentrate on the synchronous variants.

Rendezvous problems can also be classified by the environment in which they occur. The most important distinction is between discrete environments [16, 17] (often referred to as networks [18]) and continuous spaces such as a line [19], a circle [20], or a plane [21]. The spaces can model physical space, computer networks and the radio-frequency spectrum, to name a few examples. The present work focuses on networks, in particular cubic graphs and cycles, or rings [22], which have recently gained increased attention [23, 24, 25].

Areas of practical application for rendezvous protocols include distributed computing [26], communications including cognitive radio networks [27, 28], and robotics including robot swarms and unmanned aerial vehicles [29, 30]. Each application benefits from the unique strategies developed for solving different variants of the rendezvous problem.

The existence of a quantum advantage in rendezvous problems has been established in principle by recent work by one of the present authors using semi-definite programming [1]. Numerical bounds on the optimal classical and quantum strategies for rendezvous with a small number of steps on simple graphs with up to 8 nodes were obtained, and it was found that in many instances the optimal quantum strategies have higher winning probabilities than any classical one. That work has recently been extended to other graph geometries and the related problem of graph domination [31].

In order for quantum-assisted rendezvous to be realised experimentally and show practical utility we must achieve a number of goals:

1. to develop explicit quantum algorithms that realise the recently-discovered [1, 31] quantum advantages;
2. to gain an understanding of the practical advantage when those algorithms are implemented in imperfect quantum hardware;
3. to generalise the algorithms to more complex problems which are more directly related to real-world situations [1, 31];
4. and, finally, to develop the necessary technologies for specific applications, such as long-lived and/or portable quantum memories and accurate state-preparation hardware.

In the present work, we take some initial steps towards goals 1, 2, and 3. In particular, we develop an explicit algorithm that realises the known quantum

1
2
3
4
5
6
7
8 advantages for some of the 1-step games on N -cycles with $3 \leq N \leq 9$ consid-
9 ered in Ref. [1] (contributing to goal No. 1), generalising them to arbitrary
10 N (contributing to goal No. 3), and for one of the 8-site cubic graphs in the
11 same reference (advancing goal No. 1). Furthermore, we provide Qiskit im-
12 plementations [32] of these algorithms and use them to simulate rendezvous
13 scenarios using simulated ideal quantum hardware as well as real quantum
14 hardware [33]. The former allows us to observe the emergence of quantum
15 advantage upon averaging over a sufficient number of trials, allowing us to
16 confirm that our algorithms realise optimal quantum strategies (goal No. 1).
17 The latter allows us to start probing the practical limits when using imper-
18 fect quantum hardware (goal No. 2). Remarkably, for the 3-cycle we achieve
19 nearly all of the expected quantum advantage using real quantum hardware.
20 In contrast for the 8-site cubic graphs (where we need more qubits and the
21 quantum circuits realising the optimal quantum strategy are much deeper)
22 the quantum strategy performs much worse than the optimal classical strat-
23 egy, but this failure can be understood in terms of the limitations of the
24 specific hardware platform we used. We will discuss the implications of our
25 results for experimental realisations of quantum-assisted rendezvous and ex-
26 plore how the analytical and computational approaches we have developed
27 can be used to investigate more complex scenarios.

28
29
30
31
32 The paper is organised as follows: in Section 2 we describe our conventions
33 and methodology. Sections 3-4 present our results for cycle graphs. Section
34 3 in particular presents an analytical theory for cycle graphs with arbitrary
35 numbers of vertices, or sites. Section 4 presents a quantum-circuit imple-
36 mentation of that theory for the case of a graph with 3 sites and describes
37 the results obtained when the circuit is run on simulated and real quantum
38 hardware. Sections 5-6 deal with cubic graphs. In Section 5 we present
39 an analytical treatment of the 4-site cubic graph based on spin-1 particles.
40 Section 6 discusses its implementation on qubit-based machines and again
41 presents results on simulated and real quantum hardware for an 8-site graph
42 composed of two independent 4-site ones. Section 7 discusses our results and
43 Section 8 presents our conclusions.

2 Conventions and methodology

We consider cooperative rendezvous games. In them, a number of players are placed at random starting locations with the goal of finding the other players in the least amount of time. In this work we focus on simple scenarios where there are two players moving on an undirected graph with N sites, or vertices, joined by equally-weighted edges. The players will be assumed to move synchronously and a single move will be allowed before deciding whether the game has been won or lost. Furthermore, we restrict ourselves to cycle graphs and cubic graphs. Specifically, we will discuss N -vertex graphs consisting of a single cycle, denoted C_N , with $N = 3, 4, \dots, \infty$ (including the complete 3-vertex graph $K_3 \equiv C_3$) and two cubic graphs: the complete 4-vertex graph K_4 and the 8-vertex graph $2K_4$ formed by two disconnected instances of K_4 .¹ We will assume that the vertices are labelled and that the players know these labels and can use them to decide their moves - in other words, the players share a complete “map” of the graph (labelled-network rendezvous). On the other hand, unless stated otherwise we will force the players to follow exactly the same algorithm (player-symmetric). Fig. 1a displays some of the graphs we consider and establishes the labelling conventions.

Following Ref. [1] we introduce Boolean variables W, E, S defining the type of game played on a given graph. They determine, respectively, whether waiting is a valid move, whether players can meet on edges upon transposition of their locations, and whether the initial random positions include the possibility of starting on the same vertex. Unless otherwise specified we will consider the case where waiting is not allowed ($W = 0$), players cannot meet on edges ($E = 0$), and the initial location may be the same for both players ($S = 1$).

In quantum-assisted rendezvous games players (conventionally named “Alice”, or A, and “Bob”, B) are provided with distinct, but entangled parts of a shared quantum system. We now state our assumptions about the nature of this shared quantum memory and the way the players use it to decide their moves.

¹In this context “cubic” has a strictly topological meaning namely that each vertex has degree 3 (in other words, it is connected to three other vertices *via* three distinct edges). By definition cycle graphs cannot be cubic as all their vertices have degree 2. In complete graphs every vertex is connected to every other vertex.




Figure 1: Some of the graphs considered in this work: (a) 3-vertex cycle graph $C_3 \equiv K_3$; (b) 5-vertex cycle graph C_5 ; (c) 4-vertex cubic graph K_4 ; (d) the 6-vertex cubic graph formed by the vertices and edges of a rectangular prism, Y_3 . Note that (a) and (c) represent complete graphs (every pair of vertices is connected by an edge) while the graph in (b) is not complete (e.g. vertex 2 is not connected to 5). The same applies to all C_n graphs with $n > 3$, as well as to the graph in (d). In the rendezvous games we consider, two players start at two randomly-selected vertices and need to maximise the chance they meet after moving along one edge. The edges can be used in any direction (undirected graphs).

1
2
3
4
5
6
7
8 The quantum memory consists of 2 qudits, one for each player. Each qudit
9 is a d -state system, where d equals the degree of the vertices of the graph.
10 In other words, we will work with two qubits in the case of cycle graphs and
11 two qutrits for cubic graphs.² When a player probes their qudit, they use the
12 result to decide which of the d edges available to them they will take. Prior
13 to the measurement, each player executes a unitary transformation of their
14 qudit in the form of a rotation of their measurement angles which depends
15 exclusively on the site the player find themselves in.
16
17

18 It is worth noting that the above assumptions do not exhaust the possibilities.
19 For instance, additional quantum advantage might, in principle, be gained
20 using a greater number of qudits. And both the classical and quantum-
21 assisted games might improve if the two players follow different strategies.
22 These variations are discussed in Sec. 7.
23

24 There is a subtlety in the definition of $S = 1$ regarding whether players are
25 allowed to check if they are on the same site before they make their move or
26 not. We will refer to these two variants as the “check-first” and “check-later”
27 versions of the game, respectively. If we adopt the former definition, the
28 winning probabilities of a given strategy for $S = 1$ and $S = 0$ are related
29 via:
30
31

$$32 \quad P_{S=0} = \frac{NP_{S=1} - 1}{N - 1} \quad (1)$$

33
34 where N is the number of vertices on the graph. The proof is very simple
35 and can be found in Appendix A. Ref. [1] adopts the opposite definition and
36 as a result the winning probabilities obtained in that work for $S = 0$ and
37 $S = 1$ do not have the simple relationship captured by Eq. (1). Here we will
38 state explicitly the definition we are using in each case.
39
40
41

42 3 Cycle graphs: theory

43
44 In this section we propose an *ansatz* strategy for cycle graphs C_N and opti-
45 mize it for $N = 3, 4, \dots, \infty$. For clarity we start with a detailed discussion
46 of the complete 3-site cycle graph $K_3 \equiv C_3$ and then we present the general
47 theory for C_N .
48
49

50 ²In practice, as we shall see below, the quantum-circuit implementation of our simula-
51 tions will require describing the two qutrits using four qubits.
52
53
54
55
56
57
58
59
60

3.1 3-site Cycle Graph

We start with the graph shown in Fig. 1a. The adjacency list for this graph is $\{\{2, 3\}, \{1, 3\}, \{1, 2\}\}$ ³

To establish quantum advantage the strategy needs to be compared to the optimal classical one. There are a number of optimal classical strategies for rendezvous in this scenario. In one of them each player goes to the lowest numerical index available:

$1 \rightarrow 2, 2 \rightarrow 1, 3 \rightarrow 1$. We can record all possible starting locations of each player and decide whether they meet (W) or don't meet (L) whilst following this particular strategy,⁴ resulting in a "win-loss table". This is Table 1a.

Due to the deterministic nature of our strategy, each action in the grid is certain to happen if the players start on the corresponding vertices. Therefore the conditional probability of winning the game if Alice starts on vertex a and Bob starts on vertex b is $P(\text{win}|a, b) = 1$ or 0 depending on whether there is a W or L on the table, respectively. From this the probability of rendezvous P_w is trivially calculated as

$$P_w = \frac{1}{9} \sum_{a,b=1}^3 P(\text{win}|a, b) = \frac{5}{9}. \quad (2)$$

The above success rate depends on the prior agreement of the players to use the same optimal strategy (go-to-lowest or go-to-highest). Consider now the case when Alice and Bob have not been allowed to agree on a protocol beforehand. They may then choose between the two available optimal strategies by flipping coin. The resulting win-loss table is shown in Table 1b. Since Alice's and Bob's coins are uncorrelated, this results in them making the same choice only half of the time. This leads to an overall reduction of the winning probability which becomes

$$P_w = \frac{1}{9} \sum_{a,b=1}^3 \frac{1}{4} \sum_{n,m=0}^1 P(\text{win}|a, b; n, m) = \frac{1}{3}. \quad (3)$$

³We use standard set notation. Each element of the main set is a subset representing a vertex on the graph. The elements of the subset represent the vertices that connect to it.

⁴Since all optimal strategies give, by definition, the same probability of rendezvous we only need to analyse one of them.

		Bob		
		1	2	3
Alice	1	W	L	L
	2	L	W	W
	3	L	W	W

(a)

		Bob						
		1		2		3		
		0	1	0	1	0	1	
Alice	1	0	W	L	L	L	W	
		1	L	W	L	W	L	L
	2	0	L	L	W	L	W	L
		1	L	W	L	W	L	L
	3	0	L	L	W	L	W	L
		1	W	L	L	L	L	W

(b)

Table 1: Win-lose table for our rendezvous one-step game on the graph $C_3 \equiv K_3$ [Fig. 1a]. In (a) Alice and Bob have previously agreed to use the same optimum classical strategy. In (b) the players independently decide which of the two optimal strategies to choose by the flip of a coin (or by examining a qubit). In both tables, the first column shows the vertex $a = 1, 2, 3$ Alice starts on at the start of the game and the first row shows the vertex $b = 1, 2, 3$ Bob starts on. In (b) the second column and row, respectively, show the results of the two coin flips $n, m = 0, 1$. **W** means that the players win the game, L that they lose. The second table assumes the check-later definition of $S = 1$ introduced in Sec. 2 (with the check-first definition, the diagonal 2×2 blocks become solid wins).

Here, $P(\text{win}|a, b; n, m)$ is the conditional probability that the game is won if Alice starts on a , Bob starts on b , and their respective coin-toss outcomes are n and m . This is 1 for the cases marked W in Table 1b, 0 otherwise. Note that the table implicitly assumes the check-later definition of $S = 1$ (see section 2). With the check-first definition, we gain 6 more wins in the diagonal block and the probability of winning the game increases to $1/2$. Either way the deterministic strategy (whose winning probability is independent of the definition we adopt) is preferable.

At first sight, the superiority of the optimal, deterministic strategy can be simply understood by the introduction of the new variables $n, m = 0, 1$ that represent the results of Alice's and Bob's coin tosses. Each of the 9 entries in Table 1a becomes a 4×4 grid in Table 1b. Not all the entries on the grid coming from a winning entry in the first table represent wins. However, on closer inspection one realises that the grids representing losing entries in the second table now contain wins as well. Therefore, the probabilistic strategy introduces new routes to winning the game. This fact can be exploited to find quantum strategies that improve on the optimal classical strategy.

We now consider the quantum case. In line with the assumptions introduced in Section 2 we give each player one qubit of an entangled pair. Instead of choosing between the go-to-lowest and go-to-highest moves randomly, each player measures their qubit and chooses according to the result of their measurement ("0" \rightarrow go-to-lowest, "1" \rightarrow go-to-highest). We will adopt a maximally-entangled, EPR pair [34] *ansatz* for the initial quantum state $|\psi\rangle_i$ shared by Alice and Bob:

$$|\psi\rangle_i = \frac{1}{\sqrt{2}} (|0\rangle \otimes |0\rangle + |1\rangle \otimes |1\rangle). \quad (4)$$

Here, $|0\rangle$ and $|1\rangle$ represent pure computational-basis states. Physically they could correspond, for example, to spin-up and spin-down states of a spin- $\frac{1}{2}$ particle.⁵ The order of the kets indicates who holds each qubit: Alice (first) or Bob (second).

If Alice and Bob measure their qubits in the computational basis, Eq. (4) ensures that they obtain the same result. This rules out the off-diagonal

⁵When discussing change of basis for a measurement, we will use the usual convention where measuring the qubit in the computational basis is equivalent to measuring the spin component along the z axis, and other measurements can be obtained by rotations around the x, y, z axes.

elements for the 4×4 blocks in Table 1b and reduces it to two versions of Table 1a corresponding to $(n, m) = (0, 0)$ and $(1, 1)$, respectively [in the second copy, the wins at $(a, b) = (3, 2)$ and $(2, 3)$ are replaced with losses, while the losses at $(2, 1)$ and $(1, 2)$ become wins]. The result is that we obtain the same winning probability (2) as when using the optimal classical strategy.

The above result realises the bound obtained for local hidden-variables (LHV) theories in Ref. [1]. Indeed, the same outcome could be obtained by issuing Alice and Bob, before the start of the game, with sealed envelopes containing their instructions.⁶

To go beyond what is allowed by classical and LHV theories we need to violate Bell's inequalities [36, 37] by having Alice and Bob rotate their measurement axes by different amounts before making their measurements. They do this by applying a rotation to their qubit around the y axis,

$$\hat{R}_y(\theta) = e^{-i\frac{1}{2}\theta_i\hat{\sigma}_y}, \quad (5)$$

where θ_i is an angle that depends on the vertex the player has started on ($i = 1, 2, 3$). The final state after the rotations is

$$\begin{aligned} |\psi\rangle_f &= [\hat{R}_y(\theta_a) \otimes \hat{R}_y(\theta_b)] |\psi\rangle_i \\ &= \frac{1}{\sqrt{2}} \left[\cos\left(\frac{\theta_b - \theta_a}{2}\right) |00\rangle - \sin\left(\frac{\theta_a - \theta_b}{2}\right) |01\rangle \right. \\ &\quad \left. + \sin\left(\frac{\theta_a - \theta_b}{2}\right) |10\rangle + \cos\left(\frac{\theta_b - \theta_a}{2}\right) |11\rangle \right], \quad (6) \end{aligned}$$

where we have used the habitual shorthand for tensor-product states (e.g. $|01\rangle \equiv |0\rangle \otimes |1\rangle$). Projecting onto the computational-basis states yields the following conditional probabilities for the possible measurement outcomes 00, 01, 10, and 11:

$$\begin{pmatrix} P_{a,b}^{0,0} & P_{a,b}^{0,1} \\ P_{a,b}^{1,0} & P_{a,b}^{1,1} \end{pmatrix} = \frac{1}{2} \begin{pmatrix} \cos^2\left(\frac{\theta_b - \theta_a}{2}\right) & \sin^2\left(\frac{\theta_a - \theta_b}{2}\right) \\ \sin^2\left(\frac{\theta_a - \theta_b}{2}\right) & \cos^2\left(\frac{\theta_b - \theta_a}{2}\right) \end{pmatrix}. \quad (7)$$

⁶There is a subtle physical difference, though: in the case when two entangled qubits are used to coordinate the actions, the outcome is not pre-determined (unless we adopt a non-local hidden variables interpretation of Quantum Mechanics[35]).

For a given pair of values of the site indices a and b , this matrix gives the probabilities of the lose (L) and win (W) outcomes in the corresponding 2×2 block of Table 1b. Note that these probabilities are conditional upon Alice having started on site a and Bob on site b i.e. $P_{a,b}^{n,m} \equiv P(n, m|a, b)$ whence $\sum_{n,m} P_{a,b}^{n,m} = 1$. If both players start on the same square ($a = b$) we obtain $P_{a,b}^{n,m} = \frac{1}{2}\delta_{n,m}$ as in the LHV strategy above. However, for off-diagonal blocks ($a \neq b$) there is finite probability for Alice and Bob to obtain different measurement outcomes ($n \neq m$). This in particular opens the possibility of winning when $(a, b) = (1, 2), (1, 3), (2, 1)$ or $(3, 1)$ which are certain losses for the go-to-lowest optimal classical strategy.

Summation of $P_{a,b}^{n,m}$ over all combinations of starting sites a, b and measurement outcomes n, m leading to a win gives, after normalisation,

$$P_w = \frac{1}{9}(3 + 2P_{1,2}^{1,1} + 2P_{1,3}^{0,1} + 2P_{2,3}^{0,0}). \quad (8)$$

Substituting the explicit forms of the conditional probabilities $P_{a,b}^{n,m}$ from Eq. (7) yields the following expression for the overall winning probability:

$$P_w = \frac{1}{9} \left[3 + \cos^2 \left(\frac{\theta_2 - \theta_1}{2} \right)^2 + \sin^2 \left(\frac{\theta_3 - \theta_1}{2} \right)^2 + \cos^2 \left(\frac{\theta_3 - \theta_2}{2} \right)^2 \right]. \quad (9)$$

Evidently $P_w \propto \text{constant} + \cos^2(\alpha) + \sin^2(\alpha + \beta) + \cos^2(\beta)$ where $\alpha \equiv (\theta_2 - \theta_1)/2$ and $\beta \equiv (\theta_3 - \theta_2)/2$. This is maximised by $\alpha = \beta = \pi/3$ which determines the angles $\theta_1, \theta_2, \theta_3$ up to an arbitrary offset. Choosing the offset for convenience so that the first angle is zero we obtain

$$\theta_1 = 0, \theta_2 = \frac{\pi}{3} \text{ and } \theta_3 = \frac{2\pi}{3}. \quad (10)$$

Substituting these angles back into Eq. (9) yields

$$P_w = \frac{5}{9} + \frac{1}{36} \quad (11)$$

which is in good agreement with the value 0.58333 quoted in [1] and shows a quantum advantage in the form of a probability increase equal to $1/36 \approx 0.028$ when compared to (2).

3.2 N -site Cycle Graphs

In the previous section, we have shown how to evaluate the probability of rendezvous for a cycle graph with $N = 3$ vertices in detail. Here we show how to generalise this for cycle graphs with $N > 3$. The vertices of the graph are labelled $1, 2, 3, \dots, N$ in order as shown in Figure 1c for $N = 5$. Once again, Alice and Bob follow the conditions of the game defined in section 2.

3.2.1 Classical Probabilities

The probability P_N^c of a successful rendezvous using the classical strategy of going to the lowest numerically indexed vertex can be calculated trivially for cycle graphs with any number of vertices N . For $N > 3$ it is given by

$$P_N^c = \frac{N+4}{N^2}. \quad (12)$$

This formula applies irrespective of which of the two definitions of $S = 1$ introduced in Sec. 2 is adopted (check-first or check-later). Clearly as $N \rightarrow \infty$,

$$NP_N^c \rightarrow 1. \quad (13)$$

for this deterministic strategy. The first few values ($3 \leq N \leq 9$) are shown in the first line of Table 2. We conjecture this classical strategy to be optimal with the check-later definition. In particular, it fares better than the random (coin-tossing) strategy which yields

$$P_N^{r,\text{later}} = \frac{1}{N}. \quad (14)$$

In contrast, with the check-first definition the strategy where the players decide between go-to-highest and go-to-lowest by the flip of a coin gives,

$$P_N^{r,\text{first}} = \frac{3}{2N}, \quad (15)$$

which beats the winning probability in Eq. (12) for $N > 8$. The asymptotic winning probability for large N for this strategy obeys

$$NP_N^{r,\text{first}} \rightarrow \frac{3}{2}. \quad (16)$$

P	E	N=3	N=4	N=5	N=6	N=7	N=8	N=9
P_N^c	0	0.5556	0.5000	0.3600	0.2778	0.2245	0.1875	0.1605
P_N^q	0	0.5833	0.5000	0.3809	0.2917	0.2786	0.2500	0.2189
P_N^c	1	0.7778	0.6250	0.4400	0.3889	0.3469	0.3125	0.2593
P_N^q	1	0.8333	0.6250	0.4500	0.4167	0.3660	0.3125	0.2778

Table 2: Probability of winning a 1-step rendezvous game on a N -vertex cycle graph for the case when players are not allowed to wait, they may start on the same vertex, and they may or may not meet on edges, as indicated ($W = 0, S = 1$, and $E = 0, 1$, respectively). For the classical results P_N^c they adopt the strategy of moving to the adjacent vertex with the lowest-indexed label. The numbers are exact fractions but are written as numerical values to facilitate comparison with reference [1] and with the quantum mechanical probabilities P_N^q .

3.2.2 Quantum Probabilities with $E = 0$

The quantum strategy for C_N ($N > 3$) is analogous to that employed for $N = 3$. Specifically, we provide Alice and Bob with the same shared quantum state as in the $N = 3$ case [Eq. (4)]. As in the $N = 3$ case, both Alice and Bob rotate their apparatuses through an angle $\theta_{a(b)}$ according to the index $a(b)$ of the vertex they are currently occupying. They then measure the spin of their particle and move according to the same strategy defined in section 3.1. The conditional probability $P_{a,b}^{n,m}$ that the outcome of Alice's measurement will be n while that of Bob's will be m , given their starting sites a, b , is evidently still given by Eq. (7). Note that this depends only on $\theta_a - \theta_b$, but not on θ_a and θ_b separately.

The derivation of the probability of rendezvous proceeds entirely analogously to the $N = 3$ case. If both players start at the same vertex ($a = b$) then $\theta = 0$, both players will obtain the same measurement, and hence they will definitely rendezvous irrespectfully of the definition we adopt for $S = 1$ (see Section 2). If they start on different vertices there are a number of possible outcomes, some of which lead to rendezvous and others not, whose corre-

sponding probabilities depend only on θ . For arbitrary N Eq. (8) generalises to

$$P_N^q = \frac{1}{N^2} \left[N + 2 \left(P_{1,3}^{0,0} + P_{2,4}^{1,0} + P_{3,5}^{1,0} + \dots + P_{N-3,N-1}^{1,0} + P_{N-2,N}^{1,1} + P_{N-1,1}^{1,1} + P_{N,2}^{0,0} \right) \right]. \quad (17)$$

Here we have taken into account that for one-step games Alice and Bob can only rendezvous if they start on the same site or the shortest path between them passes through exactly one intermediate vertex. We have also made use of the symmetry $P_{i,j}^{n,m} = P_{j,i}^{m,n}$.

In principle, optimizing the strategy involves finding the best values for all the angles $\theta_1, \theta_2, \dots, \theta_N$. In view of the result we obtained for $N = 3$, Eq. (10), it would seem reasonable to take $\theta_j = (j - 1)\theta$. This *ansatz*, however, leads to a winning probability below the optimal bounds given in Ref. [1]. The reason can be understood simply as follows: the terms contributing to a win in Eq. (17) involve Alice and Bob getting different measurement outcomes in all cases except when one of them starts on vertices numbers 1 or N , in which case identical measurement outcomes are required. According to Eq. (7) the different-outcome probabilities are given by a \sin^2 function while the equal-outcome probabilities are given by a \cos^2 . This introduces a tension in the optimization of the angle θ : increasing θ from zero improves the contribution from pairs of vertices not involving 1 or N while it reduces the contribution from those sites. However, this tension comes from our choice of labels, which makes sites 1 and N special. But the graph has cyclic symmetry so there should be no special sites. Indeed, the tension can be relieved by adding a $\pi/2$ phase shift at sites 1 and N . That turns the \cos^2 terms into \sin^2 and so effectively undoes the artifact of the labelling convention. We thus take

$$\theta_j = (j - 1)\theta + \pi (\delta_{j,1} + \delta_{j,N}). \quad (18)$$

Adopting this procedure we find for $N = 5$, for example,

$$P_5^q = \frac{1}{25} \left[5 + 3 \sin^2 \theta + 2 \sin^2 \left(\frac{3\theta}{2} \right) \right]. \quad (19)$$

A plot of this quantity is shown in Figure 2. We take its maximum value which occurs at 1.257 radians and is equal to 0.3809. This is the number given in Table 4 of reference [1] which confirms that this strategy is optimal.




Figure 2: Winning probability function for a 5-vertex cycle graph as given by Eq. (19), plotted against the measurement angle increment θ .

We can use Eq. (17) to evaluate the winning probability for any value of N . In the general case we obtain

$$P_N^q = \frac{1}{N^2} \left[N + (N - 2) \sin^2 \theta + 2 \sin^2 \left(\frac{N - 2}{2} \theta \right) \right] \quad (20)$$

Substituting the values of θ that maximise P_N^q in this formula agrees with all the results found numerically in Ref. [1] for quantum-assisted rendezvous on cycle graphs with $E = 0$. In the first row of Table 4 we show the values of θ that produce the maximum probabilities for given values of N .

For large N Eq. (20) takes the asymptotic form $P_N^q \sim \frac{1}{N} (1 + \sin^2 \theta)$ which is maximised by the angle $\theta = \pi/2$, giving

$$\lim_{N \rightarrow \infty} N P_N^{q, \max} = 2 \quad (21)$$

for the optimal winning probability $P_N^{q, \max}$. This represents an improvement by a factor of 2 and 4/3, respectively, compared to the optimal classical winning probabilities in Eqs. (13) and (16).

3.2.3 The Quantum Probabilities with $E = 1$

If we allow meeting upon position transposition, $E = 1$, the generalisation of equation (20) is simple. The players have won if the players happen to be on adjacent vertices and move towards each other. Again it soon becomes apparent that there is a pattern and for $E = 1$ we get,

$$P_N^q = \frac{1}{N^2} \left[N + (N - 2) \sin^2 \theta + 2 \sin^2 \left(\frac{N - 2}{2} \theta \right) + \sin^2 \left(\frac{N - 1}{2} \theta \right) + (N - 1) \sin^2 \left(\frac{\theta}{2} \right) \right] \quad (22)$$

This formula also reproduces the numerical results found in reference [1] for cyclic graphs when $E = 1$. In the second row of Table 4 we show the values of θ that produce the maximum probabilities for given values of N for $E = 1$. For very large values of N and $E = 1$ we have $P_N^q \sim \frac{1}{N} (1 + \sin^2 \theta + \sin^2 \frac{\theta}{2})$. This is maximised by $\theta = \arccos(-1/4)$ giving, after some trigonometric manipulation,

$$\lim_{N \rightarrow \infty} N P_N^q = \frac{41}{16}. \quad (23)$$

$\theta_{\max} [^\circ]$	$N = 3$	$N = 4$	$N = 5$	$N = 6$	$N = 7$	$N = 8$	$N = 9$
$E = 0$	120	90	72	60,120	102.86	90	80
$E = 1$	120	90	72,144	60	102.86	90	120

Table 3: The value of θ that gives the maximum P_N for cyclic graphs with N vertices. We have restricted ourselves to $0 \leq \theta_{\max} \leq 180^\circ$ as there is reflection symmetry about $\theta = 180^\circ$. For the 6-vertex graph, there are two maxima for $E = 0$ and for the 5-vertex graph, there are two values for $E = 1$.

3.2.4 Optimal Non-signalling Probabilities

In Ref. [1] the rendezvous problem was also analysed for non-signalling theories (NST) which include Quantum Mechanics as a particular case but also allow for even greater degree of correlation between Alice's and Bob's measurements. It is interesting to observe that, within our present approach, the optimal rendezvous probabilities allowed by NST can be understood by imagining that Alice and Bob can choose their measuring angles in such way that all the terms in Eqs. (20) and (22) can be maximised simultaneously i.e. all the winning trigonometric quantities in the two equations for P_N become 1 (a mathematical impossibility). For $E = 0$ [Eq. (20)] that recipe yields

$$P_N = \frac{1}{N^2} (N + N - 2 + 2) = \frac{2}{N}. \quad (24)$$

Substituting $N = 3, 4, 5, 6, 7, 8,$ and 9 we obtain $0.66667, 0.5000, 0.40000, 0.33333, 0.28571, 0.25000$ and 0.22222 . These numbers reproduce the results for the non-signalling probability in row 4 of table 4 of reference [1]. Similarly for $E = 1$ [Eq. (22)] we get

$$P_N = \frac{1}{N^2} (N + N - 2 + 2 + 1 + N - 1) = \frac{3}{N}. \quad (25)$$

Substituting $N = 3, 4, 5, 6, 7, 8,$ and 9 we obtain $1.0000, 0.75000, 0.60000, 0.50000, 0.42857, 0.37500$ and 0.33333 . These numbers reproduce the results in row 8 of table 4 of reference [1].

Intriguingly, there are values of N for which the NST limit can be reached within ordinary quantum theory. For $E = 0$ it suffices to find integers ν, μ for which

$$\frac{N - 2}{2} = \frac{2\mu + 1}{2\nu + 1}. \quad (26)$$

Then, the optimal angle is $\theta_{\max} = \frac{\pi}{2}(2\nu + 1)$. This is satisfied for $N = 4$ taking $\nu = \mu = 1$ and for $N = 8$ taking $\nu = 1, \mu = 4$. However, in both cases the classical, local hidden variables, quantum, and NST winning probabilities coincide [[1], Table 4]. Since the purpose of the present paper is to investigate physically-attainable optimal rendezvous strategies we leave a full discussion of NST for subsequent work.

4 Cycle graphs: simulation

We now turn to the simulation of the rendezvous scenario on K_3 using Noisy, Intermediate-Scale Quantum (NISQ) processors. Fig. 3 summarises schematically our approach. In a real-life implementation [Fig. 3a] the quantum (grey) and classical (white) steps would be interleaved: from left to right, first a quantum state is prepared and each player is provided with one part of the quantum system; then the players are assigned their locations and they independently decide their measurement angles; the players carry out projective quantum measurements of their respective sub-systems; and, finally, each player makes their move according to their measurement and the result of the game is recorded. While it is possible, for the simple games considered in the present work, to simulate all four steps classically, when using NISQ hardware it is not practical to intercalate the quantum and classical steps due to limitations of current implementations of classical feedforward [38]. Instead, one must carry out all the quantum operations in a single step. Fig. 3b shows the most straight-forward way to achieve this: again from left to right, first the player locations and corresponding measurement angles are generated on a classical computer; then, a single-shot job is submitted to the quantum processor. This job creates the state, applies the two rotations and provides a single outcome for each of the two measurements (one for each qubit); finally, the classical computer decides and records the outcome of the game and the process re-starts. Unfortunately, this method requires submitting a new job to the quantum processor each time a new set of initial positions is generated and therefore incurs a large overhead due to the need to frequently reset the quantum processor. In practice we were not able to average over more than about 10^3 runs of the game using this technique. This difficulty can be overcome using the approach depicted in Fig. 3c: instead of intercalating the quantum and classical steps, we first use the quantum computer to create a table containing a large number of measurement outcomes


1
2
3
4
5
6
7
8 for each of the combinations of measurement angles compatible with a given
9 strategy. We then simulate many instances of the game classically, looking
10 up the results of Alice's and Bob's measurements in the previously-generated
11 table. With this "quantum table" method we were able to average over 10^6
12 initial positions. When the quantum computer is ideal (or a simulation) all
13 three ways of simulating a rendezvous game are, of course, equivalent.

14
15 We simulated one-step, $E = 0$, $S = 1$, rendezvous games on K_3 using the
16 optimal classical and quantum strategies described in Sec. 3.1.⁷ In each case
17 we generated a finite number 2^n of initial positions of the players and recorded
18 the fraction of these where the game was won. This quantity was compared
19 to the predictions made for the winning probability in Eqs. (11) and (2) for
20 the classical and quantum strategies, respectively, which can be interpreted
21 as predictions of the fraction of wins in the limit $n \rightarrow \infty$.


22
23 For the quantum case, the circuit shown in Fig. 4 was used for the quantum
24 part of the simulation (grey boxes in Figs. 3b and 3c). The Hadamard and
25 CNOT gates are used to create the initial state $|\psi_i\rangle$ in Eq. (4). This is fol-
26 lowed by two rotations, one on each qubit, by the angles θ_a, θ_b corresponding
27 to the indices a, b of Alice's and Bob's initial locations, respectively. These
28 angles are given in Eq. (10). Since the rotations are only needed when Alice
29 and Bob start on different vertices, this means that there are 6 distinct quan-
30 tum circuits that need to be run. In the quantum-table method we ran each
31 of these circuits 20,000 times. The table was probed pseudo-randomly for
32 each instance of the game. Note that in a real-life implementation [Fig. 3a]
33 the first two gates take place when Alice and Bob are in communication,
34 while the rotations and measurements are local operations they carry out
35 independently of each other on their respective qubits. However, in order
36 to optimise the performance of the quantum circuit we did not impose this
37 constraint.

38
39 The simulations using quantum hardware were run on IBM Quantum proces-
40 sors [33]. Specifically, we used `ibm_brisbane` to generate the quantum mea-
41 surement outcomes when using the quantum table method. For the one-shot-
42 per-job method (not shown), we used the systems `ibm_perth`, `ibm_lagos`,


43
44
45
46
47
48
49 ⁷We remind the reader that for this particular game both optimal strategies, classical
50 and quantum, give results that are independent of the definition to adopt for $S = 1$
51 (Section 2).



(a)



(b)



(c)

Figure 3: Schematic flow diagrams of a a real-life implementation of quantum rendezvous (a), and quantum simulations using the one-shot-per-job approach (b) and the quantum table approach (c).




Figure 4: Quantum circuit used in our simulations of rendezvous games on the 3-vertex cycle graph K_3 . From top to bottom, the first qubit represents the quantum sub-system held by Alice and the second qubit that held by Bob.

and `ibm_nairobi`.⁸ Unfortunately, as noted above it was not possible to obtain converged averages over a sufficient number of runs with this method - though the results we obtained were consistent with the quantum table method at the values of n we could reach. For the simulations of quantum processors on classical hardware we used the `AerSimulator` class provided by Qiskit [32] running on local devices.

In the simulations, we used both the check-first and check-later definition of $S = 1$ (see section 2) Due to the structure of the conditional probability matrix (7) both variants are the same for this particular problem (when Alice and Bob start on the same site, our *ansatz* ensures that they remain on the same site after they move).

Our results are shown in Fig. 5 as a function of the base-2 logarithm of the number of trials, n . As expected, classical-computer simulations of both the classical and quantum rendezvous strategies (stars and circles, respectively) converge well towards the predicted values [Eqs. (2) and (11), respectively]. The simulations of the quantum strategy using the quantum-table method and real quantum hardware (squares) also appear to converge well towards a fixed value which is much closer to that predicted by Eq. (11) than to the classical result in Eq. (2). This is in spite of the limitations of the quantum processor used (finite decoherence times and limited gate fidelity). This suggests that it is possible to achieve quantum advantage in rendezvous using existing technology, though we note that in most real applications it would be necessary to maintain entanglement over longer distances than

⁸Due to the time-consuming nature of the one-shot-per-job method, we automatically selected the least busy system each time we ran a quantum circuit.

1
2
3
4
5
6
7
8 the 1-2mm separation between qubits in the quantum processor [39] and
9 maintain it for longer times than the execution time of our quantum circuits
10 ($\sim 10^{-4}s$).
11

12 We end by noting that the quantum strategy we have considered is not op-
13 timal with the check-first definition of $S = 1$. There is a better strategy
14 that consists of using the qubits to convert the player-symmetric game into a
15 player-asymmetric one using the general procedure described in Sec. 7.2. Al-
16 lice and Bob can then effectively use the optimal classical, player-asymmetric
17 strategy which has higher winning probability than the quantum, player-
18 symmetric one. In contrast, with the check-later definition of $S = 1$ the
19 conversion to an asymmetric strategy is not advantageous because it guar-
20 antees that Alice and Bob move away from each other when they start on
21 the same site.
22
23
24
25

26 5 Cubic graphs: theory

27

28 In a cycle graph, all vertices have two edges. In this section we generalise to
29 cubic graphs where each vertex has three edges. Two examples are shown in
30 Fig. 1 (panels c and d). This implies that the players need to choose where
31 to move from among three options, rather than two.
32
33

34 For simplicity we focus first on the simplest case, namely the 4-vertex graph
35 K_4 formed by the vertices and edges of a tetrahedron (Fig. 1c). Since this
36 graph is complete all vertices are equivalent and the classical probabilities
37 can be evaluated easily by hand.
38

39 As before, Alice and Bob initially enter the graph at random positions. Sim-
40 ilarly to K_3 , the optimum classical strategy on K_4 consists of moving to
41 the adjacent site with the lowest index. There are now, however, four sites
42 the player can start at and three edges to choose from. We thus obtain the
43 win/lose matrix shown in Table 4a. There are 16 possibilities of which 10
44 lead to winning the game so probability of rendezvous in this case is clearly
45 $P_w = 5/8 = 0.625$. The question now is: can we do better than this by
46 adopting a quantum strategy?
47
48

49 As in the case of K_3 it is illustrative to consider first an alternative classical
50 strategy where the players choose which edge to take randomly. Since each
51 player faces a three-way choice they need to use a 3-valued random variable
52
53
54




Figure 5: One-step rendezvous of two players on the 3-vertex cycle graph K_3 (Fig. 1a) with no waiting, no meeting on edges ($E = 0$), and the possibility that players may start on the same site ($S = 1$) for both check first. Panel (a) corresponds to the check-first variant of $S = 1$ and panel (b) to the check-later variant. The solid lines with symbols show the results of simulations: optimal classical strategy (stars); optimal quantum strategy simulated using classical hardware (circles); and optimal quantum strategy simulated using real NISQ hardware and the quantum table approach (squares). The dashed lines show the winning probabilities predicted by the theory in Sec. 3.1 for the optimal classical strategy (lower line) and the optimal quantum strategy (upper line). See the main text for details and interpretation.

(a 3-sided coin toss). This results in the win-loss Table 4b. There are now $(4 \times 3)^2 = 144$ possibilities, of which only 36 lead to a win so the probability of winning is reduced to $P_w = 1/4 = 0.25$. This is much lower than with the optimal classical strategy. However, as we saw with K_3 , here too the random coin toss opens up the possibility of winning the game for combinations of starting sites for which the optimal classical strategy does not allow it—in this case, when Alice starts on site 1 and Bob starts on sites 2,3 or 4, or *vice versa*. A quantum strategy can exploit this by introducing correlations between the coin tosses that depend on the starting sites.

Given the 3-way nature of the choice for cubic graphs, it is natural to work with three-state quantum systems (qutrits) which we will conceptualise as spin-1 particles. Each player has one of an entangled pair of such particles with them. The z component of the spin of each particle can now take on any one of the three values $S_z = -1, 0$, or $+1$ and when the players measure this it will correspond to moving to the adjacent vertex with the lowest, middle or highest label respectively. The initial entangled state of the particles is

$$|\psi\rangle_i = \frac{1}{\sqrt{3}} (|-1\rangle \otimes |-1\rangle + |0\rangle \otimes |0\rangle + |1\rangle \otimes |1\rangle) \quad (27)$$

which is a generalisation of (4). Here the number inside the first ket in each term is the value of S_z as measured by Alice and the number inside the second ket is S_z as measured by Bob.

Both Alice and Bob rotate their measuring apparatus according to which vertex they are currently occupying. They then measure the value of S_z for their particle and move according to the following strategy:

1. If they measure $S_z = -1$ they move to the adjacent vertex with the lowest label
2. If they measure $S_z = 0$ they move to the adjacent vertex with the middle-sized label
3. If they measure $S_z = 1$ they move to the adjacent vertex with the highest label.

Bob and Alice start with their apparatus for measuring the spins in the same direction. They then enter the graph and rotate their apparatus by an amount in three dimensions. Each player applies a rotation matrix of the

		Bob			
		1	2	3	4
Alice	1	W	L	L	L
	2	L	W	W	W
	3	L	W	W	W
	4	L	W	W	W

(a)

		Bob												
		1			2			3			4			
		-1	0	+1	-1	0	+1	-1	0	+1	-1	0	+1	
Alice	1	-1	W	L	L	L	L	L	L	W	L	L	W	L
		0	L	W	L	L	W	L	L	L	L	L	L	W
		+1	L	L	W	L	L	W	L	L	W	L	L	L
	2	-1	L	L	L	W	L	L	W	L	L	W	L	L
		0	L	W	L	L	W	L	L	L	L	L	L	W
		+1	L	L	W	L	L	W	L	L	W	L	L	L
	3	-1	L	L	L	W	L	L	W	L	L	W	L	L
		0	W	L	L	L	L	L	L	W	L	L	W	L
		+1	L	L	W	L	L	W	L	L	W	L	L	L
	4	-1	L	L	L	W	L	L	W	L	L	W	L	L
		0	W	L	L	L	L	L	L	W	L	L	W	L
		+1	L	W	L	L	W	L	L	L	L	L	L	W

(b)

Table 4: Win-lose table for our rendezvous one-step game on the graph K_4 [Fig. 1c]. In Table (a) Alice and Bob have previously agreed to use the same optimum classical strategy. In Table (b) the players decide which of the three sites available to them they will visit by the flip of a three-sided coin (or by examining a qutrit). In both tables, the first column shows the vertex $a = 1, 2, 3, 4$ Alice is on at the start of the game and the first row shows the vertex $b = 1, 2, 3, 4$ Bob starts on. In table (b) the second column and row, respectively, show the results of the two coin flips $S_z^A, S_z^B = -1, 0, 1$. **W** means that the players win the game, L that they lose.

form

$$\hat{R}(\alpha, \beta, \gamma) = \begin{pmatrix} \cos \beta \cos \gamma & \sin \alpha \sin \beta \cos \gamma - \cos \alpha \sin \gamma & \cos \alpha \sin \beta \cos \gamma + \sin \alpha \sin \gamma \\ \cos \beta \sin \gamma & \sin \alpha \sin \beta \sin \gamma + \cos \alpha \cos \gamma & \cos \alpha \sin \beta \sin \gamma - \sin \alpha \cos \gamma \\ -\sin \beta & \sin \alpha \cos \beta & \cos \alpha \cos \beta \end{pmatrix} \quad (28)$$

where α , β , and γ are Euler angles about axes x , y and z respectively and depend on the site the player has started on. The combined action of the two players on the initial state of equation (27) gives a new state

$$|\psi\rangle_f = \hat{R}(\alpha_a, \beta_a, \gamma_a) \otimes \hat{R}(\alpha_b, \beta_b, \gamma_b) |\psi\rangle_i \quad (29)$$

where $\alpha_a, \beta_a, \gamma_a$ are the rotation angles corresponding to the site a Alice starts on and $\alpha_b, \beta_b, \gamma_b$ correspond to Bob's site, b . This equation is the cubic-graph equivalent of (6).

As before, we project the rotated state $|\psi\rangle_f$ onto $|n\rangle \otimes |m\rangle$ to obtain the probability that Alice's measurement will yield any particular value, $n = -1, 0$, or 1 , in combination with any other particular value of Bob's, $m = -1, 0, 1$, given the starting sites a, b . We thus obtain the cubic equivalent of Eq. (7):

$$\begin{aligned} P_{ab}^{nm} &= \left| (\langle n| \otimes \langle m|) |\psi\rangle_f \right|^2 \\ &= \frac{1}{3} \left| \sum_{k=-1,0,1} \langle n| \hat{R}(\alpha_a, \beta_a, \gamma_a) |k\rangle \langle m| \hat{R}(\alpha_b, \beta_b, \gamma_b) |k\rangle \right|^2 \\ &= \frac{1}{3} \left| \langle n| \hat{R}(\alpha_a, \beta_a, \gamma_a) \hat{R}(\alpha_b, \beta_b, \gamma_b)^\dagger |m\rangle \right|^2 \quad (30) \end{aligned}$$

The matrix $P_{a,b}^{n,m}$ can be used to obtain the probability of winning the game with a given strategy (i.e., for a given way to choose the angles α, β, γ for each site). This is implemented as follows. We define a cumulative probability which is initially zero. Alice and Bob are placed at random positions a, b on the graph. $P_{a,b}^{n,m}$ then defines the probability that Alice will move along the edge corresponding to the measurement value n and that Bob will move along the edge corresponding to m edge. If there is a non-zero value of $P_{a,b}^{n,m}$ that connects a to b then the value of $P_{a,b}^{n,m}$ is added to the cumulative probability. This game is played a large number of times to get a sufficiently

		Site			
		1	2	3	4
Angle	α	4.0841	0.4538	0.4538	0.0262
	β	2.4784	3.2638	2.7925	3.0543
	γ	1.5708	4.9393	4.4244	0.7069

Table 5: One of the sets of rotation angles that yield the maximum probability of rendezvous for the graph K_4 , shown in Figure 1c.

well-defined average over the starting positions and moves. Then the cumulative probability divided by the number of games played is the average probability of rendezvous. As a concrete example, suppose the game is being played on the graph K_4 [Figure 1c] and that Alice starts at site 4 and Bob starts at site 1. If Alice takes the path to the adjacent vertex with the middle label ($n = 0$) and Bob takes the path to the adjacent vertex with the lowest label ($m = -1$) we say this occurs with probability $P_{4,1}^{0,-1}$. This move does result in rendezvous (both Alice and Bob go to site 2) so we add $P_{4,1}^{0,-1}$ to the cumulative probability. On the other hand, for the same starting positions the combination $n = m = 0$ does not result in rendezvous (Alice goes to site 1 while Bob goes to site 3) so we do not add $P_{4,1}^{0,0}$ to the cumulative probability.

In practice we have had to use of order 10^9 trials for convergence to four significant figures for the probability of winning. We also have to find the maximum value of that converged probability as a function of the values that α , β and γ take on each vertex. The result of this outer, 12-variable optimization loop for K_4 is given in Table 5. The symmetry of the graph means there are a number of degenerate sets of angles and we just display one of them here. Clearly as all sites are equivalent interchanging the sets of angles between sites leads to an identical result. Thus, if Alice and Bob rotate their apparatuses by the angles shown in Table 5 according to which vertex they start on, the probability of rendezvous is 0.645, which is 0.020 more than the best classical strategy.

The calculations above have been performed for a number of cubic graphs which are defined by their adjacency lists in Table 6. The results are shown in Table 7 which compares the quantum strategy (bottom row) to the classical case where the strategy adopted is to move to the adjacent vertex with the

Y_3 (cubic-2)	$\{\{2, 3, 4\}, \{1, 3, 5\}, \{1, 2, 6\}, \{1, 5, 6\}, \{2, 4, 6\}, \{3, 4, 5\}\}$
K_4	$\{\{2, 3, 4\}, \{1, 3, 4\}, \{1, 2, 4\}, \{1, 2, 3\}\}$
$2K_4$ (cubic-4)	$\{\{3, 5, 7\}, \{4, 6, 8\}, \{1, 5, 7\}, \{2, 6, 8\}, \{1, 3, 7\}, \{2, 4, 8\}, \{1, 3, 5\}, \{2, 4, 6\}\}$
cubic-6	$\{\{2, 3, 4\}, \{1, 3, 6\}, \{1, 2, 8\}, \{1, 5, 7\}, \{4, 6, 8\}, \{2, 5, 7\}, \{4, 6, 8\}, \{3, 5, 7\}\}$
Q_3 (cubic-7)	$\{\{2, 4, 5\}, \{1, 3, 6\}, \{2, 4, 7\}, \{1, 3, 8\}, \{1, 6, 8\}, \{2, 5, 7\}, \{3, 6, 8\}, \{4, 5, 7\}\}$

Table 6: Adjacency lists for a few cubic graphs. The nomenclature "cubic- n " in the first column is the same used in Ref. [1]. In addition, standard names have been provided for the triangular prism, tetrahedron, and cube graphs (Y_3 , K_4 and Q_3 , respectively) as well as for the graph formed by two disconnected tetrahedra ($2K_4$).

	Y_3 (cubic-2)	K_4	cubic-6	Q_3 (cubic-7)
Classical	0.3889	0.6250	0.3437	0.3125
Quantum	0.4945	0.6450	0.3451	0.3225

Table 7: Probability of one-step rendezvous using for cubic graphs with $E = 0$, $S = 1$, and no waiting allowed.

lowest valued label is shown in the upper row (top row). We used the checker definition of $S = 1$ (see Section 2).

The numbers presented in Table 7 are in agreement with the numerical results in Ref. [1]. There is a small difference in the final digit for the graph cubic-6 which we attribute to the level of precision to which we have optimised the angles in the procedure above. As can be seen from the table there is a quantum advantage for all the graphs studied. This was typically an increment of order 0.03 or less, however in the case of cubic-2 it was almost 0.25. Similar advantage was observed for these graphs in Ref. [1], although the particular case of cubic-2 was not reported there.⁹

⁹In the case of K_4 the comparison has to be made to the graph $2K_4$ formed by the vertices and edges of two disconnected tetrahedra (denoted as "cubic-4" in Ref. [1]) as K_4 was not studied in the previous work. The optimal strategy is, by construction, the same (with the same rotation angles assigned to sites 1,3,5,7, corresponding the vertices of one tetrahedron, as to sites 2,4,6,8, corresponding to the second tetrahedron, respectively) as there is nothing the players can do to improve their chances if they start on different tetrahedra. The winning probabilities are simply related by $P(K_4) = 2P(2K_4)$.

6 Cubic graphs: simulation

To simulate quantum-assisted rendezvous on a cubic graph we translate the protocol developed in Sec. 5, based on qutrits, to qubit language. A simple way to achieve this is to issue Alice and Bob with two qubits each and replace the entangled state of two spin-1 particles (27) with the following state involving four qubits:¹⁰

$$|\psi\rangle_i = \frac{1}{\sqrt{3}}(|00\rangle \otimes |00\rangle + |01\rangle \otimes |01\rangle + |10\rangle \otimes |10\rangle). \quad (31)$$

The state in Eq. (31) is equivalent to that in Eq. (27) if we make the identifications $|00\rangle \equiv |-1\rangle$, $|01\rangle \equiv |0\rangle$, and $|10\rangle \equiv |1\rangle$.

We note that the two qubits possessed by one of the players span a 16-dimensional Hilbert space compared to 9 dimensions for two spin-1 particles. Our *anstaz*, however, has zero overlap with any state involving the $|11\rangle$ state of Alice's or Bob's qubits. The rotation of Alice's (or Bob's) spin-1 particle is effectively described by

$$\hat{\mathcal{R}}(\alpha, \beta, \gamma) = \begin{pmatrix} & & & 0 \\ \hat{R}(\alpha, \beta, \gamma) & & & 0 \\ & & & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} \quad (32)$$

where $\hat{R}(\alpha, \beta, \gamma)$ is the 3×3 matrix in (28). The equivalent of the rotated state (29) is thus

$$\hat{\mathcal{R}}(\alpha_a, \beta_a, \gamma_a) \otimes \hat{\mathcal{R}}(\alpha_b, \beta_b, \gamma_b) |\psi\rangle_i = |\psi\rangle_f.$$

Our quantum circuit is shown schematically in Fig. 6. It consists of one block where the qubits are placed in the initial state $|\psi\rangle_i$, followed by rotations applied to the first two and third and fourth qubits, respectively. To implement this circuit on a quantum processor we need to decompose these

¹⁰Note that we have implicitly stated the direct product \otimes between the Hilbert space of Alice's two qubits and Bob's two qubits while for the subspace of one of the players we use a more compact notation. For instance, $|01\rangle \otimes |00\rangle$ would mean that Alice's first qubit is in computational-basis state 0, Alice's second qubit in state 1, and both of Bob's qubits are in the state 0.




Figure 6: Quantum circuit used in our simulations of rendezvous games on cubic graphs. From top to bottom, the first two qubits represent the part of the share quantum system held by Alice and the third and fourth qubits represent the sub-system held by Bob.

blocks into primitive gates. We used Qiskit’s [32] `Initialize` and `Operator` classes, respectively¹¹. The simulations were carried out on local classical hardware and on the 127-qubit quantum processor `ibmq_brisbane` [33]. We used the standard Qiskit transpiler. Depending on the circuit (which varies with player starting position as well as system parameters) the total number of primitive gates used ranged from 220 to 249.¹² In any case, the circuit was always much deeper than that needed for cycle graphs.

In order to facilitate comparison with the results in Ref. [1] we played the game on the graph $2K_4$ formed by the vertices and edges of two disconnected tetrahedra (denoted as “cubic-4”). As noted in footnote 9 the winning probability can be related to that on the 4-site complete graph *via* $P(K_4) = 2P(2K_4)$. Note that the quantum circuit is the same for any 2-player, 1-step game on a cubic graph —within our *ansatz*, only the classical part of the algorithm changes with the graph topology.

Our results for $S = 1$ and $E = 0, 1$ are shown in Figs. 7 and 8, respectively. We used both the check-first and check-later definition of $S = 1$ (see Sec. 2). The simulations using classical hardware converge well towards the theoretic-

¹¹The `Initialize` class implements the method for synthesis of quantum circuits from Ref. [40].

¹²In order to gain an understanding of how this splits between state-preparation and rotations, we ran additional tests where only part of the circuit was transpiled. This resulted in circuits containing 155-173 primitive gates for state preparation and 23-30 primitive gates for each rotation, suggesting that state preparation is the principal bottleneck.




Figure 7: One-step rendezvous of two players on the graph $2K_4$ with no waiting when players may start on the same site ($S = 1$) and are not allowed to meet on edges ($E = 0$). Panel (a) corresponds to the check-first variant of $S = 1$ and panel (b) to the check-later variant. The solid lines with symbols show the results of simulations: optimal classical strategy (stars); optimal quantum strategy simulated using classical hardware (circles); and optimal quantum strategy simulated using real NISQ hardware and the quantum table approach (squares). The dashed lines show the theoretically predicted winning probabilities, obtained by dividing by 2 the K_4 results given in Table 7 for the optimal classical strategy (0.3125) and the optimal quantum strategy (0.3225). See the main text for details and interpretation.




Figure 8: The same rendezvous game as in Fig. 7 except that now the players are allowed to meet on edges ($E = 1$). All other variables and conventions are the same as in the earlier figure. In particular, panel (a) corresponds to the check-first variant of $S = 1$ and panel (b) to the check-later variant. The dashed lines indicate the theoretically predicted winning probabilities for the optimal classical strategy (0.375) and the optimal quantum strategy (0.39815) from Ref. [1]. See the main text for details and interpretation.

cal prediction of the winning probability for both optimal strategies (classical and quantum, the latter assuming perfect quantum hardware). The quantum advantage becomes very clear above $\sim 2^{16}$ trials in these simulations.

In contrast to the above, classical-computer simulations, when the optimal quantum strategy is simulated on real quantum hardware the convergence is towards a much lower value than either the quantum or classical predictions. We attribute this to the decoherence of the qubits and gate errors, consistent with the high depth of the quantum circuit and relatively low quantum volume of the device.

The influence of qubit quality on our experiments can be assessed through the relaxation times T_1, T_2 of the individual qubits.¹³ Generally, our circuits took $\sim 333.5 - 338\mu s$ to run. The qubits we used were labelled 3,4,5,15 on the backend. Qubits 3 and 4 have $T_1, T_2 > 338\mu s$. Qubit 5 has $T_1 > 338\mu s$ but $333.5\mu s < T_2 < \sim 338\mu s$. Qubit 15, on the other hand, fails in both categories with a thermal relaxation time of $T_1 = 242.57\mu s$ and a dephasing time of $T_2 = 49.45\mu s$. This is the only qubit whose time constants are both below the total execution time in all instances.¹⁴ Therefore, in terms of the quality of individual qubits, it would seem that a slightly better processor with just a couple more qubits of the quality of the best we used would perform significantly better than what we had available.

In addition to the decoherence of individual qubits, the imperfections of individual gates pose a similar issue due to the large number n_g of them involved. The probability p_{circ} that the circuit fails due to the failure of an individual gate can be estimated using $p_{\text{circ}} \approx p_{\text{gate}}^{n_g}$, where p_{gate} is the probability of failure for a single gate. Substituting for this quantity the arithmetic average over all gates¹⁴ we obtain $22.5\% < \sim p_{\text{circ}} < \sim 25.5\%$. This would therefore appear to be a major limiting factor in our NISQ processor based simulations.

In an ideal quantum computer, none of our circuits can yield $|11\rangle$ as the result of Alice's or Bob's measurements. This can be used as a diagnostic of the error rate. Out of 240,000 measurements, we obtained $|11\rangle$ on 45,901

¹³The qubit lifetime T_1 is the decay constant for the qubit stays in the $|1\rangle$ state without flipping to the $|0\rangle$ state (or *vice versa*). The dephasing time T_2 measures how long the phase of the qubit stays.

¹⁴ T_1, T_2 values and gate error rates were obtained from the IBM Quantum website [33] in April 2024.

occasions, consistent with a 19.125% failure rate. We implemented a crude form of error correction by having Alice and Bob discard their measurements when they obtained $|11\rangle$, using instead the optimal classical strategy of going to the lowest index instead in those cases. We offer further discussion of error correction in Sec. 7.

7 Discussion

In this section we offer some additional discussion and interpretation of our results and point possible avenues for future work.

7.1 Player-asymmetric strategies

Consider what happens when the two players start on the same site. With the check-first definition of $S = 1$, the game is won automatically. With the check-later definition the players would set their measuring angles, make a measurement, and move accordingly. Our simulations for the graphs K_3 and $2K_4$ in this case reproduce the values predicted by our theories and the optimal bounds found in Ref. [1]. This implies that the optimal strategy in the check-later variant is player-symmetric and that when the two players apply the same rotation the correlation between measurement outcomes existing before said rotation is maintained. In the case of the K_3 graph this can be understood simply by examination of the measurement outcome probabilities $P_{a,b}^{n,m}$ given by Eq. (7). Firstly, we note that the probabilities depend only on the angle difference $\theta_a - \theta_b$, and not on θ_a and θ_b individually. Secondly, when the angle difference is zero the two players are guaranteed to make the same move. Similar consideration warrant the same outcome for the cubic graph, involving more complex cubic rotations. On the other hand, if Eq. (1) is used to obtain the $S = 0$ bound from our simulations for the check-first variant of $S = 1$ we obtain lower winning probabilities than were reported in Ref. [1]. This indicates that the optimal $S = 0$ strategy differs from the $S = 1$ one, as would be expected. In particular, we cannot assume that the optimal strategy for $S = 0$ is player-symmetric.¹⁵ A player-asymmetric strategy would not be covered by either of our *ansatzes* as the shared quan-

¹⁵At first sight, this might appear to contradict Lemma 1 of Ref. [31]. Note, however, that the cited work uses the mentioned check-later variant, therefore, there is no contradiction.

tum state treats both players equally and our rotation angles are assumed to depend only on the site, not the player.

7.2 Larger numbers of qudits

In our work we have only used 2-qudit systems, with one qudit held by each player (although a 4-qubit system was used to effectively simulate a 2-qudit system in the case of the quantum-circuit implementation of the problem for cubic graphs). Increasing the number of available qudits is an interesting prospect for future work in this field as we may be able to lower the depth of the circuit by developing other strategies that use more qubits and fewer gates. Indeed our quantum-circuit implementations of rendezvous strategies use only up to four qubits, meaning our circuits are fairly narrow by the standards of present technology, while in the case of the cubic graphs the circuits were much deeper and run into difficulties due to qubit relaxation and gate errors, as discussed in Section 6. Future explorations of trade-offs between number of qubits and number of gates are therefore attractive.

In addition to the above benefit, including more qudits will allow us to develop symmetric strategies that encompass the set of asymmetric strategies. For instance, one could use an additional pair of qubits in the Bell state

$$|\psi\rangle = \frac{1}{\sqrt{2}} (|0\rangle \otimes |1\rangle + |1\rangle \otimes |0\rangle) \quad (33)$$

to assign one of two roles to the players. If Alice holds the first of these additional qubits and Bob holds the second, then a measurement in the computational basis guarantees that both players won't be given the same role and that because either player can be chosen for either role the strategy is still symmetric. This would provide a means to increase the quantum advantage in a player-symmetric game by converting it, through the addition of this auxiliary qubit, into a player-asymmetric game with higher winning probability. It remains to be determined whether adding qudits can be used to increase quantum advantage within the player-asymmetric sector.

Here, we observe that the advantage of utilizing a quantum strategy with the state (33) is not intrinsically quantum in nature, but rather serves to break the symmetry between the agents by exploiting a separable state. It serves the role of a shared randomness, which has been shown to be a vivid resource for multi-partite protocols in various other applications [41, 42, 43]. Breaking

the symmetry between agents has been shown to greatly increase rendezvous protocol performance in traditional (classical) rendezvous solutions [44, 45, 46, 47]. To understand this, take into account the scenario where Bob and Alice are not symmetric and where Bob always goes in the counter-clockwise direction, whereas Alice always walks on a ring in the so-called clock-wise manner [48, 49, 50, 18]. If Alice and Bob switch roles, the success chance will remain exactly the same. The significance of quantum resources in the presented strategy is to effectively decide which of the parties is following clock-wise and which counter-clock-wise.

To illustrate the role of symmetry breaking with quantum resources, let us consider again the two-player, single-step rendezvous task on the 3-cycle, when the agents can't start in the same positions ($S = 0$) and they can only adopt symmetric strategies. The best classical strategy succeeds, on average, $\frac{1}{3}$ of the time. The optimal deterministic strategy is the following: $1 \rightarrow 2$, $2 \rightarrow 1$, $3 \rightarrow 2$. Thus, if one of the parties starts in node 1 and the other in node 2, they exchange their positions and thus lose the game. If one of the parties starts in node 1 and the other in node 3, on the other hand, they both move to node 2 and thus they win the game. Finally, if they start on 2 and 3 they end up on sites 1 and 2, losing the game. The probability of winning is thus $\frac{1}{3}$.

The best quantum strategy uses the separable state (33). We see that this state is symmetric with respect to both parties. Since the agents are symmetric, then their measurements are also equal, and are given as follows. The agents use a measurement in the computational basis, with result 0 meaning that the agent move clock-wise, and the result 1 meaning that the agent move counter-clock-wise. The success probability is

$$P_w = (P_{1,2}^{0,1} + P_{2,1}^{1,0} + P_{1,3}^{1,0} + P_{3,1}^{0,1} + P_{2,3}^{0,1} + P_{3,2}^{1,0})/6 = 0.5 > \frac{1}{3}. \quad (34)$$

Thus, we see that for certain cases the quantum advantage is obtained with Bell non-locality of entangled states, whereas in some other cases the role of quantum resources is to serve as an alternative to a classical mechanism of symmetry breaking.

7.3 More complex problems and error correction

The failure to realise the expected winning probability using NISQ hardware for the cubic graph $2K_4$ leaves room for improvement using error mitigation and error correction. The scope for application of such techniques in a real-world rendezvous scenario, however, is limited. Error mitigation is based on running the same experiment many times and then building a weighted average of the results obtained and it is most useful when the main aim is to obtain an expectation value. However, Alice and Bob can only run their experiment once in each instance of a rendezvous game and a mere expectation value would, in any case, be of no use to them. Likewise, many true quantum error correction techniques rely on non-local operations. Thus while error correction may be used to build the shared quantum state $|\psi\rangle_j$ it is not obvious that it can be employed to fix errors taking place while carrying out the rotations and measurements, without introducing communication between Alice and Bob. That said, as we noted above in our case most of the error comes from setting up the state. Moreover error correction is useful, more generally, when the quantum computer is being used simply as a device to compute the conditional probabilities $P_{a,b}^{n,m}$ needed to construct the win-loss table. This is not the focus of the present work, where the NISQ processors were used as a first approximant to a real-world implementation of quantum-assisted rendezvous. Indeed for games such as those considered here, involving 2-way and 3-way choices, the probabilities are easily calculated using classical machines. However for a more complex problem involving many-way choices a much larger number of qudits may be needed and then the implementation of the calculation in a quantum computer may be useful for exploring different possible strategies in search of one yielding the highest possible quantum advantage. In that case, quantum error correction could be used to keep the calculation accurate without regard for whether Alice and Bob are effectively communicating. Once a successful strategy has been found, specialised hardware could be created to realise that protocol with very high fidelity.

8 Conclusion

In conclusion, building upon the foundational work of one of the present authors [1], which established a quantum advantage in rendezvous problems,

our research has made significant strides in this domain. We have successfully developed explicit algorithms for one-step games $N_{\max} = 1$, specifically targeting cycle graphs with N ranging from 3 to infinity, as well as small cubic graphs. For the latter, a natural formulation using 3-state qudits was introduced, as well as a qubit-based implementation more amenable to existing quantum computers. Our simulations of these algorithms on classical computers have demonstrated clear convergence towards quantum advantage. When these quantum games were simulated using real NISQ hardware, we observed a near full quantum advantage for the $N = 3$ cycle graph problem. In contrast, for the cubic graph, we encountered sub-classical performance, consistent with the known error rates of the hardware we used and the much deeper quantum circuits.

Our findings validate some of the theoretical advantages proposed by the earlier work [1] and provide a route towards possible experimental implementations, as well as highlighting the practical challenges and limitations when implementing these strategies on current quantum hardware. There is clearly a wide-open field for future investigations involving more complex graph topologies (including those with vertices of degree > 3) and more than two players.

Acknowledgments

JT and JQ would like to thank Elizabeth Chipperfield for useful discussions. JQ would like to thank Silvia Ramos for useful discussions. The authors thank Olivia Lanes for providing a useful reference. The authors would also like to thank Peter Drmota for insightful comments on an earlier version of this work. JT acknowledges a studentship awarded by the Engineering and Physical Sciences Research Council (EPSRC) EP/W52461X/1. PM acknowledges useful discussions with Giuseppe Viola, and support from NCBI R QUANTERA/2/2020 (www.quantera.eu) an ERA-Net cofund in Quantum Technologies under the project eDICT. We acknowledge the use of IBM Quantum services for this work. The views expressed are those of the authors, and do not reflect the official policy or position of IBM or the IBM Quantum team.

Author contributions

All authors designed the rendezvous protocol for 3-site graphs collaboratively. PS designed the protocols for $N > 3$ graphs with input from all other authors. JTT and JQ developed the simulations with input from all other authors. JTT wrote all the simulation codes with input from JQ. JTT generated all the figures in the manuscript and obtained all the underlying data. JQ coordinated the work of the team. All authors contributed portions of the manuscript. All authors contributed to, read and approved the final manuscript.

Competing interests

The Authors declare no Competing Financial or Non-Financial Interests.

Data availability

The data generated as part of this work is available upon reasonable request (j.quintanilla@kent.ac.uk).

A Proof of the relationship between winning probabilities for $S = 0$ and $S = 1$

If we adopt the check-first definition of $S = 1$ (see Sec. 2), the probability of winning the game for $S = 0$ can be obtained from the probability of winning the same game for $S = 1$, and *vice versa*.

The probability of winning the game on an N -vertex graph when players cannot start on the same vertex is evidently

$$P_{S=0} = \frac{N_{\text{wins}}}{N^2 - N}, \quad (35)$$

where $N^2 - N$ gives the number of distinct, valid starting positions and N_{wins} is the number of those starting positions leading to a win if the strategy is deterministic. For probabilistic strategies (including quantum-assisted

strategies) N_{wins} represents an average of that quantity over many trials. On the other hand, with the same strategy, the probability of winning when starting on the same site is allowed is given by

$$P_{S=1} = \frac{N_{\text{wins}} + N}{N^2}, \quad (36)$$

where we have added N additional starting positions to the denominator, corresponding to players starting on the same vertex, and N additional wins to the numerator, as in these cases the game is won automatically. Solving the first of these two equations for N_{wins} and substituting in the second equation we obtain

$$P_{S=1} = \frac{(N-1)P_{S=0} + 1}{N}, \quad (37)$$

which can be inverted to find Eq. (1).

References

- [1] Mironowicz P 2023 New Journal of Physics **25** 013023 URL <https://dx.doi.org/10.1088/1367-2630/acb22d>
- [2] Brunner N, Cavalcanti D, Pironio S, Scarani V and Wehner S 2014 Reviews of modern physics **86** 419
- [3] of Sciences T R S A 2022 NobelPrize.org URL <https://www.nobelprize.org/prizes/physics/2022/press-release/>
- [4] Acín A, Bloch I, Buhrman H, Calarco T, Eichler C, Eisert J, Esteve D, Gisin N, Glaser S J, Jelezko F, Kuhr S, Lewenstein M, Riedel M F, Schmidt P O, Thew R, Wallraff A, Walmsley I and Wilhelm F K 2018 New Journal of Physics **20** 080201 URL <https://dx.doi.org/10.1088/1367-2630/aad1ea>
- [5] Flitney A P and Abbott D 2002 Fluctuation and Noise Letters **2** R175–R187
- [6] von Neumann J and Morgenstern O 1944 Theory of Games and Economic Behavior (Princeton University Press)
- [7] Cao K, Liu Y, Meng G and Sun Q 2020 IEEE Access **8** 85714–85728

- 1
2
3
4
5
6
7
8 [8] Časlav Brukner, Paunković N, Rudolph T and Vedral V 2006
9 International Journal of Quantum Information **04** 365–370
- 10
11 [9] Alpern S 2010 Rendezvous games (non-antagonistic search games)
12 Wiley Encyclopedia of Operations Research and Management Science
13 ed Cochran J J (John Wiley & Sons) p 30 ISBN 9780470400630 URL
14 <https://eprints.lse.ac.uk/36116/>
15
- 16 [10] Zavlanos M M 2010 Synchronous rendezvous of very-low-range wireless
17 agents 49th IEEE Conference on Decision and Control (CDC) (IEEE)
18 pp 4740–4745
- 19
20 [11] Collins A, Czyzowicz J, Gąsieniec L, Kosowski A and Martin R
21 2011 Synchronous rendezvous for location-aware agents International
22 Symposium on Distributed Computing (Springer) pp 447–459
- 23
24 [12] Yu X, Hsieh M A, Wei C and Tanner H G 2019 Frontiers in Robotics
25 and AI **6** 76
- 26
27 [13] Lin J, Morse A S and Anderson B D 2004 The multi-agent rendezvous
28 problem-the asynchronous case 2004 43rd IEEE Conference on Decision
29 and Control (CDC)(IEEE Cat. No. 04CH37601) vol 2 (IEEE) pp 1926–
30 1931
31
32
- 33 [14] De Marco G, Gargano L, Kranakis E, Krizanc D, Pelc A and Vaccaro
34 U 2006 Theoretical Computer Science **355** 315–326
- 35
36 [15] Bampas E, Czyzowicz J, Gąsieniec L, Ilcinkas D and Labourel A 2010
37 Almost optimal asynchronous rendezvous in infinite multidimensional
38 grids Distributed Computing: 24th International Symposium, DISC
39 2010, Cambridge, MA, USA, September 13-15, 2010. Proceedings 24
40 (Springer) pp 297–311
- 41
42 [16] Miller A and Pelc A 2014 Time versus cost tradeoffs for deterministic
43 rendezvous in networks Proceedings of the 2014 ACM symposium on
44 Principles of distributed computing pp 282–290
- 45
46 [17] Ribeiro R, Silvestre D and Silvestre C 2020 A rendezvous algorithm
47 for multi-agent systems in disconnected network topologies 2020 28th
48 Mediterranean Conference on Control and Automation (MED) (IEEE)
49 pp 592–597
- 50
51
52 [18] Pelc A 2012 Networks **59** 331–347
53
54

- 1
2
3
4
5
6
7
8 [19] Lim W S and Alpern S 1996 SIAM Journal on Control and Optimization
9 **34** 1650–1665
- 10
11 [20] Alpern S 2000 Dynamics and control **10** 33–45
- 12
13 [21] Anderson E J and Fekete S P 1998 Asymmetric rendezvous on the plane
14 Proceedings of the fourteenth annual symposium on Computational
15 geometry pp 365–373
- 16
17 [22] Kranakis E, Santoro N, Sawchuk C and Krizanc D 2003 Mobile agent
18 rendezvous in a ring 23rd International Conference on Distributed
19 Computing Systems, 2003. Proceedings. (IEEE) pp 592–599
- 20
21 [23] Di Luna G A, Flocchini P, Pagli L, Prencipe G, Santoro N and Viglietta
22 G 2020 Theoretical Computer Science **811** 79–98
- 23
24 [24] Sangnier A, Sznajder N, Potop-Butucaru M and Tixeuil S 2020 Formal
25 Methods in System Design **56** 55–89
- 26
27 [25] Kranakis E, Krizanc D and Marcou E 2022 The mobile agent rendezvous
28 problem in the ring (Springer Nature)
- 29
30 [26] Gu Z, Wang Y, Hua Q S and Lau F C 2017 Rendezvous in Distributed
31 Systems (Springer Singapore) ISBN 9789811036804 URL [https://](https://link.springer.com/book/10.1007/978-981-10-3680-4)
32 link.springer.com/book/10.1007/978-981-10-3680-4
- 33
34 [27] Chang C S, Sheu J P and Lin Y J 2021 IEEE/ACM Transactions on
35 Networking **29** 1620–1633
- 36
37 [28] Theis N C, Thomas R W and DaSilva L A 2011 IEEE Transactions on
38 Mobile Computing **10** 216–227
- 39
40 [29] Roy N and Dudek G 2001 Autonomous Robots **11** 117–136 ISSN 0929-
41 5593
- 42
43 [30] Haksar R N, Trimpe S and Schwager M 2020 IEEE ROBOTICS AND
44 AUTOMATION LETTERS **5** 3027–3034 ISSN 2377-3766
- 45
46 [31] Viola G and Mironowicz P 2024 Physical Review A **109** 042201 URL
47 <https://arxiv.org/abs/2311.11817>
- 48
49 [32] Qiskit Community 2023 Qiskit: An open-source framework for quantum
50 computing URL <https://github.com/Qiskit/qiskit>
- 51
52 [33] 2021 IBM Quantum URL <https://quantum.ibm.com/>
- 53
54
55
56
57
58
59
60

- 1
2
3
4
5
6
7
8 [34] Horodecki R, Horodecki P, Horodecki M and Horodecki K 2009 Reviews
9 of modern physics **81** 865
- 10 [35] Genovese M 2005 Phys. Rep. **413** 319–396 ISSN 0370-1573
- 11 [36] Einstein A, Podolsky B and Rosen N 1935 Physical review **47** 777
- 12 [37] Bell J S 1964 Physics Physique Fizika **1** 195
- 13 [38] 2024 Hardware considerations and limitations for classical feedfor-
14 ward and control flow | IBM Quantum Documentation [Online; ac-
15 cessed 11. Mar. 2024] URL [https://docs.quantum.ibm.com/run/
16 dynamic-circuits-considerations](https://docs.quantum.ibm.com/run/dynamic-circuits-considerations)
- 17 [39] Thorbeck T, Xiao Z, Kamal A and Govia L C G 2024 Phys.
18 Rev. Lett. **132**(9) 090602 URL [https://link.aps.org/doi/10.1103/
19 PhysRevLett.132.090602](https://link.aps.org/doi/10.1103/PhysRevLett.132.090602)
- 20 [40] Shende V, Bullock S and Markov I 2006 IEEE Transactions on
21 Computer-Aided Design of Integrated Circuits and Systems **25** 1000–
22 1010
- 23 [41] Ambainis A, Leung D, Mancinska L and Ozols M 2008 arXiv preprint
24 arXiv:0810.2937
- 25 [42] Gavinsky D, Ito T and Wang G 2013 Shared randomness and quan-
26 tum communication in the multi-party model 2013 IEEE Conference on
27 Computational Complexity (IEEE) pp 34–43
- 28 [43] Makuta O, Ligthart L T and Augusiak R 2023 npj Quantum Information
29 **9** 117
- 30 [44] Yu X and Yung M 1996 Agent rendezvous: A dynamic symmetry-
31 breaking problem International Colloquium on Automata, Languages,
32 and Programming (Springer) pp 610–621
- 33 [45] Ta-Shma A and Zwick U 2014 ACM Transactions on Algorithms
34 (TALG) **10** 1–15
- 35 [46] Pele A and Yadav R N 2019 Using time to break symmetry: Univer-
36 sal deterministic anonymous rendezvous The 31st ACM Symposium on
37 Parallelism in Algorithms and Architectures pp 85–92
- 38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

- 1
2
3
4
5
6
7
8 [47] Czyzowicz J, Gasieniec L, Killick R and Kranakis E 2019 Symmetry
9 breaking in the plane: Rendezvous by robots with unknown attributes
10 Proceedings of the 2019 ACM Symposium on Principles of Distributed
11 Computing pp 4–13
12
13 [48] Alpern S 1995 SIAM Journal on Control and Optimization **33** 673–683
14
15 [49] Flocchini P, Mans B and Santoro N 1998 Networks **32** 165–180
16
17 [50] Alpern S 2002 Operations Research **50** 772–795
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60