
## **FIGURES**


Figure 1

Total Number of Breast Cancers Recorded in BCCOM Year 3 (cases diagnosed in 2004)



Author: TB/OK/GL/CL/IM 1 Last updated: 15/05/09 Filename:BCCOM Figures Final %282%29 Version 3.0

Figure 2 Variation in lymph node status with tumour grade and size for tumours included in **BCCOM Years 1-3** 




Author: TB/OK/GL/CL/IM Last updated: 15/05/09 2 Filename: BCCOM Figures Final %282%29

Version 3.0

Figure 3

Variation in Nottingham Prognostic Index (NPI) with age group for breast cancers diagnosed in 2004. Sources: screen-detected breast cancers included in the NHSBSP/ABS annual audits (2003/04 and 2004/05) of screen-detected breast cancer; symptomatic breast cancers included in BCCOM Year 3.



3

NPI unknown

PPG = Poor Prognostic Group

MPG2 = Moderate Prognostic Group 2

MPG1 = Moderate Prognostic Group


GPG = Good Prognostic Group

EPG = Excellent Progrnostic Group

Author: TB/OK/GL/CL/IM Filename:BCCOM Figures Final %282%29 Last updated: 15/05/09 Version 3.0

Figure 4

Variation in the number of nodes reported in node negative patients in BCCOM Years
1-3 who received breast conserving surgery or mastectomy



4

Author: TB/OK/GL/CL/IM Filename:BCCOM Figures Final %282%29 Last updated: 15/05/09 Version 3.0

Figure 5

Variation in surgical treatment with age at diagnosis in BCCOM Year 3 (invasive cancers diagnosed in 2004)





Figure 6

Variation with region and Celtic country in the operations recorded for patients with small invasive breast cancers (invasive diameter less than 15mm) in BCCOM Year 3 (cancers diagnosed in 2004)



Author: TB/OK/GL/CL/IM 6 Last updated: 15/05/09 Filename:BCCOM Figures Final %282%29 Version 3.0

Figure 7

Variation in adjuvant treatment with age at diagnosis for BCCOM Years 1-3. Cases where it was not known whether or not a patient had received treatment have been excluded.





Figure 8

Variation with age at diagnosis in the proportion of node positive breast cancer patients in BCCOM Years 1-3 recorded as having received chemotherapy. Cases where it was not known whether or not a patient had received chemotherapy have been excluded.



8

Author: TB/OK/GL/CL/IM Filename:BCCOM Figures Final %282%29