



Kent Academic Repository

Bates, Tom, Kearins, O., Monypenny, I., Lagord, C. and Lawrence, Gavin P. (2009)
Clinical outcome data for symptomatic breast cancer: the breast cancer clinical outcome measures (BCCOM) project. *British Journal of Cancer*, 101 . pp. 395-402.
ISSN 0007-0920.

Downloaded from

<https://kar.kent.ac.uk/23628/> The University of Kent's Academic Repository KAR

The version of record is available from

<https://doi.org/10.1038/sj.bjc.6605155>

This document version

Author's Accepted Manuscript

DOI for this version

Licence for this version

UNSPECIFIED

Additional information

Subsequent correction to Fig.6 published 17.08.2009

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in ***Title of Journal***, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our [Take Down policy](https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies) (available from <https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies>).

FIGURES

Figure 1

Total Number of Breast Cancers Recorded in BCCOM Year 3 (cases diagnosed in 2004)




Figure 2
Variation in lymph node status with tumour grade and size for tumours included in BCCOM Years 1-3





Figure 3

Variation in Nottingham Prognostic Index (NPI) with age group for breast cancers diagnosed in 2004. Sources: screen-detected breast cancers included in the NHSBSP/ABS annual audits (2003/04 and 2004/05) of screen-detected breast cancer; symptomatic breast cancers included in BCCOM Year 3.









-  NPI unknown
-  PPG = Poor Prognostic Group
-  MPG2 = Moderate Prognostic Group 2
-  MPG1 = Moderate Prognostic Group
-  GPG = Good Prognostic Group
-  EPG = Excellent Prognostic Group

Figure 4

Variation in the number of nodes reported in node negative patients in BCCOM Years 1-3 who received breast conserving surgery or mastectomy




Figure 5

Variation in surgical treatment with age at diagnosis in BCCOM Year 3 (invasive cancers diagnosed in 2004)




Figure 6

Variation with region and Celtic country in the operations recorded for patients with small invasive breast cancers (invasive diameter less than 15mm) in BCCOM Year 3 (cancers diagnosed in 2004)




Figure 7

Variation in adjuvant treatment with age at diagnosis for BCCOM Years 1-3. Cases where it was not known whether or not a patient had received treatment have been excluded.




Figure 8

Variation with age at diagnosis in the proportion of node positive breast cancer patients in BCCOM Years 1-3 recorded as having received chemotherapy. Cases where it was not known whether or not a patient had received chemotherapy have been excluded.

