

Kent Academic Repository

Full text document (pdf)

Citation for published version

Kriener, Jael and King, Andy (2011) RedAlert: Determinacy Inference for Prolog. In: 27th International Conference on Logic Programming, July 6-10, 2011, LEXINGTON, KENTUCKY, USA.

DOI

Link to record in KAR

<https://kar.kent.ac.uk/37621/>

Document Version

UNSPECIFIED

Copyright & reuse

Content in the Kent Academic Repository is made available for research purposes. Unless otherwise stated all content is protected by copyright and in the absence of an open licence (eg Creative Commons), permissions for further reuse of content should be sought from the publisher, author or other copyright holder.

Versions of research

The version in the Kent Academic Repository may differ from the final published version.

Users are advised to check <http://kar.kent.ac.uk> for the status of the paper. **Users should always cite the published version of record.**

Enquiries

For any further enquiries regarding the licence status of this document, please contact:

researchsupport@kent.ac.uk

If you believe this document infringes copyright then please contact the KAR admin team with the take-down information provided at <http://kar.kent.ac.uk/contact.html>

Computer Science at Kent

Appendix for RedAlert: Determinacy Inference for Prolog

Jael Kriener and Andy King

Technical Report No: 1-11
Date: May 2011

Copyright © 2011 University of Kent
Published by the School of Computing,
University of Kent, Canterbury, Kent CT2 7NF, UK.

Abstract

Proofs of the mathematical foundations and propositions and theorems stated and used in (Kriener and King, 2011).

1 Introduction

In (Kriener and King, 2011) we present a determinacy inference for Prolog including *cut*. This inference is developed in as a static analysis, comprising of a number of concrete semantics and abstractions thereof. Three theorems and a number of propositions formalise the connections that hold between these. We present here formal justification for the mathematical backdrop used in (Kriener and King, 2011), as well as proofs of the propositions and theorems stated there.

2 Appendix - Proofs

2.1 Con_{seq}^\downarrow is a complete lattice

2.1.1 Relation on Con_{seq}^\downarrow is a partial order

The relation is reflexive: $\vec{\Theta} \sqsubseteq \vec{\Theta}$

Observe that : $\forall \vec{\Theta} \in Con_{seq}^\downarrow (\vec{\Theta} \subseteq_{pw} \vec{\Theta} \wedge \vec{\Theta} \in Sub_{|\vec{\Theta}|})$

hence $\forall \vec{\Theta} \in Con_{seq}^\downarrow (\vec{\Theta} \sqsubseteq \vec{\Theta})$

by selecting $\vec{\Phi} = \vec{\Theta}$

The relation is transitive: $\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_2 \wedge \vec{\Theta}_2 \sqsubseteq \vec{\Theta}_3 \rightarrow \vec{\Theta}_1 \sqsubseteq \vec{\Theta}_3$

$\forall \vec{\Theta}_1, \vec{\Theta}_2, \vec{\Theta}_3 \in Con_{seq}^\downarrow ((\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_2 \wedge \vec{\Theta}_2 \sqsubseteq \vec{\Theta}_3) \rightarrow (\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_3))$

let $|\vec{\Theta}_1| = l, |\vec{\Theta}_2| = m, |\vec{\Theta}_3| = n,$

$l \leq m \leq n$

$(\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_2) \rightarrow \exists \vec{\Phi}_1 \in Sub_l(\vec{\Theta}_2). (\vec{\Theta}_1 \subseteq_{pw} \vec{\Phi}_1)$

$(\vec{\Theta}_2 \sqsubseteq \vec{\Theta}_3) \rightarrow \exists \vec{\Phi}_2 \in Sub_m(\vec{\Theta}_3). (\vec{\Theta}_2 \subseteq_{pw} \vec{\Phi}_2)$

since $\vec{\Theta}_2 \subseteq_{pw} \vec{\Phi}_2$ and $\exists \vec{\Phi}_1 \in Sub_l(\vec{\Theta}_2). (\vec{\Theta}_1 \subseteq_{pw} \vec{\Phi}_1) : \exists \vec{\Phi}_3 \in Sub_l(\vec{\Phi}_2). (\vec{\Theta}_1 \subseteq_{pw} \vec{\Phi}_3)$

$Sub_l(\vec{\Phi}_2) \subseteq Sub_l(\vec{\Theta}_3)$

hence $\exists \vec{\Phi}_3 \in Sub_l(\vec{\Theta}_3). (\vec{\Theta}_1 \subseteq_{pw} \vec{\Phi}_3)$

therefore $\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_3$

The relation is anti-symmetric: $\forall \vec{\Theta}_1, \vec{\Theta}_2 \in Con_{seq}^\downarrow (\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_2 \wedge \vec{\Theta}_2 \sqsubseteq \vec{\Theta}_1 \rightarrow \vec{\Theta}_1 = \vec{\Theta}_2)$

let $|\vec{\Theta}_1| = m, |\vec{\Theta}_2| = n$

$(\vec{\Theta}_1 \sqsubseteq \vec{\Theta}_2) \rightarrow \exists \vec{\Phi}_1 \in Sub_m(\vec{\Theta}_2)$ such that $\vec{\Theta}_1 \subseteq_{pw} \vec{\Phi}_1$

$(\vec{\Theta}_2 \sqsubseteq \vec{\Theta}_1) \rightarrow \exists \vec{\Phi}_2 \in Sub_n(\vec{\Theta}_1)$ such that $\vec{\Theta}_2 \subseteq_{pw} \vec{\Phi}_2$

$|\vec{\Phi}_1| = m$ and $|\vec{\Phi}_1| \leq n$ hence $m \leq n$

$|\vec{\Phi}_2| = n$ and $|\vec{\Phi}_2| \leq m$ hence $n \leq m$

hence $m = n$ (by anti - symmetry of \leq)

hence $\vec{\Phi}_1 = \vec{\Theta}_2$ and $\vec{\Phi}_2 = \vec{\Theta}_1$

hence $\vec{\Theta}_1 \subseteq_{pw} \vec{\Theta}_2$ and $\vec{\Theta}_2 \subseteq_{pw} \vec{\Theta}_1$

therefore :

$\vec{\Theta}_1 = \vec{\Theta}_2$ (by anti - symmetry of \subseteq_{pw})

2.1.2 The meet of two sequences is unique and therefore well defined:

First note that by the definition of \sqcap , $\vec{\Theta} \sqcap \vec{\Psi} \sqsubseteq \vec{\Theta}$ and $\vec{\Theta} \sqcap \vec{\Psi} \sqsubseteq \vec{\Psi}$.

Then show: $\forall \vec{\Theta}, \vec{\Psi}, \vec{\Gamma} \in Con_{seq}^\downarrow : \vec{\Gamma} \sqsubseteq \vec{\Theta} \wedge \vec{\Gamma} \sqsubseteq \vec{\Psi} \rightarrow \vec{\Gamma} \sqsubseteq (\vec{\Theta} \sqcap \vec{\Psi})$

$|\vec{\Theta}| = n, |\vec{\Psi}| = m, |\vec{\Gamma}| = k$
 $\vec{\Gamma} \sqsubseteq \vec{\Theta} \rightarrow \exists \vec{\Theta}_1 \in \text{Sub}_k(\vec{\Theta}). (\vec{\Gamma} \subseteq_{pw} \vec{\Theta}_1)$
 $\vec{\Gamma} \sqsubseteq \vec{\Psi} \rightarrow \exists \vec{\Psi}_1 \in \text{Sub}_k(\vec{\Psi}). (\vec{\Gamma} \subseteq_{pw} \vec{\Psi}_1)$
 $|\vec{\Theta}_1| = k, |\vec{\Psi}_1| = k$
 assume (without loss of generality): $n \geq m$, then: $|\vec{\Theta} \sqcap \vec{\Psi}| = l, l \leq m$
 since $\vec{\Gamma} \sqsubseteq \vec{\Theta}$ and $\vec{\Gamma} \sqsubseteq \vec{\Psi}$, $k \leq m$ (and $k \leq n$)
 since $\vec{\Gamma} \subseteq_{pw} \vec{\Theta}_1$ and $\vec{\Gamma} \subseteq_{pw} \vec{\Psi}_1$, $\vec{\Gamma} \subseteq_{pw} (\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1)$
 hence $\vec{\Gamma} \sqsubseteq (\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1)$
 $(\vec{\Psi}_1 \in \text{Sub}_k(\vec{\Psi})) \rightarrow (\vec{\Psi}_1 \sqsubseteq \vec{\Psi})$
 $(\vec{\Theta}_1 \in \text{Sub}_k(\vec{\Theta})) \rightarrow (\vec{\Theta}_1 \sqsubseteq \vec{\Theta})$
 $(\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1) \in \{\vec{X} \cap_{pw} \vec{\Psi}_1 \mid \vec{X} \in \text{Sub}_k(\vec{\Theta})\}$ (since $\vec{\Theta}_1 \in \text{Sub}_k(\vec{\Theta})$)
 $(\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1) \subseteq_{pw} \bigcup_{pw} \{\vec{X} \cap_{pw} \vec{\Psi}_1 \mid \vec{X} \in \text{Sub}_k(\vec{\Theta})\}$
 (note that since $\vec{\Gamma} \in \text{Con}_{seq}^\downarrow$, $\vec{\Gamma}$ does not contain $\{false\}$
 and since $\vec{\Gamma} \subseteq_{pw} (\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1)$, $\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1$ does not contain $\{false\}$
 hence $(\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1) = \text{trim}(\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1)$
 $(\vec{\Theta}_1 \cap_{pw} \vec{\Psi}_1) \sqsubseteq (\vec{\Theta} \sqcap \vec{\Psi}_1)$
 $(\vec{\Theta} \sqcap \vec{\Psi}_1) \sqsubseteq (\vec{\Theta} \sqcap \vec{\Psi})$ (since $\vec{\Psi}_1 \sqsubseteq \vec{\Psi}$ and \sqcap is monotonic)
 therefore $\vec{\Gamma} \sqsubseteq (\vec{\Theta} \sqcap \vec{\Psi})$

2.2 Cut-normal form

We transform Prolog predicates that are defined by any number of clauses, none of which contains a disjunction, into this form by constructing G_1, G_2, G_3 and G_4 as follows:

G_1 :	<p>If no clause precedes the clause containing the first <i>cut</i>, set G_1 to $\text{post}(false)$.</p> <p>Else, if a single clause precedes the clause containing the first <i>cut</i>, set G_1 to the body of this clause.</p> <p>Otherwise, define an auxiliary predicate to wrap up all clauses preceding the clause containing the first <i>cut</i> and set G_1 to a call to that predicate.</p>
G_2 :	<p>If there is no <i>cut</i> in the predicate, set G_2 to $\text{post}(false)$.</p> <p>Else, if no atom precedes the first <i>cut</i>, set G_2 to $\text{post}(true)$.</p> <p>Otherwise, set G_2 to the compound goal before the first <i>cut</i>.</p>

G_3 :	<p>If there is no <i>cut</i> in the predicate, set G_3 to any goal, e.g. $\text{post}(\text{true})$.</p> <p>Else, if no goal follows the first <i>cut</i>, set G_3 to $\text{post}(\text{true})$.</p> <p>Else, if the compound goal following the first <i>cut</i> does not contain another <i>cut</i>, set G_3 to that goal.</p> <p>Otherwise, define an auxiliary predicate to wrap up the compound goal following the first <i>cut</i> and set G_3 to a call to that predicate.</p>
G_4 :	<p>If no clause follows the clause containing the first <i>cut</i>, set G_4 to $\text{post}(\text{false})$.</p> <p>Else, if a single, <i>cut</i>-free clause follows the clause containing the first <i>cut</i>, set G_4 to the body of this clause.</p> <p>Otherwise, define an auxiliary predicate to wrap up all clauses following the clause containing the first <i>cut</i> and set G_4 to a call to that predicate.</p>

2.3 Theorem 1: $\bigcup(\mathcal{F}_G[[G]]\mu_P\vec{\Theta}) \subseteq \bigcup(\vec{\Theta}) \cap S_G[[G]]$

Notice first that the following things hold:

$$\begin{aligned}
\bigcup(\vec{\Psi}) &\subseteq \bigcup(\text{trim}(\vec{\Psi})) \\
\downarrow(\Theta \cup \Phi) &= \downarrow\Theta \cup \downarrow\Phi \\
\downarrow(\Theta \cap \Phi) &= \downarrow\Theta \cap \downarrow\Phi \\
\exists_{\vec{y}}(\Theta \cup \Phi) &= \exists_{\vec{y}}(\Theta) \cup \exists_{\vec{y}}(\Phi) \\
\exists_{\vec{y}}(\Theta \cap \Phi) &\subseteq \exists_{\vec{y}}(\Theta) \cap \exists_{\vec{y}}(\Phi) \\
\rho_{\vec{x}, \vec{y}}(\Theta \cup \Phi) &= \rho_{\vec{x}, \vec{y}}\Theta \cup \rho_{\vec{x}, \vec{y}}\Phi \\
\rho_{\vec{x}, \vec{y}}(\Theta \cap \Phi) &\subseteq \rho_{\vec{x}, \vec{y}}\Theta \cap \rho_{\vec{x}, \vec{y}}\Phi \\
\exists_{\vec{y}}(\downarrow\exists_{\vec{y}}(\Theta)) &= \exists_{\vec{y}}(\Theta)
\end{aligned}$$

Proof by induction on length of $\vec{\Theta}$:

Base Case: $\vec{\Theta} = []$

$$\begin{aligned}
\bigcup(\mathcal{F}_G[[G]]\mu_P[]) &= \bigcup([]) = \emptyset \\
\bigcup([]) \cap S_G[[G]] &= \emptyset \cap S_G[[G]] = \emptyset \\
\emptyset &\subseteq \emptyset
\end{aligned}$$

therefore: $\bigcup(\mathcal{F}_G[[G]]\mu_P[]) \subseteq \bigcup([]) \cap S_G[[G]]$

Induction Step:

$$\begin{aligned}
\text{Assume: } &\bigcup(\mathcal{F}_G[[G]]\mu_P\vec{\Theta}) \subseteq \bigcup(\vec{\Theta}) \cap S_G[[G]] \\
\text{Show: } &\bigcup(\mathcal{F}_G[[G]]\mu_P(\Theta : \vec{\Theta})) \subseteq \bigcup(\Theta : \vec{\Theta}) \cap S_G[[G]]
\end{aligned}$$

Induction on structure of G :

Two base cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$

$$\begin{aligned}
\text{Assume: } &\bigcup(\mathcal{F}_G[[\text{post}(\phi)]]\mu_P\vec{\Theta}) \subseteq \bigcup(\vec{\Theta}) \cap S_G[[\text{post}(\phi)]] \\
\text{Show: } &\bigcup(\mathcal{F}_G[[\text{post}(\phi)]]\mu_P(\Theta : \vec{\Theta})) \subseteq \bigcup(\Theta : \vec{\Theta}) \cap S_G[[\text{post}(\phi)]] \\
&\bigcup(\Theta : \vec{\Theta}) \cap S_G[[\text{post}(\phi)]] \\
&= (\Theta \cap S_G[[\text{post}(\phi)]]) \cup (\bigcup(\vec{\Theta}) \cap S_G[[\text{post}(\phi)]]) \\
&= (\Theta \cap \downarrow\{\phi\}) \cup (\bigcup(\vec{\Theta}) \cap S_G[[\text{post}(\phi)]])
\end{aligned}$$

$$\begin{aligned}
& \bigcup (\mathcal{F}_G[\text{post}(\phi)]\mu_P(\Theta : \vec{\Theta})) \\
&= \bigcup (\text{trim}(\downarrow\{\phi\} \cap \Theta : \mathcal{F}_G[\text{post}(\phi)]\mu_P\vec{\Theta})) \\
&\subseteq \bigcup (\downarrow\{\phi\} \cap \Theta : \mathcal{F}_G[\text{post}(\phi)]\mu_P\vec{\Theta}) \\
&= (\downarrow\{\phi\} \cap \Theta) \cup \bigcup (\mathcal{F}_G[\text{post}(\phi)]\mu_P\vec{\Theta}) \\
&\subseteq (\downarrow\{\phi\} \cap \Theta) \cup (\bigcup(\vec{\Theta}) \cap S_G[\text{post}(\phi)]) \\
&\text{therefore: } \bigcup (\mathcal{F}_G[\text{post}(\phi)]\mu_P(\Theta : \vec{\Theta})) \subseteq \bigcup(\Theta : \vec{\Theta}) \cap S_G[\text{post}(\phi)]
\end{aligned}$$

(2) $G = p(\vec{x})$

Assume (without loss of generality): $p(\vec{y}) \leftarrow G_1; G_2, !, G_3; G_4 \in P$

Assume: $\bigcup (\mathcal{F}_G[p(\vec{x})]\mu_P\vec{\Theta}) \subseteq \bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})]$

Show: $\bigcup (\mathcal{F}_G[p(\vec{x})]\mu_P(\Theta : \vec{\Theta})) \subseteq \bigcup(\Theta : \vec{\Theta}) \cap S_G[p(\vec{x})]$

$$\begin{aligned}
& \bigcup(\Theta : \vec{\Theta}) \cap S_G[p(\vec{x})] \\
&= (\Theta \cap S_G[p(\vec{x})]) \cup (\bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})]) \\
&= (\Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_H[p(\vec{y})])) \cup (\bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})]) \\
&= (\Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\downarrow\vec{\exists}_{\vec{y}}(S_G[G_1] \cup S_G[G_2, G_3] \cup S_G[G_4]))) \cup (\bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})]) \\
&= (\Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_1] \cup S_G[G_2, G_3] \cup S_G[G_4])) \cup (\bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})]) \\
&= (\Theta \cap (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_1]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_2, G_3]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_4]))) \\
&\quad \cup (\bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})])
\end{aligned}$$

$$\begin{aligned}
& \bigcup (\mathcal{F}_G[p(\vec{x})]\mu_P(\Theta : \vec{\Theta})) \\
&= \bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mu(p(\vec{y})) \downarrow\rho_{\vec{x}, \vec{y}}\vec{\exists}_{\vec{x}}([\Theta])) \cap \Theta : \mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta})) \\
&= \bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mu(p(\vec{y})) \downarrow\rho_{\vec{x}, \vec{y}}\vec{\exists}_{\vec{x}}([\Theta]))) \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&= \bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\downarrow\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu[\Theta'] : \vec{\Psi}))) \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&\quad \text{where } \vec{\Psi} = \begin{cases} \mathcal{F}_G[G_3]\mu[\Phi] & \text{if } \mathcal{F}_G[G_2]\mu[\Theta'] = \Phi : \vec{\Phi} \\ \mathcal{F}_G[G_4]\mu[\Theta'] & \text{if } \mathcal{F}_G[G_2]\mu[\Theta'] = [] \end{cases} \\
&\quad \text{and } \Theta' = \downarrow\rho_{\vec{x}, \vec{y}}\vec{\exists}_{\vec{x}}(\Theta)
\end{aligned}$$

To be on the safe side, consider the sequence resulting from appending *both* possibilities for $\vec{\Psi}$, the union of which is certainly a superset of the above:

$$\begin{aligned}
& \subseteq (\bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\downarrow\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu[\Theta'] : \mathcal{F}_G[G_3]\mu[\Phi] : \mathcal{F}_G[G_4]\mu[\Theta']))) \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&\quad \text{where } \Phi : \vec{\Phi} = \mathcal{F}_G[G_2]\mu[\Theta']
\end{aligned}$$

Again, changing this to include all, rather than only the first, possibilities for $\mathcal{F}_G[G_2]\mu[\Theta']$ will result in a safe over-approximation, i.e. a superset of the above: $\subseteq (\bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\downarrow\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu[\Theta'] : \mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta']) : \mathcal{F}_G[G_4]\mu[\Theta']))) \cap \Theta)$

$$\begin{aligned}
& \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&= (\bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu[\Theta'] : \mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta']) : \mathcal{F}_G[G_4]\mu[\Theta']))) \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&= (\bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu[\Theta']) : \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta']))) : \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_4]\mu[\Theta']))) \\
&\quad \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&= ((\bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu[\Theta']))) \cup \bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta']))) \cup \bigcup (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\mathcal{F}_G[G_4]\mu[\Theta']))) \\
&\quad \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}) \\
&= (\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\bigcup (\mathcal{F}_G[G_1]\mu[\Theta'])) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\bigcup (\mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta']))) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\bigcup (\mathcal{F}_G[G_4]\mu[\Theta']))) \\
&\quad \cap \Theta) \cup \bigcup (\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta})
\end{aligned}$$

since: $\bigcup (\mathcal{F}_G[G_1]\mu[\Theta']) \subseteq S_G[G_1] \cap \Theta'$

and: $\bigcup (\mathcal{F}_G[G_2]\mu[\Theta']) \subseteq S_G[G_2] \cap \Theta'$

hence: $\bigcup (\mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta'])) \subseteq S_G[G_3] \cap (S_G[G_2] \cap \Theta')$

hence: $\bigcup (\mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta'])) \subseteq (S_G[G_3] \cap S_G[G_2]) \cap \Theta'$

hence: $\bigcup(\mathcal{F}_G[G_3]\mu(\mathcal{F}_G[G_2]\mu[\Theta'])) \subseteq S_G[G_2, G_3] \cap \Theta'$

and: $\bigcup(\mathcal{F}_G[G_4]\mu[\Theta']) \subseteq S_G[G_4] \cap \Theta'$

using these, therefore, the above superset of $\bigcup(\mathcal{F}_G[p(\vec{x})]\mu_P(\Theta : \vec{\Theta}))$ is a subset of:

$$\subseteq ((\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_1] \cap \Theta') \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_2, G_3] \cap \Theta') \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_4] \cap \Theta')) \cap \Theta) \cup \bigcup(\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta}))$$

$$\text{since: } \Theta' = \downarrow\rho_{\vec{x}, \vec{y}}\vec{\exists}_{\vec{x}}(\Theta), \text{ the following holds: } \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\Theta') = \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\downarrow\rho_{\vec{x}, \vec{y}}\vec{\exists}_{\vec{x}}(\Theta)) \\ = \downarrow\vec{\exists}_{\vec{x}}(\Theta) \supseteq \Theta$$

intersecting this with Θ therefore gives Θ itself: $\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\Theta') \cap \Theta = \Theta$ distributing the projections and collecting and intersection the occurrences of $\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(\Theta')$ and Θ above therefore gives:

$$\subseteq ((\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_1]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_2, G_3]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_4])) \cap \Theta) \cup \bigcup(\mathcal{F}_G[p(\vec{x})]\mu\vec{\Theta})) \\ \subseteq ((\downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_1]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_2, G_3]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\vec{\exists}_{\vec{y}}(S_G[G_4])) \cap \Theta) \\ \cup (\bigcup(\vec{\Theta}) \cap S_G[p(\vec{x})]) \\ = \bigcup(\Theta : \vec{\Theta}) \cap S_G[p(\vec{x})]$$

Induction Step: $G = G_1, G_2$

Assume: $\bigcup(\mathcal{F}_G[G_1, G_2]\mu_P\vec{\Theta}) \subseteq \bigcup(\vec{\Theta}) \cap S_G[G_1, G_2]$

And: $\bigcup(\mathcal{F}_G[G_1]\mu_P\vec{\Phi}) \subseteq \bigcup(\vec{\Phi}) \cap S_G[G_1]$

And: $\bigcup(\mathcal{F}_G[G_2]\mu_P\vec{\Phi}) \subseteq \bigcup(\vec{\Phi}) \cap S_G[G_2]$

Show: $\bigcup(\mathcal{F}_G[G_1, G_2]\mu_P(\Theta : \vec{\Theta})) \subseteq \bigcup(\Theta : \vec{\Theta}) \cap S_G[G_1, G_2]$

$$\bigcup(\Theta : \vec{\Theta}) \cap S_G[G_1, G_2] \\ = (\Theta \cap S_G[G_1, G_2]) \cup (\bigcup(\vec{\Theta}) \cap S_G[G_1, G_2]) \\ = (\Theta \cap S_G[G_1] \cap S_G[G_2]) \cup (\bigcup(\vec{\Theta}) \cap S_G[G_1, G_2])$$

$$\bigcup(\mathcal{F}_G[G_1, G_2]\mu_P(\Theta : \vec{\Theta})) \\ = \bigcup(\mathcal{F}_G[G_2]\mu(\mathcal{F}_G[G_1]\mu(\Theta : \vec{\Theta}))) \\ \subseteq \bigcup(\mathcal{F}_G[G_1]\mu(\Theta : \vec{\Theta}) \cap S_G[G_2]) \\ \subseteq \bigcup(\Theta : \vec{\Theta}) \cap S_G[G_1] \cap S_G[G_2] \\ = \bigcup(\Theta : \vec{\Theta}) \cap S_G[G_1, G_2]$$

QED

2.4 Theorem 2: For $\Theta \in \text{Con}^\downarrow$ and stratified $P = P_0 \cup \dots \cup P_n$: $\Theta \subseteq \mathcal{D}_G[G]\delta_P \Rightarrow |\mathcal{F}_G[G]\mu_P[\Theta]| \leq 1$.

2.4.1 Lemma 1: $(\mathcal{F}_G[G]\mu\vec{\Theta}) \cap \Psi = \mathcal{F}_G[G]\mu(\vec{\Theta} \cap \Psi)$

Proof by nested induction on:

1. μ ,
2. $|\vec{\Theta}|$,
3. structure of G

1 Base Case: $\mu = \mu_\perp$

Show: $(\mathcal{F}_G[G]\mu_\perp\vec{\Theta}) \cap \Psi = \mathcal{F}_G[G]\mu_\perp(\vec{\Theta} \cap \Psi)$

1.1 Base Case: $\vec{\Theta} = []$

Show: $(\mathcal{F}_G[G]\mu_\perp[]) \cap \Psi = \mathcal{F}_G[G]\mu_\perp([] \cap \Psi)$

$([]) \cap \Psi = \mathcal{F}_G[G]\mu_\perp([])$

$[] = []$

1.2 Induction Step: $(\Theta : \vec{\Theta})$

Assume: $(\mathcal{F}_G \llbracket H \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket H \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi)$

Show: $(\mathcal{F}_G \llbracket G \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket G \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)$

1.2.1 Two Base Cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$

Show: $(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)$

$$\begin{aligned}
& (\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi) \\
& \text{trim}(\downarrow\{\phi\} \cap \Theta : \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} ((\Theta \cap \Psi) : (\vec{\Theta} \cap \Psi)) \\
& (\text{trim}[\downarrow\{\phi\} \cap \Theta] : \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} \vec{\Theta})) \cap \Psi \\
& = \text{trim}(\downarrow\{\phi\} \cap \Theta \cap \Psi : \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi)) \\
& (\text{trim}[\downarrow\{\phi\} \cap \Theta] \cap \Psi) : (\text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi) \\
& = \text{trim}[\downarrow\{\phi\} \cap \Theta \cap \Psi] : \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi)) \\
& \text{by assumption: } (\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi) \\
& \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi = \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi)) \\
& \text{trim}(\downarrow\{\phi\} \cap \Theta) \cap \Psi = \text{trim}(\downarrow\{\phi\} \cap \Theta \cap \Psi)
\end{aligned}$$

(2) $G = p(\vec{x})$

Show: $(\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)$

$$\begin{aligned}
& (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi \\
& = (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{\perp} (p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta])) \cap \Theta : \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi \\
& = (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} ([\])) \cap \Theta : \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi \\
& = ([\]) : (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi \\
& \text{by assumption: } (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi)
\end{aligned}$$

$$\begin{aligned}
& \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi) \\
& = \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} ((\Theta \cap \Psi) : (\vec{\Theta} \cap \Psi)) \\
& = \downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{\perp} (p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi])) \cap \Theta \cap \Psi : \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi) \\
& = \downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} ([\])) \cap \Theta \cap \Psi : \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi) \\
& = ([\]) : \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\vec{\Theta} \cap \Psi) \\
& \text{hence: } (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)
\end{aligned}$$

1.2.2 Induction Step: $G = G_1, G_2$

Assume: $(\mathcal{F}_G \llbracket G_1 \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket G_1 \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)$

And: $(\mathcal{F}_G \llbracket G_2 \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket G_2 \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)$

Show: $(\mathcal{F}_G \llbracket G_1, G_2 \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket G_1, G_2 \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)$

$$\begin{aligned}
& (\mathcal{F}_G \llbracket G_1, G_2 \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi \\
& = (\mathcal{F}_G \llbracket G_2 \rrbracket \mu_{\perp} (\mathcal{F}_G \llbracket G_1 \rrbracket \mu_{\perp} (\Theta : \vec{\Theta}))) \cap \Psi \\
& = (\mathcal{F}_G \llbracket G_2 \rrbracket \mu_{\perp} (\mathcal{F}_G \llbracket G_1 \rrbracket \mu_{\perp} (\Theta : \vec{\Theta})) \cap \Psi) \\
& = \mathcal{F}_G \llbracket G_2 \rrbracket \mu_{\perp} (\mathcal{F}_G \llbracket G_1 \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)) \\
& = \mathcal{F}_G \llbracket G_1, G_2 \rrbracket \mu_{\perp} ((\Theta : \vec{\Theta}) \cap \Psi)
\end{aligned}$$

2 Induction Step: $\mu = \mu_{k+1}$

Assume: $(\mathcal{F}_G \llbracket H \rrbracket \mu_k \vec{\Delta}) \cap \Lambda = \mathcal{F}_G \llbracket H \rrbracket \mu_k (\vec{\Delta} \cap \Lambda)$

Show: $(\mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi)$
 where $\mu_{k+1} = \mathcal{F}_P \llbracket P \rrbracket_{\mu_k}$

2.1 Base Case: $\vec{\Theta} = []$

Show: $(\mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} []) \cap \Psi = \mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} ([] \cap \Psi)$
 $([]) \cap \Psi = \mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} ([])$
 $([]) = ([])$

2.2 Induction Step: $\vec{\Theta} = (\Theta : \vec{\Theta})$

Assume: $(\mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi)$
 Show: $(\mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket G \rrbracket_{\mu_{k+1}} ((\Theta : \vec{\Theta}) \cap \Psi)$

2.2.1 Two Base Cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$

Show: $(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} ((\Theta : \vec{\Theta}) \cap \Psi)$

$(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} ((\Theta : \vec{\Theta}) \cap \Psi)$
 $\text{trim}(\downarrow\{\phi\} \cap \Theta : \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} ((\Theta \cap \Psi) : (\vec{\Theta} \cap \Psi))$
 $(\text{trim}(\downarrow\{\phi\} \cap \Theta) : \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} \vec{\Theta})) \cap \Psi$
 $= \text{trim}(\downarrow\{\phi\} \cap \Theta \cap \Psi : \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi))$
 $(\text{trim}(\downarrow\{\phi\} \cap \Theta) \cap \Psi) : (\text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi)$
 $= \text{trim}(\downarrow\{\phi\} \cap \Theta \cap \Psi) : \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi))$
 by assumption: $\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} \vec{\Theta} \cap \Psi = \mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi)$
 hence: $\text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi = \text{trim}(\mathcal{F}_G \llbracket \text{post}(\phi) \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi))$
 $\text{trim}(\downarrow\{\phi\} \cap \Theta) \cap \Psi = \text{trim}(\downarrow\{\phi\} \cap \Theta \cap \Psi)$

(2) $G = p(\vec{x})$

Assume (without loss of generality): $p(\vec{y}) \leftarrow G_1; G_2, !, G_3; G_4 \in P$
 Show: $(\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} (\Theta : \vec{\Theta})) \cap \Psi = \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} ((\Theta : \vec{\Theta}) \cap \Psi)$

$(\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} (\Theta : \vec{\Theta})) \cap \Psi$
 $= (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta])) \cap \Theta : \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi$
 $= (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta])) \cap \Theta) \cap \Psi : (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi$

$\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} ((\Theta : \vec{\Theta}) \cap \Psi)$
 $= \mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} ((\Theta \cap \Psi) : (\vec{\Theta} \cap \Psi))$
 $= (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi])) \cap \Theta \cap \Psi : (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi))$
 by assumption: $(\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} \vec{\Theta}) \cap \Psi = (\mathcal{F}_G \llbracket p(\vec{x}) \rrbracket_{\mu_{k+1}} (\vec{\Theta} \cap \Psi))$

hence the question is whether the following holds:

$(\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta])) \cap \Theta) \cap \Psi$
 $= (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi])) \cap \Theta \cap \Psi$

$(\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi])) \cap \Theta) \cap \Psi$
 $= \downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\downarrow\rho_{\vec{y}} \vec{\exists}_{\vec{y}} (\mathcal{F}_G \llbracket G_1 \rrbracket_{\mu_k} \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi])) : \vec{\Delta})) \cap \Theta \cap \Psi$
 where $\vec{\Delta} = \begin{cases} \mathcal{F}_G \llbracket G_3 \rrbracket_{\mu_k} [\Lambda] & \text{if } \mathcal{F}_G \llbracket G_2 \rrbracket_{\mu_k} \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi]) = \Lambda : \vec{\Lambda} \\ \mathcal{F}_G \llbracket G_4 \rrbracket_{\mu_k} \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi]) & \text{if } \mathcal{F}_G \llbracket G_2 \rrbracket_{\mu_k} \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi]) = [] \end{cases}$
 $= (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\mathcal{F}_G \llbracket G_1 \rrbracket_{\mu_k} \downarrow\rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}} ([\Theta \cap \Psi]))) \cap \Theta \cap \Psi : (\downarrow\rho_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}} (\vec{\Delta})) \cap \Theta \cap \Psi$

Observe that for any F : $\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[F]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta])) = \bar{\exists}_{\vec{x}}(\mathcal{F}_G[F]\mu_k \bar{\exists}_{\vec{x}}([\Theta]))$

$$\begin{aligned} \text{hence: } & (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap \Psi]))) \cap \Theta \cap \Psi \\ &= (\bar{\exists}_{\vec{x}}(\mathcal{F}_G[G_1]\mu_k \bar{\exists}_{\vec{x}}([\Theta \cap \Psi]))) \cap \Theta \cap \Psi \\ &= (\bar{\exists}_{\vec{x}}(\mathcal{F}_G[G_1]\mu_k [\bar{\exists}_{\vec{x}}(\Theta \cap \Psi) \cap \bar{\exists}_{\vec{x}}(\Theta)])) \cap \Theta \cap \Psi \\ &\quad (\text{since } \bar{\exists}_{\vec{x}}(\Theta \cap \Psi) \subseteq \bar{\exists}_{\vec{x}}(\Theta)) \end{aligned}$$

which by assumption is equal to:

$$\begin{aligned} & (\bar{\exists}_{\vec{x}}(\mathcal{F}_G[G_1]\mu_k [\bar{\exists}_{\vec{x}}(\Theta)])) \cap \bar{\exists}_{\vec{x}}(\Theta \cap \Psi) \cap \Theta \cap \Psi \\ &= (\bar{\exists}_{\vec{x}}(\bar{\exists}_{\vec{x}}(\mathcal{F}_G[G_1]\mu_k [\bar{\exists}_{\vec{x}}(\Theta)]) \cap \bar{\exists}_{\vec{x}}(\Theta \cap \Psi)) \cap \Theta \cap \Psi \\ &\quad (\text{since } \bar{\exists}_{\vec{x}}(A \cap B) = \bar{\exists}_{\vec{x}}(\bar{\exists}_{\vec{x}}(A) \cap B)) \\ &= (\bar{\exists}_{\vec{x}}(\mathcal{F}_G[G_1]\mu_k [\bar{\exists}_{\vec{x}}(\Theta)]) \cap \bar{\exists}_{\vec{x}}(\Theta \cap \Psi) \cap \Theta \cap \Psi \\ &\quad (\text{since } \bar{\exists}_{\vec{x}}(\bar{\exists}_{\vec{x}}(A) \cap \bar{\exists}_{\vec{x}}(B)) = \bar{\exists}_{\vec{x}}(A) \cap \bar{\exists}_{\vec{x}}(B)) \\ &= (\bar{\exists}_{\vec{x}}(\mathcal{F}_G[G_1]\mu_k [\bar{\exists}_{\vec{x}}(\Theta)]) \cap \Theta \cap \Psi \\ &\quad (\text{since } \Theta \cap \Psi \subseteq \bar{\exists}_{\vec{x}}(\Theta \cap \Psi)) \\ &= (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]))) \cap \Theta \cap \Psi \end{aligned}$$

by parallel reasoning:

$$\begin{aligned} & (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_4]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap \Psi]))) \cap \Theta \cap \Psi \\ &= (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_4]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]))) \cap \Theta \cap \Psi \end{aligned}$$

also by parallel reasoning:

$$\begin{aligned} & (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_2]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap \Psi]))) \cap \Theta \cap \Psi \\ &= (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_2]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]))) \cap \Theta \cap \Psi \end{aligned}$$

hence if $(\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_2]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap \Psi]))) \cap \Theta \cap \Psi = \Lambda : \bar{\Lambda}$

and $(\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_2]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]))) \cap \Theta \cap \Psi = \Phi : \bar{\Phi}$

then $\Lambda = \Phi$

hence $(\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_3]\mu_k [\Lambda])) \cap \Theta \cap \Psi = (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_3]\mu_k [\Phi])) \cap \Theta \cap \Psi$

now say $\bar{\Gamma} = \begin{cases} \mathcal{F}_G[G_3]\mu_k[\Phi] & \text{if } \mathcal{F}_G[G_2]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]) = \Phi : \bar{\Phi} \\ \mathcal{F}_G[G_4]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]) & \text{if } \mathcal{F}_G[G_2]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]) = \square \end{cases}$

then $\bar{\Gamma} = \bar{\Delta}$

hence: $\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap \Psi])) : \bar{\Delta})) \cap \Theta \cap \Psi$

$= \downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\bar{\exists}_{\vec{y}}(\mathcal{F}_G[G_1]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta])) : \bar{\Gamma})) \cap \Theta \cap \Psi$

hence: $(\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta]))) \cap \Theta \cap \Psi$

$= (\downarrow\rho_{\vec{y},\vec{x}}\bar{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap \Psi]))) \cap \Theta \cap \Psi$

therefore: $(\mathcal{F}_G[p(\vec{x})]\mu_{k+1}(\Theta : \bar{\Theta})) \cap \Psi = \mathcal{F}_G[p(\vec{x})]\mu_{k+1}((\Theta : \bar{\Theta}) \cap \Psi)$

2.2.2 Induction Step $G = G_1, G_2$

Assume: $(\mathcal{F}_G[G_1]\mu_{k+1}(\Theta : \bar{\Theta})) \cap \Psi = \mathcal{F}_G[G_1]\mu_{k+1}((\Theta : \bar{\Theta}) \cap \Psi)$

And: $(\mathcal{F}_G[G_2]\mu_{k+1}(\Theta : \bar{\Theta})) \cap \Psi = \mathcal{F}_G[G_2]\mu_{k+1}((\Theta : \bar{\Theta}) \cap \Psi)$

Show: $(\mathcal{F}_G[G_1, G_2]\mu_{k+1}(\Theta : \bar{\Theta})) \cap \Psi = \mathcal{F}_G[G_1, G_2]\mu_{k+1}((\Theta : \bar{\Theta}) \cap \Psi)$

$$\begin{aligned} & (\mathcal{F}_G[G_1, G_2]\mu_{k+1}(\Theta : \bar{\Theta})) \cap \Psi \\ &= (\mathcal{F}_G[G_2]\mu_{k+1}(\mathcal{F}_G[G_1]\mu_{k+1}(\Theta : \bar{\Theta}))) \cap \Psi \\ &= (\mathcal{F}_G[G_2]\mu_{k+1}(\mathcal{F}_G[G_1]\mu_{k+1}(\Theta : \bar{\Theta})) \cap \Psi) \\ &= \mathcal{F}_G[G_2]\mu_{k+1}(\mathcal{F}_G[G_1]\mu_{k+1}((\Theta : \bar{\Theta}) \cap \Psi)) \\ &= \mathcal{F}_G[G_1, G_2]\mu_{k+1}((\Theta : \bar{\Theta}) \cap \Psi) \end{aligned}$$

QED

2.4.2 Lemma 2: $\mathcal{F}_G[G]\mu[\Theta] = \mathcal{F}_G[G]\mu[\Theta \cap S_G[G]]$

Proof in two stages:

- (a) $\mathcal{F}_G[G]\mu[\Theta \cap S_G[G]] \subseteq \mathcal{F}_G[G]\mu[\Theta]$
- (b) $\mathcal{F}_G[G]\mu[\Theta] \subseteq \mathcal{F}_G[G]\mu[\Theta \cap S_G[G]]$

(a) by monotonicity of \mathcal{F}_G :

$$[\Theta \cap S_G[G]] \subseteq [\Theta] \Rightarrow \mathcal{F}_G[G]\mu[\Theta \cap S_G[G]] \subseteq \mathcal{F}_G[G]\mu[\Theta]$$

- (b) $\mathcal{F}_G[G]\mu[\Theta] \subseteq \mathcal{F}_G[G]\mu[\Theta \cap S_G[G]]$

Proof by nested induction on:

1. μ ,
2. structure of G :

$$1 \text{ Base Case: } \mathcal{F}_G[G]\mu_{\perp}[\Theta] \subseteq \mathcal{F}_G[G]\mu_{\perp}[\Theta \cap S_G[G]]$$

induction on structure of G :

1.1 Two Base Cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$

$$\text{Show: } \mathcal{F}_G[\text{post}(\phi)]\mu_{\perp}[\Theta] \subseteq \mathcal{F}_G[\text{post}(\phi)]\mu_{\perp}[\Theta \cap S_G[\text{post}(\phi)]]$$

$$\begin{aligned} \mathcal{F}_G[\text{post}(\phi)]\mu_{\perp}[\Theta] &= \text{trim}([\Theta \downarrow \{\phi\}]) \\ \mathcal{F}_G[\text{post}(\phi)]\mu_{\perp}[\Theta \cap S_G[\text{post}(\phi)]] &= \text{trim}([\Theta \cap S_G[\text{post}(\phi)] \downarrow \{\phi\}]) \\ &= \text{trim}([\Theta \downarrow \{\phi\} \cap \downarrow \{\phi\}]) \\ &= \text{trim}([\Theta \downarrow \{\phi\}]) \end{aligned}$$

(2) $G = p(\vec{x})$

$$\text{Show: } \mathcal{F}_G[p(\vec{x})]\mu_{\perp}[\Theta] \subseteq \mathcal{F}_G[p(\vec{x})]\mu_{\perp}[\Theta \cap S_G[p(\vec{x})]]$$

$$\begin{aligned} \mathcal{F}_G[p(\vec{x})]\mu_{\perp}[\Theta] &= [] \\ \mathcal{F}_G[p(\vec{x})]\mu_{\perp}[\Theta \cap S_G[p(\vec{x})]] &= [] \end{aligned}$$

1.2 Induction Step: $G = G_1, G_2$

$$\text{Assume: } \mathcal{F}_G[G_1]\mu_{\perp}[\Theta_1] \subseteq \mathcal{F}_G[G_1]\mu_{\perp}[\Theta_1 \cap S_G[G_1]]$$

$$\text{And: } \mathcal{F}_G[G_2]\mu_{\perp}[\Theta_2] \subseteq \mathcal{F}_G[G_2]\mu_{\perp}[\Theta_2 \cap S_G[G_2]]$$

$$\text{Show: } \mathcal{F}_G[G_1, G_2]\mu_{\perp}[\Theta] \subseteq \mathcal{F}_G[G_1, G_2]\mu_{\perp}[\Theta \cap S_G[G_1, G_2]]$$

$$\begin{aligned} \mathcal{F}_G[G_1, G_2]\mu_{\perp}[\Theta] &= \mathcal{F}_G[G_2]\mu_{\perp}(\mathcal{F}_G[G_1]\mu_{\perp}[\Theta]) \\ \text{by assumption: } \mathcal{F}_G[G_1]\mu_{\perp}[\Theta] &\subseteq \mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]] \\ \text{hence: } \mathcal{F}_G[G_2]\mu_{\perp}(\mathcal{F}_G[G_1]\mu_{\perp}[\Theta]) &\subseteq \mathcal{F}_G[G_2]\mu_{\perp}(\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]]) \\ \text{by assumption: } & \\ \mathcal{F}_G[G_2]\mu_{\perp}(\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]]) &\subseteq \mathcal{F}_G[G_2]\mu_{\perp}((\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]]) \cap S_G[G_2]) \\ \text{by Lemma 1: } (\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]]) \cap S_G[G_2] &= \mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]] \cap S_G[G_2] \\ \text{hence: } \mathcal{F}_G[G_2]\mu_{\perp}((\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]]) \cap S_G[G_2]) &= \mathcal{F}_G[G_2]\mu_{\perp}(\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]] \cap S_G[G_2]) \\ &= \mathcal{F}_G[G_2]\mu_{\perp}(\mathcal{F}_G[G_1]\mu_{\perp}[\Theta \cap S_G[G_1]] \cap S_G[G_2]) \end{aligned}$$

$= \mathcal{F}_G[[G_1, G_2]]\mu_{\perp}[\Theta \cap S_G[[G_1, G_2]]]$
therefore: $\mathcal{F}_G[[G_1, G_2]]\mu_{\perp}[\Theta] \sqsubseteq \mathcal{F}_G[[G_1, G_2]]\mu_{\perp}[\Theta \cap S_G[[G_1, G_2]]]$

2 Induction Step:

Assume: $\mathcal{F}_G[[H]]\mu_k[\Theta'] \sqsubseteq \mathcal{F}_G[[H]]\mu_k[\Theta' \cap S_G[[H]]]$
Show: $\mathcal{F}_G[[G]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[G]]\mu_{k+1}[\Theta \cap S_G[[G]]]$
where $\mu_{k+1} = \mathcal{F}_P[[P]]\mu_k$

induction on structure of G:

2.1 Two Base Cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$

Show: $\mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta \cap S_G[[\text{post}(\phi)]]]$
where $\mu_{k+1} = \mathcal{F}_P[[P]]\mu_k$

$$\begin{aligned} \mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta] &= \text{trim}([\Theta \cap \downarrow\{\phi\}]) \\ \mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta \cap S_G[[\text{post}(\phi)]]] \\ &= \text{trim}([\Theta \cap S_G[[\text{post}(\phi)]] \cap \downarrow\{\phi\}]) \\ &= \text{trim}([\Theta \cap \downarrow\{\phi\} \cap \downarrow\{\phi\}]) \\ &= \text{trim}([\Theta \cap \downarrow\{\phi\}]) \end{aligned}$$

(2) $G = p(\vec{x})$

Assume (without loss of generality): $p(\vec{y}) \leftarrow G_1; G_2, !, G_3; G_4 \in P$

Show: $\mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta \cap S_G[[p(\vec{x})]]]$

where: $\mu_{k+1} = \mathcal{F}_P[[P]]\mu_k$

$$\begin{aligned} \mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta \cap S_G[[p(\vec{x})]]] \\ &= \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y}))) \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]]) \cap \Theta \cap S_G[[p(\vec{x})]] \\ \mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]]) &= \bar{\exists}_{\vec{y}}(\mathcal{F}_G[[G_1]]\mu_k \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]]) : \vec{\Psi}) \end{aligned}$$

where

$$\vec{\Psi} = \begin{cases} \mathcal{F}_G[[G_3]]\mu_k[\Phi] & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]]) = \Phi : \vec{\Phi} \\ \mathcal{F}_G[[G_4]]\mu_k \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]]) & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]]) = \square \end{cases}$$

now: $S_G[[p(\vec{x})]] = \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_H[[p(\vec{y})]])$

$$\begin{aligned} &= \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(\downarrow\bar{\exists}_{\vec{y}}(S_G[[G_1]] \cup S_G[[G_2, G_3]] \cup S_G[[G_4]])) \\ &= \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_1]] \cup S_G[[G_2, G_3]] \cup S_G[[G_4]]) \\ &= \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_1]]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_2, G_3]]) \cup \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_4]]) \\ &\quad (\text{because } \bar{\exists} \text{ distributes over } \cup) \end{aligned}$$

Since $S_G[[p(\vec{x})]]$ is the union of these three components, it is a superset of each of them, hence:

$$\begin{aligned} S_G[[p(\vec{x})]] &\supseteq \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_1]]) \\ \text{and: } S_G[[p(\vec{x})]] &\supseteq \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_2, G_3]]) \\ \text{and: } S_G[[p(\vec{x})]] &\supseteq \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_4]]) \end{aligned}$$

Intersecting each side with Θ preserves the order, hence: $\Theta \cap S_G[[p(\vec{x})]] \supseteq \Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_1]])$

$$\text{and: } \Theta \cap S_G[[p(\vec{x})]] \supseteq \Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_2, G_3]])$$

$$\text{and: } \Theta \cap S_G[[p(\vec{x})]] \supseteq \Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_4]])$$

Again, projecting and renaming both sides in the same way preserves the order, hence: $\downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}(\Theta \cap S_G[[p(\vec{x})]]) \supseteq \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}(\Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_1]]))$

$$\text{and: } \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}(\Theta \cap S_G[[p(\vec{x})]]) \supseteq \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}(\Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_2, G_3]]))$$

$$\text{and: } \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}(\Theta \cap S_G[[p(\vec{x})]]) \supseteq \downarrow\rho_{\vec{x}, \vec{y}}\bar{\exists}_{\vec{x}}(\Theta \cap \downarrow\rho_{\vec{y}, \vec{x}}\bar{\exists}_{\vec{y}}(S_G[[G_4]]))$$

Now, since the following holds in general:

$\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Gamma_1 \cap \downarrow\rho_{\vec{y},\vec{x}}\vec{\exists}_{\vec{y}}(\Gamma_2)) \supseteq \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Gamma_1) \cap \Gamma_2$,
 performing the same transformation on the above still preserves the order,
 hence: $\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta \cap S_G[[p(\vec{x})]]) \supseteq \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_1]]$
 and: $\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta \cap S_G[[p(\vec{x})]]) \supseteq \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_2, G_3]]$
 $= \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_2]] \cap S_G[[G_3]]$
 and: $\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta \cap S_G[[p(\vec{x})]]) \supseteq \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_4]]$
 by monotonicity of \mathcal{F}_G , therefore:
 $\mathcal{F}_G[[G_1]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) \supseteq \mathcal{F}_G[[G_1]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_1]]]$
 by assumption: $\mathcal{F}_G[[G_1]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_1]]] \supseteq \mathcal{F}_G[[G_1]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta)]$
 hence the following holds of the first part of the sequence:
 $\mathcal{F}_G[[G_1]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) \supseteq \mathcal{F}_G[[G_1]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}[\Theta]$
 and similarly: $\mathcal{F}_G[[G_4]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) \supseteq \mathcal{F}_G[[G_4]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_4]]]$
 by assumption: $\mathcal{F}_G[[G_4]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_4]]] \supseteq \mathcal{F}_G[[G_4]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta)]$
 hence the parallel thing holds for the second possibility of the second part of the sequence:
 $\mathcal{F}_G[[G_4]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) \supseteq \mathcal{F}_G[[G_4]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}[\Theta]$
 As for the first possibility for the second part of the sequence, consider this:
 by monotonicity of \mathcal{F}_G :
 $\Phi : \vec{\Phi} = \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]])$
 $\supseteq \mathcal{F}_G[[G_2]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_2]] \cap S_G[[G_3]]]$
 by assumption:
 $\mathcal{F}_G[[G_2]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_2]] \cap S_G[[G_3]]] \supseteq \mathcal{F}_G[[G_2]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_3]]]$
 by Lemma 1: $\mathcal{F}_G[[G_2]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}(\Theta) \cap S_G[[G_3]]] = \mathcal{F}_G[[G_2]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}[\Theta] \cap S_G[[G_3]]]$
 hence: $\Phi : \vec{\Phi} \supseteq \mathcal{F}_G[[G_2]]\mu_k[\downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}[\Theta] \cap S_G[[G_3]]]$
 now call the part of the sequence we are aiming for here $\Lambda : \vec{\Lambda} = \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta])$
 then: $\Phi : \vec{\Phi} \supseteq (\Lambda : \vec{\Lambda}) \cap S_G[[G_3]]$
 hence: $[\Phi] \supseteq [\Lambda \cap S_G[[G_3]]]$
 hence: $\mathcal{F}_G[[G_3]]\mu_k[\Phi] \supseteq \mathcal{F}_G[[G_3]]\mu_k[\Lambda \cap S_G[[G_3]]]$
 by assumption: $\mathcal{F}_G[[G_3]]\mu_k[\Lambda \cap S_G[[G_3]]] \supseteq \mathcal{F}_G[[G_3]]\mu_k[\Lambda]$
 hence: $\mathcal{F}_G[[G_3]]\mu_k[\Phi] \supseteq \mathcal{F}_G[[G_3]]\mu_k[\Lambda]$

These last few lines show that each part of the sequence we are considering is greater than the sequence we are aiming for. Pulling these together, we arrive at:

$$\vec{\exists}_{\vec{y}}(\mathcal{F}_G[[G_1]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]])]) : \vec{\Psi} \supseteq \vec{\exists}_{\vec{y}}(\mathcal{F}_G[[G_1]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta]) : \vec{\Delta})$$

where

$$\vec{\Psi} = \begin{cases} \mathcal{F}_G[[G_3]]\mu_k[\Phi] & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) = \Phi : \vec{\Phi} \\ \mathcal{F}_G[[G_4]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) = \square \end{cases}$$

$$\text{and } \vec{\Delta} = \begin{cases} \mathcal{F}_G[[G_3]]\mu_k[\Lambda] & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta]) = \Lambda : \vec{\Lambda} \\ \mathcal{F}_G[[G_4]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta]) & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta]) = \square \end{cases}$$

therefore: $\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]]) \supseteq \mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta])$

applying the same renaming and projection to both sides preserves the order:

$$\downarrow\rho_{\vec{y},\vec{x}}\vec{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]])]) \supseteq \downarrow\rho_{\vec{y},\vec{x}}\vec{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta]))$$

now name these two sequences:

$$\downarrow\rho_{\vec{y},\vec{x}}\vec{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta \cap S_G[[p(\vec{x})]])]) = \vec{\Psi}'$$

$$\text{and: } \downarrow\rho_{\vec{y},\vec{x}}\vec{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow\rho_{\vec{x},\vec{y}}\vec{\exists}_{\vec{x}}([\Theta])) = \vec{\Delta}'$$

and notice the following two facts:

- (1) $\vec{\Delta}' \cap \Theta = \mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta]$
- (2) $\vec{\Psi}' \cap S_G[[p(\vec{x})]] \cap \Theta = \mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta \cap S_G[[p(\vec{x})]]]$

then from above we have: $\vec{\Delta}' \sqsubseteq \vec{\Psi}'$

hence: $\vec{\Delta}' \cap \Theta \sqsubseteq \vec{\Psi}'$

by (1) and Theorem 1, therefore: $\bigcup(\vec{\Delta}') \cap \Theta = \bigcup(\vec{\Delta}' \cap \Theta) \sqsubseteq \Theta \cap S_G[[p(\vec{x})]]$

hence: $\bigcup(\vec{\Delta}') \sqsubseteq S_G[[p(\vec{x})]]$

therefore for each Δ' in $\vec{\Delta}'$: $\Delta' \sqsubseteq S_G[[p(\vec{x})]]$

hence for each Δ' in $\vec{\Delta}'$: $\Delta' \cap S_G[[p(\vec{x})]] = \Delta'$

hence: $\vec{\Delta}' \cap S_G[[p(\vec{x})]] = \vec{\Delta}'$

hence: $\vec{\Delta}' \cap \Theta = \vec{\Delta}' \cap S_G[[p(\vec{x})]] \cap \Theta \sqsubseteq \vec{\Psi}' \cap S_G[[p(\vec{x})]] \cap \Theta$

substituting using (2), we therefore arrive at:

$\mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta \cap S_G[[p(\vec{x})]]]$

2.2 Induction Step: $G = G_1, G_2$

Assume: $\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta_1] \sqsubseteq \mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta_1 \cap S_G[[G_1]]]$

And: $\mathcal{F}_G[[G_2]]\mu_{k+1}[\Theta_2] \sqsubseteq \mathcal{F}_G[[G_2]]\mu_{k+1}[\Theta_2 \cap S_G[[G_2]]]$

Show: $\mathcal{F}_G[[G_1, G_2]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[G_1, G_2]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]$

$\mathcal{F}_G[[G_1, G_2]]\mu_{k+1}[\Theta] = \mathcal{F}_G[[G_2]]\mu_{k+1}(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta])$

by assumption: $\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]]]$

hence: $\mathcal{F}_G[[G_2]]\mu_{k+1}(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta]) \sqsubseteq \mathcal{F}_G[[G_2]]\mu_{k+1}(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]]])$

by assumption:

$\mathcal{F}_G[[G_2]]\mu_{k+1}(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]]]) \sqsubseteq \mathcal{F}_G[[G_2]]\mu_{k+1}((\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]]]) \cap S_G[[G_2]])$

by Lemma 1: $(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]]]) \cap S_G[[G_2]] = \mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]] \cap S_G[[G_2]]]$

hence: $\mathcal{F}_G[[G_2]]\mu_{k+1}((\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]]]) \cap S_G[[G_2]])$

$= \mathcal{F}_G[[G_2]]\mu_{k+1}(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1]] \cap S_G[[G_2]])$

$= \mathcal{F}_G[[G_1, G_2]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]$

therefore: $\mathcal{F}_G[[G_1, G_2]]\mu_{k+1}[\Theta] \sqsubseteq \mathcal{F}_G[[G_1, G_2]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]$

Therefore since: (a) $\mathcal{F}_G[[G]]\mu[\Theta \cap S_G[[G]]] \sqsubseteq \mathcal{F}_G[[G]]\mu[\Theta]$

and (b) $\mathcal{F}_G[[G]]\mu[\Theta] \sqsubseteq \mathcal{F}_G[[G]]\mu[\Theta \cap S_G[[G]]]$,

it follows that: $\mathcal{F}_G[[G]]\mu[\Theta] = \mathcal{F}_G[[G]]\mu[\Theta \cap S_G[[G]]]$

QED

2.4.3 Proof of Theorem 2: For $\Theta \in \text{Con}^\downarrow$ and stratified $P = P_0 \cup \dots \cup P_n$: $\Theta \sqsubseteq \mathcal{D}_G[[G]]\delta_P \Rightarrow |\mathcal{F}_G[[G]]\mu_P[\Theta]| \leq 1$.

First notice that the following things hold:

(1) $\Theta \sqsubseteq (\Phi \rightarrow \Psi) \Rightarrow \Theta \cap \Phi \sqsubseteq \Psi$

(2) $\Theta \sqsubseteq \text{mux}(\Phi, \Psi) \Rightarrow (\Theta \cap \Phi = \{\text{false}\}) \vee (\Theta \cap \Psi = \{\text{false}\})$

(3) $\mathcal{F}_G[[G]]\mu\Theta \sqsubseteq \bigcup \vec{\Theta} \cap S_G[[G]]$

for any μ constructed by application of $\mathcal{F}_P[[P]]$ to μ_\perp

(4) $\vec{\forall}_{\vec{y}}(\Theta \cap \Phi) = \vec{\forall}_{\vec{y}}(\Theta) \cap \vec{\forall}_{\vec{y}}(\Phi)$

(5) $\Theta \sqsubseteq \downarrow_{\rho_{\vec{y}, \vec{x}}} \vec{\forall}_{\vec{y}}(\Phi) \Rightarrow \downarrow_{\rho_{\vec{x}, \vec{y}}} \vec{\exists}_{\vec{x}}(\Theta) \sqsubseteq \Phi$

This holds due to the following few lines of reasoning:

$\Theta \sqsubseteq \vec{\exists}_{\vec{x}}(\Theta)$ (since $\vec{\exists}$ is extensive)

if $\Theta \sqsubseteq \downarrow_{\rho_{\vec{y}, \vec{x}}} \vec{\forall}_{\vec{y}}(\Phi)$

then $\vec{\exists}_{\vec{x}}(\Theta) \sqsubseteq \vec{\exists}_{\vec{x}}(\downarrow_{\rho_{\vec{y}, \vec{x}}} \vec{\forall}_{\vec{y}}(\Phi))$

(by monotonicity of $\vec{\exists}$)

then $\downarrow_{\rho_{\vec{x}, \vec{y}}} \vec{\exists}_{\vec{x}}(\Theta) \sqsubseteq \downarrow_{\rho_{\vec{x}, \vec{y}}} \vec{\exists}_{\vec{x}}(\downarrow_{\rho_{\vec{y}, \vec{x}}} \vec{\forall}_{\vec{y}}(\Phi)) = \downarrow_{\rho_{\vec{x}, \vec{y}}}(\downarrow_{\rho_{\vec{y}, \vec{x}}} \vec{\forall}_{\vec{y}}(\Phi))$

- (by monotonicity of \downarrow, ρ)
 $\downarrow\rho_{\vec{x}, \vec{y}} \downarrow \rho_{\vec{y}, \vec{x}}$ cancel out and $\bar{\forall}$ is reductive, hence:
 $\downarrow\rho_{\vec{x}, \vec{y}} \bar{\exists}_{\vec{x}}(\Theta) \subseteq \Phi$
(6) $\mathcal{F}_G[[G]]\mu[\Theta] \subseteq \mathcal{F}_G[[G]]\mu(\Theta : \bar{\Theta})$
again for any μ constructed by application of $\mathcal{F}_P[[P]]$ to μ_{\perp}
(7) $\bar{\Theta}_1 \subseteq \bar{\Theta}_2 \Rightarrow |\bar{\Theta}_1| \leq |\bar{\Theta}_2|$

Proof by nested induction on:

1. μ ,
2. structure of G :
1 Base Case: $\mu = \mu_{\perp}$
show: $\Theta \subseteq \mathcal{D}_G[[G]]\delta_P \Rightarrow |\mathcal{F}_G[[G]]\mu_{\perp}[\Theta]| \leq 1$

Induction on structure of G :

- 1.1 Two Base Cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

- (1) $G = \text{post}(\phi)$:

Show: $\Theta \subseteq \mathcal{D}_G[[\text{post}(\phi)]]\delta_P \Rightarrow |\mathcal{F}_G[[\text{post}(\phi)]]\mu_{\perp}[\Theta]| \leq 1$

$$\mathcal{F}_G[[\text{post}(\phi)]]\mu_{\perp}[\Theta] = \text{trim}([\downarrow\{\phi\} \cap \Theta])$$

$$\text{hence: } |\mathcal{F}_G[[\text{post}(\phi)]]\mu_{\perp}[\Theta]| = |\text{trim}([\downarrow\{\phi\} \cap \Theta])| \leq 1$$

- (2) $G = p(\vec{x})$

Show: $\Theta \subseteq \mathcal{D}_G[[p(\vec{y})]]\delta_P \Rightarrow |\mathcal{F}_G[[p(\vec{y})]]\mu_{\perp}[\Theta]| \leq 1$

$$\mathcal{F}_G[[p(\vec{y})]]\mu_{\perp}[\Theta] = \downarrow\rho_{\vec{y}, \vec{x}} \bar{\exists}_{\vec{y}}(\mu_{\perp}(p(\vec{y})) \downarrow \rho_{\vec{x}, \vec{y}} \bar{\exists}_{\vec{x}}([\Theta])) \cap \Theta : []$$

$$\mu_{\perp}(p(\vec{y})) \downarrow \rho_{\vec{x}, \vec{y}} \bar{\exists}_{\vec{x}}([\Theta]) = []$$

$$\text{hence: } \mathcal{F}_G[[p(\vec{y})]]\mu_{\perp}[\Theta] = []$$

$$\text{hence: } |\mathcal{F}_G[[p(\vec{y})]]\mu_{\perp}[\Theta]| = |[[]]| = 0$$

1.2 Induction Step:

$$G = G_1, G_2 :$$

Assume: $\Theta_1 \subseteq \mathcal{D}_G[[G_1]]\delta_P \Rightarrow |\mathcal{F}_G[[G_1]]\mu_{\perp}[\Theta_1]| \leq 1$

And: $\Theta_2 \subseteq \mathcal{D}_G[[G_2]]\delta_P \Rightarrow |\mathcal{F}_G[[G_2]]\mu_{\perp}[\Theta_2]| \leq 1$

Show: $\Theta \subseteq \mathcal{D}_G[[G]]\delta_P \Rightarrow |\mathcal{F}_G[[G]]\mu_{\perp}[\Theta]| \leq 1$

$$\mathcal{D}_G[[G]]\delta_P = (S_G[[G_2]] \rightarrow \mathcal{D}_G[[G_1]]\delta_P) \cap (S_G[[G_1]] \rightarrow \mathcal{D}_G[[G_2]]\delta_P)$$

$$\Theta \subseteq \mathcal{D}_G[[G]]\delta_P \Rightarrow \Theta \subseteq (S_G[[G_1]] \rightarrow \mathcal{D}_G[[G_2]]\delta_P) \Rightarrow \Theta \cap S_G[[G_1]] \subseteq \mathcal{D}_G[[G_2]]\delta_P$$

$$\Theta \subseteq \mathcal{D}_G[[G]]\delta_P \Rightarrow \Theta \subseteq (S_G[[G_2]] \rightarrow \mathcal{D}_G[[G_1]]\delta_P) \Rightarrow \Theta \cap S_G[[G_2]] \subseteq \mathcal{D}_G[[G_1]]\delta_P$$

$$\mathcal{F}_G[[G]]\mu_{\perp}[\Theta] = \mathcal{F}_G[[G]]\mu_{\perp}[\Theta \cap S_G[[G]]] \text{ (by Lemma 2)}$$

$$\mathcal{F}_G[[G]]\mu_{\perp}[\Theta \cap S_G[[G]]] = \mathcal{F}_G[[G_2]]\mu_{\perp}(\mathcal{F}_G[[G_1]]\mu_{\perp}[\Theta \cap S_G[[G_1, G_2]])$$

$$\Theta \cap S_G[[G_1, G_2]] = \Theta \cap S_G[[G_1]] \cap S_G[[G_2]] \subseteq \Theta \cap S_G[[G_2]] \subseteq \mathcal{D}_G[[G_1]]\delta_P$$

$$\text{hence by assumption: } |\mathcal{F}_G[[G_1]]\mu_{\perp}[\Theta \cap S_G[[G_1, G_2]])| \leq 1$$

distinguish two cases:

$$(a) |\mathcal{F}_G[[G_1]]\mu_{\perp}[\Theta \cap S_G[[G_1, G_2]])| = 0,$$

$$(b) |\mathcal{F}_G[[G_1]]\mu_{\perp}[\Theta \cap S_G[[G_1, G_2]])| = 1$$

(a) $|\mathcal{F}_G[[G_1]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]]| = 0$
 $\mathcal{F}_G[[G_1]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]] = []$
 $\mathcal{F}_G[[G]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]] = \mathcal{F}_G[[G_2]]\mu_\perp[] = []$
hence: $|\mathcal{F}_G[[G]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]]| \leq 1$
by Lemma 2 (remembering $G = G_1, G_2$): $|\mathcal{F}_G[[G]]\mu_\perp[\Theta]| \leq 1$

(b) $|\mathcal{F}_G[[G_1]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]]| = 1$
 $\mathcal{F}_G[[G_1]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]] = [\Psi]$
by Theorem 1: $\bigcup(\mathcal{F}_G[[G_1]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]])$
 $\subseteq \Theta \cap S_G[[G_1, G_2]] \cap S_G[[G_1]]$
 $\subseteq \Theta \cap S_G[[G_1]]$
hence: $\Psi \subseteq \Theta \cap S_G[[G_1]]$
hence: $\Psi \subseteq \mathcal{D}_G[[G_2]]\delta_P$
hence by assumption: $|\mathcal{F}_G[[G_2]]\mu_\perp[\Psi]| \leq 1$
hence (again by Lemma 2): $|\mathcal{F}_G[[G_2]]\mu_\perp(\mathcal{F}_G[[G_1]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]])|$
 $= |\mathcal{F}_G[[G]]\mu_\perp[\Theta \cap S_G[[G_1, G_2]]]|$
 $= |\mathcal{F}_G[[G]]\mu_\perp[\Theta]| \leq 1$

2 Induction Step:

Assume: $X \subseteq \mathcal{D}_G[[H]]\delta_P \Rightarrow |\mathcal{F}_G[[H]]\mu_k[X]| \leq 1$

Show: $\Theta \subseteq \mathcal{D}_G[[G]]\delta_P \Rightarrow |\mathcal{F}_G[[G]]\mu_{k+1}[\Theta]| \leq 1$

where $\mu_{k+1} = \mathcal{F}_P[[P]]\mu_k$

Induction on structure of G :

2.1 Two base cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$:

Show: $\Theta \subseteq \mathcal{D}_G[[\text{post}(\phi)]]\delta_P \Rightarrow |\mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta]| \leq 1$

$\mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta] = \text{trim}([\downarrow\{\phi\} \cap \Theta])$

hence: $|\mathcal{F}_G[[\text{post}(\phi)]]\mu_{k+1}[\Theta]| = |\text{trim}([\downarrow\{\phi\} \cap \Theta])| \leq 1$

(2) $G = p(\vec{x})$

Assume (without loss of generality): $p(\vec{y}) \leftarrow G_1; G_2, !, G_3; G_4 \in P$

Show: $\Theta \subseteq \mathcal{D}_G[[p(\vec{x})]]\delta_P \Rightarrow |\mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta]| \leq 1$

$\mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta] = \downarrow_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])) \cap \Theta$

hence: $|\mathcal{F}_G[[p(\vec{x})]]\mu_{k+1}[\Theta]| = |\downarrow_{\vec{y}, \vec{x}} \vec{\exists}_{\vec{y}}(\mu_{k+1}(p(\vec{y})) \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])) \cap \Theta| = |\mu_{k+1}(p(\vec{y})) \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])|$

and: $\mu_{k+1}(p(\vec{y})) \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) = \downarrow_{\vec{y}} \vec{\exists}_{\vec{y}}(\mathcal{F}_G[[G_1]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) : \vec{\Psi})$

where $\vec{\Psi} = \begin{cases} \mathcal{F}_G[[G_3]]\mu_k[\Phi] & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) = \Phi : \vec{\Phi} \\ \mathcal{F}_G[[G_4]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) & \text{if } \mathcal{F}_G[[G_2]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) = [] \end{cases}$

$|\downarrow_{\vec{y}} \vec{\exists}_{\vec{y}}(\mathcal{F}_G[[G_1]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) : \vec{\Psi})| = |\mathcal{F}_G[[G_1]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) : \vec{\Psi}|$

Show $\Theta \subseteq \mathcal{D}_G[[p(\vec{x})]]\delta_P \Rightarrow |\mathcal{F}_G[[G_1]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) : \vec{\Psi}| \leq 1$ in two steps:

1 Show that each component cannot be longer than 1:

1a Show: $\Theta \subseteq \mathcal{D}_G[[p(\vec{x})]]\delta_P \Rightarrow |\mathcal{F}_G[[G_1]]\mu_k \downarrow_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \leq 1$

1b Show: $\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow |\mathcal{F}_G[G_4]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \leq 1$

1c Show: $\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow |\mathcal{F}_G[G_3]\mu_k[\Phi]| \leq 1$

where $\mathcal{F}_G[G_2]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) = \Phi : \vec{\Phi}$

2 Show that only one component can be longer than 0:

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \neg(|\mathcal{F}_G[G_1]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \neq 0 \wedge |\vec{\Phi}| \neq 0)$

This is done thus:

2a Show:

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \neg(|\mathcal{F}_G[G_1]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \neq 0 \wedge |\mathcal{F}_G[G_4]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \neq 0)$

2b Show:

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \neg(|\mathcal{F}_G[G_1]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \neq 0 \wedge |\mathcal{F}_G[G_3]\mu_k[\Phi]| \neq 0)$

where $\mathcal{F}_G[G_2]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) = \Phi : \vec{\Phi}$

$$\begin{aligned}
\mathcal{D}_G[p(\vec{x})]\delta_P &= \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\delta_P(p(\vec{y}))) \\
&= \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\downarrow \rho_{\vec{y}} (\mathcal{D}_G[G_1]\delta_P \cap (S_G[G_2] \rightarrow \mathcal{D}_G[G_3]\delta_P) \cap \mathcal{D}_G[G_4]\delta_P \cap \Theta_1 \cap \Theta_2)) \\
&= \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\mathcal{D}_G[G_1]\delta_P \cap (S_G[G_2] \rightarrow \mathcal{D}_G[G_3]\delta_P) \cap \mathcal{D}_G[G_4]\delta_P \cap \Theta_1 \cap \Theta_2) \\
&\quad \text{where } \Theta_1 = \text{mux}(S_G[G_1], S_G[G_4]) \\
&\quad \text{and } \Theta_2 = \text{mux}(S_G[G_1], S_G[G_2, G_3]) \\
&= \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\mathcal{D}_G[G_1]\delta_P) \\
&\quad \cap \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (S_G[G_2] \rightarrow \mathcal{D}_G[G_3]\delta_P) \\
&\quad \cap \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\mathcal{D}_G[G_4]\delta_P) \\
&\quad \cap \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\text{mux}(S_G[G_1], S_G[G_4])) \\
&\quad \cap \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\text{mux}(S_G[G_1], S_G[G_2, G_3]))
\end{aligned}$$

1a Show: $\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow |\mathcal{F}_G[G_1]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \leq 1$

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \Theta \subseteq \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\mathcal{D}_G[G_1])\delta_P$

hence (by (5) stated above): $\downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}(\Theta) \subseteq \mathcal{D}_G[G_1]\delta_P$

hence by assumption: $|\mathcal{F}_G[G_1]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \leq 1$

1b Show: $\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow |\mathcal{F}_G[G_4]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \leq 1$

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \Theta \subseteq \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\mathcal{D}_G[G_4])\delta_P$

hence (again by (5) above): $\downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}(\Theta) \subseteq \mathcal{D}_G[G_4]\delta_P$

hence by assumption: $|\mathcal{F}_G[G_4]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \leq 1$

1c Show: $\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow |\mathcal{F}_G[G_3]\mu_k[\Phi]| \leq 1$

where $\mathcal{F}_G[G_2]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) = \Phi : \vec{\Phi}$

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \Theta \subseteq \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (S_G[G_2] \rightarrow \mathcal{D}_G[G_3]\delta_P)$

hence (again by (5) above): $\downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}(\Theta) \subseteq (S_G[G_2] \rightarrow \mathcal{D}_G[G_3]\delta_P)$

hence (by (1) stated above): $\downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}(\Theta) \cap S_G[G_2] \subseteq \mathcal{D}_G[G_3]\delta_P$

by Theorem 1: $\bigcup(\Phi : \vec{\Phi}) = \bigcup(\mathcal{F}_G[G_2]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])) \subseteq \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) \cap S_G[G_2]$

therefore (since $\Phi \subseteq \bigcup(\Phi : \vec{\Phi})$): $\Phi \subseteq \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta]) \cap S_G[G_2] \subseteq \mathcal{D}_G[G_3]\delta_P$

by assumption: $|\mathcal{F}_G[G_3]\mu_k[\Phi]| \leq 1$

2a Show:

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \neg(|\mathcal{F}_G[G_1]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \neq 0 \wedge |\mathcal{F}_G[G_4]\mu_k \downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}([\Theta])| \neq 0)$

$\Theta \subseteq \mathcal{D}_G[p(\vec{x})]\delta_P \Rightarrow \Theta \subseteq \downarrow \rho_{\vec{y}, \vec{x}} \vec{\nabla}_{\vec{y}} (\text{mux}(S_G[G_1], S_G[G_4]))$

hence (by (5) stated above): $\downarrow \rho_{\vec{x}, \vec{y}} \vec{\exists}_{\vec{x}}(\Theta) \subseteq \text{mux}(S_G[G_1], S_G[G_4])$

hence (by (2) stated above):

$$\begin{aligned}
& (\downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_1] = \{false\}) \vee (\downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_4] = \{false\}) \\
& \text{by Theorem 1: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_1] = \{false\} \Rightarrow \mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta]) = [] \\
& \text{hence: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_1] = \{false\} \Rightarrow |\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| = 0 \\
& \text{similarly: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_4] = \{false\} \Rightarrow \mathcal{F}_G[G_4] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta]) = [] \\
& \text{hence: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_4] = \{false\} \Rightarrow |\mathcal{F}_G[G_4] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| = 0 \\
& \text{therefore: } (|\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| = 0) \vee (|\mathcal{F}_G[G_4] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| = 0) \\
& \text{hence: } \neg((|\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| \neq 0) \wedge (|\mathcal{F}_G[G_4] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| \neq 0))
\end{aligned}$$

2b Show: $\Theta \subseteq \mathcal{D}_G[p(\bar{x})] \delta_P \Rightarrow \neg(|\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| \neq 0 \wedge |\mathcal{F}_G[G_3] \mu_k[\Phi]| \neq 0)$

where $\mathcal{F}_G[G_2] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta]) = \Phi : \bar{\Phi}$

$\Theta \subseteq \mathcal{D}_G[p(\bar{x})] \delta_P \Rightarrow \Theta \subseteq \downarrow \rho_{\bar{y}, \bar{x}} \bar{\forall}_{\bar{y}}(\text{mux}(S_G[G_1], S_G[G_2, G_3]))$

hence (again by (5) above): $\downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \subseteq \text{mux}(S_G[G_1], S_G[G_2, G_3])$

hence (again by (2) above):

$$\begin{aligned}
& (\downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_1] = \{false\}) \vee (\downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_2, G_3] = \{false\}) \\
& \text{by Theorem 1: } \bar{\Phi} \subseteq \bigcup (\mathcal{F}_G[G_2] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])) \subseteq \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_2] \\
& \text{by Theorem 1: } \bigcup (\mathcal{F}_G[G_3] \mu_k [\Phi]) \subseteq \bar{\Phi} \cap S_G[G_3] \subseteq \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_2] \cap S_G[G_3] \\
& \text{hence: } \bigcup (\mathcal{F}_G[G_3] \mu_k [\Phi]) \subseteq \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_2, G_3] \\
& \text{hence: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_2, G_3] = \{false\} \Rightarrow \mathcal{F}_G[G_3] \mu_k [\Phi] = [] \\
& \text{hence: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_2, G_3] = \{false\} \Rightarrow |\mathcal{F}_G[G_3] \mu_k [\Phi]| = 0 \\
& \text{also (by Theorem 1): } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_1] = \{false\} \Rightarrow \mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta]) = [] \\
& \text{hence: } \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}(\Theta) \cap S_G[G_1] = \{false\} \Rightarrow |\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| = 0 \\
& \text{hence: } (|\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| = 0) \vee (|\mathcal{F}_G[G_3] \mu_k [\Phi]| = 0) \\
& \text{hence: } \neg((|\mathcal{F}_G[G_1] \mu_k \downarrow \rho_{\bar{x}, \bar{y}} \bar{\exists}_{\bar{x}}([\Theta])| \neq 0) \vee (|\mathcal{F}_G[G_3] \mu_k [\Phi]| \neq 0))
\end{aligned}$$

2.2 Induction Step:

$G = G_1, G_2 :$

Assume: $\Theta_1 \subseteq \mathcal{D}_G[G_1] \delta_P \Rightarrow |\mathcal{F}_G[G_1] \mu_{k+1}[\Theta_1]| \leq 1$

And: $\Theta_2 \subseteq \mathcal{D}_G[G_2] \delta_P \Rightarrow |\mathcal{F}_G[G_2] \mu_{k+1}[\Theta_2]| \leq 1$

Show: $\Theta \subseteq \mathcal{D}_G[G] \delta_P \Rightarrow |\mathcal{F}_G[G] \mu_{k+1}[\Theta]| \leq 1$

where $\mu_{k+1} = \mathcal{F}_P[P] \mu_k$

$\mathcal{D}_G[G] \delta_P = (S_G[G_2] \rightarrow \mathcal{D}_G[G_1] \delta_P) \cap (S_G[G_1] \rightarrow \mathcal{D}_G[G_2] \delta_P)$

therefore if $\Theta \subseteq \mathcal{D}_G[G] \delta_P$

then $\Theta \subseteq (S_G[G_1] \rightarrow \mathcal{D}_G[G_2] \delta_P)$

and hence $\Theta \cap S_G[G_1] \subseteq \mathcal{D}_G[G_2] \delta_P$

similarly if $\Theta \subseteq \mathcal{D}_G[G] \delta_P$

then $\Theta \subseteq (S_G[G_2] \rightarrow \mathcal{D}_G[G_1] \delta_P)$

and hence $\Theta \cap S_G[G_2] \subseteq \mathcal{D}_G[G_1] \delta_P$

by Lemma 2: $\mathcal{F}_G[G] \mu_{k+1}[\Theta] = \mathcal{F}_G[G] \mu_{k+1}[\Theta \cap S_G[G]]$

applying the definition of \mathcal{F}_G :

$\mathcal{F}_G[G] \mu_{k+1}[\Theta \cap S_G[G]] = \mathcal{F}_G[G_2] \mu_{k+1}(\mathcal{F}_G[G_1] \mu_{k+1}[\Theta \cap S_G[G_1, G_2]])$

now notice that: $\Theta \cap S_G[G_1, G_2]$

$$= \Theta \cap S_G[G_1] \cap S_G[G_2]$$

$$\subseteq \Theta \cap S_G[G_2]$$

$$\subseteq \mathcal{D}_G[G_1] \delta_P$$

hence by assumption: $|\mathcal{F}_G[G_1] \mu_{k+1}[\Theta \cap S_G[G_1, G_2]]| \leq 1$

distinguish two cases:

- (a) $|\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]| = 0$,
- (b) $|\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]| = 1$

(a) $|\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]| = 0$
 $\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]] = []$
 $\mathcal{F}_G[[G]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]] = \mathcal{F}_G[[G_2]]\mu_{k+1}[] = []$
hence: $|\mathcal{F}_G[[G]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]| \leq 1$
hence by Lemma 2 (remembering $G = G_1, G_2$): $|\mathcal{F}_G[[G]]\mu_{k+1}[\Theta]| \leq 1$

(b) $|\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]| = 1$
 $\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]] = [\Psi]$
therefore: $\bigcup(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]) = \Psi$
by Theorem 1: $\Psi \subseteq \Theta \cap S_G[[G_1, G_2]] \cap S_G[[G_1]] \subseteq \Theta \cap S_G[[G_1]]$
hence since $\Theta \cap S_G[[G_1]] \subseteq \mathcal{D}_G[[G_2]]\delta_P$ (see above): $\Psi \subseteq \mathcal{D}_G[[G_2]]\delta_P$
hence by assumption: $|\mathcal{F}_G[[G_2]]\mu_{k+1}[\Psi]| \leq 1$
hence (again using Lemma 2): $|\mathcal{F}_G[[G_2]]\mu_{k+1}(\mathcal{F}_G[[G_1]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]])|$
 $= |\mathcal{F}_G[[G]]\mu_{k+1}[\Theta \cap S_G[[G_1, G_2]]]|$
 $= |\mathcal{F}_G[[G]]\mu_{k+1}[\Theta]| \leq 1$

QED

2.5 Abstraction Proofs

2.5.1 Proposition 1: If $\Theta_1 \subseteq \gamma_{\vec{x}}(f_1)$ and $\gamma_{\vec{x}}(f_1) \subseteq \Theta_2$ then $\gamma_{\vec{x}}(f_1 \Rightarrow f_2) \subseteq \Theta_1 \rightarrow \Theta_2$

$$\begin{aligned}
& \gamma_{\vec{x}}(f_1 \Rightarrow f_2) \\
&= \bigcup\{\gamma_{\vec{x}}(f) \mid f \models f_1 \Rightarrow f_2\} \\
&= \bigcup\{\Theta \mid \alpha_{\vec{x}}(\Theta) \models f_1 \Rightarrow f_2\} \\
&= \bigcup\{\Theta \mid (\alpha_{\vec{x}}(\Theta) \models f_1) \Rightarrow (\alpha_{\vec{x}}(\Theta) \models f_2)\} \\
&= \bigcup\{\Theta \mid (\Theta \subseteq \gamma_{\vec{x}}(f_1)) \Rightarrow (\Theta \subseteq \gamma_{\vec{x}}(f_2))\} \\
&\subseteq \bigcup\{\Theta \mid (\Theta \subseteq \Theta_1) \Rightarrow (\Theta \subseteq \Theta_2)\} \\
&= \bigcup\{\Theta \mid (\Theta \subseteq \Theta_1 \cap \Theta_2) \vee (\Theta \not\subseteq \Theta_1)\} \\
&= \bigcup\{\Theta \mid \Theta \subseteq (\Theta_1 \cap \Theta_2) \cup (Con \setminus \Theta_1)\} \\
&= \bigcup\{\Theta \mid \Theta \cap \Theta_1 \subseteq \Theta_2\} \\
&= \Theta_1 \rightarrow \Theta_2
\end{aligned}$$

2.5.2 Proposition 2: $\gamma_{\vec{x}}(mux_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})) \subseteq mux(\Theta_1, \Theta_2)$

Proof:

First notice that by the definition of the Galois connection (i.e. of $\gamma()$ and $\alpha()$) the following:

$$\begin{aligned}
& \gamma_{\vec{x}}(mux_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})) \subseteq mux(\Theta_1, \Theta_2) \\
& \text{is equivalent to: } \alpha_{\vec{x}}(\Psi) \models mux_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK}) \rightarrow \Psi \subseteq mux(\Theta_1, \Theta_2)
\end{aligned}$$

Now: $\alpha_{\vec{x}}(\Psi) \models mux_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})$ iff for each clause in $\alpha_{\vec{x}}(\Psi)$ there is a clause in $mux_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})$ that is entailed by it, ie:

$$\forall \psi \in \Psi. \exists Y \subseteq vars(\vec{x}). (\forall \theta_1 \in \Theta_1^{DK}. \forall \theta_2 \in \Theta_2^{DK}.$$

$$(\bar{\exists}_Y(\theta_1) \wedge \bar{\exists}_Y(\theta_2) = \text{false}) \wedge \alpha_{\vec{x}}(\psi) \models \bigwedge Y$$

Since $\text{mux}_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})$ contains only positive (ie non-negated) literals, only the positive literals entailed by $\alpha_{\vec{x}}(\psi)$ are relevant.

Now, the positive literals entailed by $\alpha_{\vec{x}}(\psi)$ are exactly $\text{vars}(\vec{x}) \cap \text{fix}(\psi)$.

Therefore: $\psi \in \gamma_{\vec{x}}(\text{mux}_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK}))$

$$\text{iff } \exists Y \subseteq (\text{vars}(\vec{x}) \cap \text{fix}(\psi)). (\forall \theta_1 \in \Theta_1^{DK}. \forall \theta_2 \in \Theta_2^{DK}. (\bar{\exists}_Y(\theta_1) \wedge \bar{\exists}_Y(\theta_2) = \text{false}))$$

Now observe that the following three things hold:

$$(1) \forall \phi \in \Phi. \exists \phi' \in \Phi^{DK} (\phi \models \phi')$$

$$(2) ((f_1 \models f'_1) \wedge (f_2 \models f'_2) \wedge (f'_1 \wedge f'_2 = \text{false})) \rightarrow f_1 \wedge f_2 = \text{false}$$

$$(3) \phi \models \phi' \rightarrow \bar{\exists}_Y(\phi) \models \bar{\exists}_Y(\phi')$$

$$\text{Therefore from } \forall \theta'_1 \in \Theta_1^{DK}. \forall \theta'_2 \in \Theta_2^{DK}. (\bar{\exists}_Y(\theta'_1) \wedge \bar{\exists}_Y(\theta'_2) = \text{false})$$

$$\text{it follows: } \forall \theta_1 \in \Theta_1. \forall \theta_2 \in \Theta_2. (\bar{\exists}_Y(\theta_1) \wedge \bar{\exists}_Y(\theta_2) = \text{false})$$

$$\text{And thus: } \bar{\exists}_Y(\Theta_1) \cap \bar{\exists}_Y(\Theta_2) = \{\text{false}\}$$

Hence the following entailment holds:

$$\forall \phi. (\exists Y \subseteq (\text{vars}(\vec{x}) \cap \text{fix}(\psi)). (\forall \theta_1 \in \Theta_1^{DK}. \forall \theta_2 \in \Theta_2^{DK}. (\bar{\exists}_Y(\theta_1) \wedge \bar{\exists}_Y(\theta_2) = \text{false})))$$

\models

$$\exists Y \subseteq \text{fix}(\phi). (\bar{\exists}_Y(\Theta_1) \cap \bar{\exists}_Y(\Theta_2) = \{\text{false}\})$$

$$\text{Therefore: } \forall \phi. (\phi \in \gamma_{\vec{x}}(\text{mux}_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})) \rightarrow \phi \in \text{mux}(\Theta_1, \Theta_2))$$

$$\text{From which it follows: } \gamma_{\vec{x}}(\text{mux}_{\vec{x}}^\alpha(\Theta_1^{DK}, \Theta_2^{DK})) \subseteq \text{mux}(\Theta_1, \Theta_2)$$

2.6 Theorem 3: $\forall i \in \mathbb{N} : \gamma_{\text{vars}(G)}(\mathcal{D}_G^\alpha \llbracket G \rrbracket \delta_i^\alpha) \subseteq \mathcal{D}_G \llbracket G \rrbracket \delta_i$ where $\delta_i^\alpha / \delta_i$ are the results of i applications of $\mathcal{D}_P^\alpha \llbracket P \rrbracket / \mathcal{D}_P \llbracket P \rrbracket$ to $\delta_\top^\alpha / \delta_\top$ respectively.

Proof by nested induction on:

1. i ,
2. the structure of G :

$$\text{notice first that: } \gamma_{\text{vars}(\vec{x})}(\rho_{\vec{y}, \vec{x}}^\alpha \bar{\nabla}_{\vec{y}}^\alpha(f)) \subseteq \rho_{\vec{y}, \vec{x}} \bar{\nabla}_{\vec{y}}(\gamma_{\text{vars}(\vec{y})}(f))$$

1 Base Case: $i = 0$

$$\delta_0^\alpha = \delta_\top^\alpha$$

$$\delta_0 = \delta_\top$$

$$\text{Show: } \gamma_{\text{vars}(G)}(\mathcal{D}_G^\alpha \llbracket G \rrbracket \delta_\top^\alpha) \subseteq \mathcal{D}_G \llbracket G \rrbracket \delta_\top$$

Induction on structure of G :

1.1 Two base cases: (1) $G = \text{post}(\phi)$, (2) $G = p(\vec{x})$

(1) $G = \text{post}(\phi)$

$$\gamma_{\text{vars}(\phi)}(\mathcal{D}_G^\alpha \llbracket \text{post}(\phi) \rrbracket \delta_\top^\alpha)$$

$$= \gamma_{\text{vars}(\phi)}(\text{true})$$

$$= \llbracket \text{true} \rrbracket$$

$$= \mathcal{D}_G \llbracket \text{post}(\phi) \rrbracket \delta_\top$$

$$\text{hence: } \gamma_{\text{vars}(\phi)}(\mathcal{D}_G^\alpha \llbracket \text{post}(\phi) \rrbracket \delta_\top^\alpha) \subseteq \mathcal{D}_G \llbracket \text{post}(\phi) \rrbracket \delta_\top$$

(2) $G = p(\vec{x})$

$$\gamma_{\text{vars}(\vec{x})}(\mathcal{D}_G^\alpha \llbracket p(\vec{x}) \rrbracket \delta_\top^\alpha)$$

$$= \gamma_{\text{vars}(\vec{x})}(\rho_{\vec{y}, \vec{x}}^\alpha \bar{\nabla}_{\vec{y}}^\alpha(\text{true}))$$

$$\subseteq \rho_{\vec{y}, \vec{x}} \bar{\nabla}_{\vec{y}}(\gamma_{\text{vars}(\vec{y})}(\text{true}))$$

$$\begin{aligned}
&= \rho_{\vec{y}, \vec{x}} \bar{\nabla}_{\vec{y}} (\Downarrow \{true\}) \\
&= \mathcal{D}_G \llbracket p(\vec{x}) \rrbracket \delta_{\top}
\end{aligned}$$

1.2 Induction step: $G = G_1, G_2$

Assume: $\gamma_{vars(G_{1/2})}(\mathcal{D}_G^\alpha \llbracket G_{1/2} \rrbracket \delta_{\top}^\alpha) \subseteq \mathcal{D}_G \llbracket G_{1/2} \rrbracket \delta_{\top}$

$$\begin{aligned}
&\gamma_{vars(G_1, G_2)}(\mathcal{D}_G^\alpha \llbracket G_1, G_2 \rrbracket \delta_{\top}^\alpha) \\
&= \gamma_{vars(G_1, G_2)}((S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_{\top}^\alpha) \wedge (S_G^\alpha \llbracket G_1 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_2 \rrbracket \delta_{\top}^\alpha)) \\
&\subseteq \gamma_{vars(G_1, G_2)}(S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_{\top}^\alpha) \cap \gamma_{vars(G_1, G_2)}(S_G^\alpha \llbracket G_1 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_2 \rrbracket \delta_{\top}^\alpha) \\
&\quad (\text{by monotonicity i.e. } \gamma_{vars(G_1, G_2)}(f_1 \wedge f_2) \subseteq \gamma_{vars(G_1, G_2)}(f_i)) \\
&\subseteq (S_G \llbracket G_2 \rrbracket \rightarrow \mathcal{D}_G \llbracket G_1 \rrbracket \delta_{\top}) \cap (S_G \llbracket G_1 \rrbracket \rightarrow \mathcal{D}_G \llbracket G_2 \rrbracket \delta_{\top}) \\
&\quad (\text{by Proposition 1 and Proposition 3 and the induction assumption}) \\
&= \mathcal{D}_G \llbracket G_1, G_2 \rrbracket \delta_{\top}
\end{aligned}$$

2 Induction step: $i = k + 1$

Assume: $\gamma_{vars(G)}(\mathcal{D}_G^\alpha \llbracket G \rrbracket \delta_k^\alpha) \subseteq \mathcal{D}_G \llbracket G \rrbracket \delta_k$

Show: $\gamma_{vars(G)}(\mathcal{D}_G^\alpha \llbracket G \rrbracket \delta_{k+1}^\alpha) \subseteq \mathcal{D}_G \llbracket G \rrbracket \delta_{k+1}$

where $\delta_{k+1} = \mathcal{D}_P \llbracket P \rrbracket \delta_k$ and $\delta_{k+1}^\alpha = \mathcal{D}_P^\alpha \llbracket P \rrbracket \delta_k^\alpha$

Induction on structure of G :

2.1 Two base cases: (1) $G = post(\phi)$, (2) $G = p(\vec{x})$

(1) $G = post(\phi)$

$$\gamma_{vars(\phi)}(\mathcal{D}_G^\alpha \llbracket post(\phi) \rrbracket \delta_{k+1}^\alpha)$$

$$= \gamma_{vars(\phi)}(true)$$

$$= \Downarrow \{true\}$$

$$= \mathcal{D}_G \llbracket post(\phi) \rrbracket \delta_{k+1}$$

hence: $\gamma_{vars(\phi)}(\mathcal{D}_G^\alpha \llbracket post(\phi) \rrbracket \delta_{\top}^\alpha) \subseteq \mathcal{D}_G \llbracket post(\phi) \rrbracket \delta_{\top}$

(2) $G = p(\vec{x})$

Assume (without loss of generality): $p(\vec{y}) \leftarrow G_1; G_2, !, G_3; G_4 \in P$

$$\begin{aligned}
&\gamma_{vars(\vec{x})}(\mathcal{D}_G^\alpha \llbracket p(\vec{x}) \rrbracket \delta_{k+1}^\alpha) \\
&= \gamma_{vars(\vec{x})}(\rho_{\vec{y}, \vec{x}}^\alpha (\bar{\nabla}_{\vec{y}}^\alpha (\mathcal{D}_G^\alpha \llbracket p(\vec{y}) \rrbracket \delta_{k+1}^\alpha))) \\
&= \gamma_{vars(\vec{x})}(\rho_{\vec{y}, \vec{x}}^\alpha (\bar{\nabla}_{\vec{y}}^\alpha (\bar{\nabla}_{\vec{y}}^\alpha (\mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_k^\alpha \wedge (S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_3 \rrbracket \delta_k^\alpha) \wedge \mathcal{D}_G^\alpha \llbracket G_4 \rrbracket \delta_k^\alpha) \\
&\quad \wedge \text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_4 \rrbracket) \\
&\quad \wedge \text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_2, G_3 \rrbracket)))))) \\
&= \gamma_{vars(\vec{x})}(\rho_{\vec{y}, \vec{x}}^\alpha (\bar{\nabla}_{\vec{y}}^\alpha (\mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_k^\alpha \wedge (S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_3 \rrbracket \delta_k^\alpha) \wedge \mathcal{D}_G^\alpha \llbracket G_4 \rrbracket \delta_k^\alpha) \\
&\quad \wedge \text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_4 \rrbracket) \\
&\quad \wedge \text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_2, G_3 \rrbracket)))))) \\
&\subseteq \rho_{\vec{y}, \vec{x}} \bar{\nabla}_{\vec{y}} (\gamma_{vars(\vec{y})}(\mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_k^\alpha \wedge (S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_3 \rrbracket \delta_k^\alpha) \wedge \mathcal{D}_G^\alpha \llbracket G_4 \rrbracket \delta_k^\alpha) \\
&\quad \wedge \text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_4 \rrbracket) \\
&\quad \wedge \text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_2, G_3 \rrbracket))) \\
&\subseteq \rho_{\vec{y}, \vec{x}} \bar{\nabla}_{\vec{y}} (\gamma_{vars(\vec{y})}(\mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_k^\alpha) \cap (\gamma_{vars(\vec{y})}(S_G^\alpha \llbracket G_2 \rrbracket) \rightarrow \gamma_{vars(\vec{y})}(\mathcal{D}_G^\alpha \llbracket G_3 \rrbracket \delta_k^\alpha)) \cap \gamma_{vars(\vec{y})}(\mathcal{D}_G^\alpha \llbracket G_4 \rrbracket \delta_k^\alpha) \\
&\quad \cap \gamma_{vars(\vec{y})}(\text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_4 \rrbracket))) \\
&\quad \cap \gamma_{vars(\vec{y})}(\text{mux}_{vars(\vec{y})}^\alpha (S_G^{DK} \llbracket G_1 \rrbracket, S_G^{DK} \llbracket G_2, G_3 \rrbracket)))
\end{aligned}$$

$$\begin{aligned}
&\subseteq \rho_{\vec{y}, \vec{x}} \bar{\nabla}_{\vec{y}} (\mathcal{D}_G \llbracket G_1 \rrbracket \delta_k \cap (S_G \llbracket G_2 \rrbracket \rightarrow \mathcal{D}_G \llbracket G_3 \rrbracket \delta_k) \cap \mathcal{D}_G \llbracket G_4 \rrbracket \delta_k) \\
&\quad \cap \text{mux}(S_G \llbracket G_1 \rrbracket, S_G \llbracket G_4 \rrbracket) \\
&\quad \cap \text{mux}(S_G \llbracket G_1 \rrbracket, S_G \llbracket G_2, G_3 \rrbracket) \\
&= \mathcal{D}_G \llbracket p(\vec{x}) \rrbracket \delta_{k+1}
\end{aligned}$$

2.2 Induction step: $G = G_1, G_2$

Assume: $\gamma_{\text{vars}(G_{1/2})}(\mathcal{D}_G^\alpha \llbracket G_{1/2} \rrbracket) \subseteq \mathcal{D}_G \llbracket G_{1/2} \rrbracket$

again, notice that: (1) $A \subseteq B \Rightarrow \gamma_B(f) \subseteq \gamma_A(f)$

and: $\text{vars}(G_1, G_2) = \text{vars}(G_1) \cup \text{vars}(G_2)$

and hence: (2¹) $\text{vars}(G_1) \subseteq \text{vars}(G_1, G_2)$

and similarly: (2²) $\text{vars}(G_2) \subseteq \text{vars}(G_1, G_2)$

$$\begin{aligned}
&\gamma_{\text{vars}(G_1, G_2)}(\mathcal{D}_G^\alpha \llbracket G_1, G_2 \rrbracket \delta_{k+1}^\alpha) \\
&= \gamma_{\text{vars}(G_1, G_2)}((S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_{k+1}^\alpha) \wedge (S_G^\alpha \llbracket G_1 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_2 \rrbracket \delta_{k+1}^\alpha)) \\
&\subseteq \gamma_{\text{vars}(G_1, G_2)}((S_G^\alpha \llbracket G_2 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_{k+1}^\alpha) \cap \gamma_{\text{vars}(G_1, G_2)}((S_G^\alpha \llbracket G_1 \rrbracket \Rightarrow \mathcal{D}_G^\alpha \llbracket G_2 \rrbracket \delta_{k+1}^\alpha))) \\
&\quad (\text{by monotonicity i.e. } \gamma_{\text{vars}(G_1, G_2)}(f_1 \wedge f_2) \subseteq \gamma_{\text{vars}(G_1, G_2)}(f_i)) \\
&\subseteq \gamma_{\text{vars}(G_1, G_2)}(S_G^\alpha \llbracket G_2 \rrbracket) \rightarrow \gamma_{\text{vars}(G_1, G_2)}(\mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_{k+1}^\alpha) \cap \gamma_{\text{vars}(G_1, G_2)}(S_G^\alpha \llbracket G_1 \rrbracket) \rightarrow \gamma_{\text{vars}(G_1, G_2)}(\mathcal{D}_G^\alpha \llbracket G_2 \rrbracket \delta_{k+1}^\alpha) \\
&\quad (\text{by Proposition 1 and Proposition 3 and the induction assumption}) \\
&\subseteq \gamma_{\text{vars}(G_2)}(S_G^\alpha \llbracket G_2 \rrbracket) \rightarrow \gamma_{\text{vars}(G_1)}(\mathcal{D}_G^\alpha \llbracket G_1 \rrbracket \delta_{k+1}^\alpha) \cap \gamma_{\text{vars}(G_1)}(S_G^\alpha \llbracket G_1 \rrbracket) \rightarrow \gamma_{\text{vars}(G_2)}(\mathcal{D}_G^\alpha \llbracket G_2 \rrbracket \delta_{k+1}^\alpha) \\
&\quad (\text{by (1), (2¹) and (2²) above}) \\
&\subseteq S_G \llbracket G_2 \rrbracket \rightarrow \mathcal{D}_G \llbracket G_1 \rrbracket \delta_{k+1} \cap S_G \llbracket G_1 \rrbracket \rightarrow \mathcal{D}_G \llbracket G_2 \rrbracket \delta_{k+1} \\
&= \mathcal{D}_G \llbracket G_1, G_2 \rrbracket \delta_{k+1} \\
&\text{QED}
\end{aligned}$$

Acknowledgements This work was inspired by the cuts that are ravaging the UK, but funded by a ACM-W scholarship and a DTA bursary. We thank Lunjin Lu and Samir Genaim for discussions that provided the backdrop for this work. We thank Michel Billaud for sending us copies of his early work and for his comments on the wider literature. We also thank an anonymous reviewer for invaluable help with the proofs in the appendix.

References

KRIENER, J. AND KING, A. 2011. RedAlert: Determinacy Inference for Prolog. *Theory and Practice of Logic Programming*. To appear in Special Issue on 27th International Conference on Logic Programming.