

Kent Academic Repository

Full text document (pdf)

Citation for published version

Tako, Antuela and Kotiadis, Kathy and Vasilakis, Christos and Miras, Alexander and Le Roux, Carel W (2014) Improving patient waiting times: a simulation study of an obesity care service. *Improving patient waiting times: a simulation study of an obesity care service*, 23 (5). pp. 373-381. ISSN 2044-5415.

DOI

<https://doi.org/10.1136/bmjqs-2013-002107>

Link to record in KAR

<https://kar.kent.ac.uk/51027/>

Document Version

Pre-print

Copyright & reuse

Content in the Kent Academic Repository is made available for research purposes. Unless otherwise stated all content is protected by copyright and in the absence of an open licence (eg Creative Commons), permissions for further reuse of content should be sought from the publisher, author or other copyright holder.

Versions of research

The version in the Kent Academic Repository may differ from the final published version.

Users are advised to check <http://kar.kent.ac.uk> for the status of the paper. **Users should always cite the published version of record.**

Enquiries

For any further enquiries regarding the licence status of this document, please contact:

researchsupport@kent.ac.uk

If you believe this document infringes copyright then please contact the KAR admin team with the take-down information provided at <http://kar.kent.ac.uk/contact.html>

PartiSim: a multi-methodology framework to support facilitated simulation modelling in healthcare

Antuela A. Tako^{a*} and Kathy Kotiadis^b

^a School of Business and Economics, Loughborough University, Leicestershire, LE11 3TU, UK.

^b Kent Business School, University of Kent, Canterbury, UK

Abstract

Discrete event simulation (DES) studies in healthcare are thought to benefit from stakeholder participation during the study lifecycle. This paper reports on a multi-methodology framework, called PartiSim that is intended to support participative simulation studies. PartiSim combines DES, a traditionally hard OR approach, with Soft Systems Methodology (SSM) in order to incorporate stakeholder involvement in the study lifecycle. The framework consists of a number of prescribed activities and outputs as part of the stages involved in the simulation lifecycle, which include study initiation, finding out about the problem, defining a conceptual model, model coding, experimentation and implementation. In PartiSim four of these stages involve facilitated workshops with a group of stakeholders. We explain the organisation of workshops, the key roles assigned to analysts and stakeholders, and how facilitation is embedded in the framework. We discuss our experience of using the framework, provide guidance on when to use it and conclude with future research directions.

Keywords: problem structuring, facilitated modelling, simulation, multi-methodology framework, healthcare

1. Introduction

This paper puts forward a framework to support stakeholder involvement in discrete-event simulation (DES) studies in healthcare. Healthcare simulation often requires the modelling of systems with complex behaviour, involving many stakeholders with plurality of opinions and objectives (Harper and Pitt 2004; Eldabi 2009; Brailsford et al 2009). Stakeholder involvement is considered beneficial for the success of simulation studies (Wilson 1981; Lowery 1994; Jun et al 1999; Fone et al 2003; Eldabi et al 2007; Gunal and Pidd 2005). Organisations with several decision makers, distributed knowledge and power such as those in healthcare may require the involvement of a client group than a single client. Facilitated discrete-event simulation modelling in healthcare has received attention in two recent studies. Kotiadis et al (2014) propose the use of facilitated modelling to support stakeholder involvement in the initial stages of a simulation study, often referred to as conceptual modelling. Another key study provides empirical evidence and discussion around the extent

* Corresponding Author details: Antuela Tako, School of Business and Economics, Loughborough University, Loughborough, Leicestershire, LE11 3TU, UK.
Tel: +44 (0) 1509 228 219; E-mail: a.takou@lboro.ac.uk

to which client involvement is possible in the simulation lifecycle (Robinson et al 2014). Robinson et al (2014) conclude that the next step to facilitated simulation is the development of a set of steps for the facilitator to follow.

This study complements existing research efforts by providing a six stage framework that guide the modelling team to include stakeholder participation and facilitation throughout the whole simulation study lifecycle in healthcare. The framework, called PartiSim prescribes a number of activities and corresponding stakeholder-oriented deliverables (outputs) for each stage of the simulation study lifecycle, which enable participative and facilitated DES modelling to take place. However, some technical aspects of the lifecycle such as model coding remain a backroom activity undertaken by the modelling team because of the time involved and technical expertise required for coding. Facilitation in DES is not thought to be diminished by not involving stakeholders in model coding (Robinson et al 2014).

In addition to describing the framework stages we also explain how to think about each stage by declaring the paradigms used. The framework takes a multi-paradigm multi-methodology approach, by interweaving the DES modelling practice with soft systems methodology (SSM). SSM supports the existence of multiple opinions and the development of models that are meaningful to a group of stakeholders. Practitioners, especially novices, interested in undertaking a facilitated modelling approach in DES may find useful the explicit definition of generic activities and outputs as well as declaring the thought process in each stage of PartiSim. Guidance in setting up the team to support the PartiSim process is also provided. From an academic perspective the framework makes a contribution to the field of discrete-event simulation and facilitated modelling. The prescribed process and the underlying approach provide practical guidance to support a multiparadigm approach to be undertaken, which can be replicated in other simulation studies.

The paper is structured as follows. The following section explores the existing literature relevant to stakeholder involvement in healthcare and then refers to methodological aspects relevant to mixing methodologies that combine softer approaches into the discrete-event simulation lifecycle. The third section explains the framework, including the stages and relevant outputs. A discussion follows with reflections on the usefulness of the framework based on the authors' observations. This section also puts forward practical and methodological considerations and concludes with future research directions.

2. Approaches to mixing simulation modelling with participative methods in healthcare

Healthcare organisations are generally characterised as organisations with distributed decision making structures. Furthermore, healthcare stakeholders, such as clinicians and managers, tend to hold tacit knowledge of different parts of the system. These individuals also tend to have conflicting interests and perspectives that need to be taken into consideration (Brailsford and Vissers 2010). Failure to involve all these stakeholders in the simulation study lifecycle can often lead to the findings not being implemented (Brailsford and Vissers 2010; Fone et al 2003; Young et al 2009). Some reasons for this are the lack of a common understanding about the problem, conflicting views among stakeholders and/or loss of interest in the study (Eldabi 2009). It is believed that the active participation of stakeholders during the study can alleviate such problems, producing strong ownership of the problem formulation and acceptance of responsibility for actions to be taken (Rosenhead and Mingers 2001).

In an effort to integrate stakeholder participation more rigorously into the DES modelling lifecycle, we turn our attention to methods that inherently involve stakeholders during the modelling process, in what is called facilitated modelling. Facilitated modelling has been described as the process of developing models jointly with a client group, face-to-face, with or without the assistance of computer support (Eden and Radford 1990, Franco and Montibeller 2010). In stakeholder-oriented workshops OR methods, such as strategic options development and analysis (SODA), soft systems methodology (SSM), group model building (GMB), multi-criteria decision analysis (MCDA), etc., are used to build models. These permit a subjective analysis of the problem (e.g. many views incorporated) and the operational researcher engages jointly with the client(s) in the modelling process towards desirable and feasible solutions (Franco and Montibeller 2010). Furthermore, it is possible to deploy a facilitated approach by integrating different OR modelling methods (ibid). Out of these methods, that Franco and Montibeller (2010) describe, Soft Systems Methodology has been used in simulation studies.

Existing studies that combine SSM elements in a DES study are limited and nearly always found in the healthcare context. For example Lehaney and Paul (1994; 1996) use SSM to build a simulation model of an out-patient services at Watford General Hospital, to draw system boundaries and to identify system activities. Lehaney et al. (1999) provide an account of a study where a SSM approach combined with simulation was used in an outpatient NHS

dermatology clinic to address the gaps between the customers' and providers' expectations. Kotiadis and Mingers (2006) consider the benefits and barriers of combining SSM with DES in a community-based intermediate care context. Kotiadis (2007) uses an SSM approach to determine the simulation objectives, which can then be explored in the simulation study. Similarly, Holm and Dahl (2011), use SSM to inform the development of a simulation model of an emergency department at Akershus University Hospital. SSM is mainly used to structure and understand the problems faced and to identify the factors to be included in the simulation model.

In all the cases referred above, SSM is mainly used in the initial stages of or before starting the simulation modelling process. The only study found so far where the simulation model is developed as part of the SSM process is that by Holm et al (2013). However, the process followed is focussed on the case study and does not provide generic guidelines on how the two methods could be combined for others to follow. A later study by Kotiadis et al (2014) use SSM tools to aid facilitation and provides generic steps for others to follow. However, this study is only focused on the conceptual modelling part of a simulation lifecycle. This paper extends the work to cover the whole lifecycle.

Robinson et al (2014) suggest that the next step in facilitated DES is to develop a methodology. In light of the fact that SSM can be combined with DES to aid facilitation (Kotiadis et al 2014), we put forward a multimethodology embedded in a framework, rather than a methodology as suggested by Robinson et al (2014). The framework aims to support the multi-methodology by detailing the combination of methods involved. In other words, the framework provides the practical structure to support the multi-methodology. The aim of the framework is to be informative and useful by striking the right balance between the breadth of the process (number of stages) and the level of detail involved. Before making methodological and philosophical considerations about mixing the two approaches in what we call a framework, we first provide a brief introduction to SSM and DES and their respective stages.

2.1 What is SSM?

SSM is an organised learning system that deals with problematic situations where there may not be an obvious problem or solution (Checkland, 1999a). The ultimate aim of SSM is to enable the stakeholder(s) involved in the intervention to learn about the problematic situation and based on that to decide on action that will bring about improvement.

SSM was conceptualised in the seventies and over the years was refined to form the *four main activities version* in the 1990s consisting of the following stages (Checkland, 1999b):

1. Finding out about a problem situation, including culturally/politically;
2. Formulate some relevant purposeful activity models;
3. Debating the situation, using the models, seeking from that debate both:
 - Changes which could improve the situation and are regarded as both desirable and (culturally) feasible, and
 - The accommodations between conflicting interests which will enable action-to-improve to be taken;
4. Taking action in the situation to bring about improvement.

The stages described above form the methodology that can be thought of as the principles of the method. The stages are supported by a set of SSM tools that, as the approach, are generic in nature and can be applied to any context (1999b). In this study we are primarily interested in the methodology and therefore will not explain the tools.

2.2 Discrete-event simulation (DES) lifecycle models

DES studies are typically guided by simulation lifecycle models rather than a methodology. A number of simulation life cycle models have been developed that describe the steps undertaken during a DES simulation study. Most life cycle models in DES take a hard OR approach, where the computer model is normally the key outcome of the study, developed by modeller(s), experts in model coding. Some differences between life cycle models may appear at a first glance but in reality they cover the same stages at a different level of detail: conceptualisation, model coding, obtaining solutions and implementation. For example, Kreutzer (1986) describes the ‘life cycle of a simulation project’ as a sequence of nine steps. Robinson (2004) puts forward four stages (conceptual modelling, model coding, experimentation and implementation), whilst Pidd (2004) describes simulation modelling as a three stage process starting from problem structuring, and then modelling leading to implementation. For a more detailed view of the different life cycle models, interested readers are referred to a number of sources (Hoover and Perry 1990; Nance 1994; Banks et al. 2001; Sargent 2001; Pidd 2004; Robinson 2004; Law 2007; Balci 2012).

2.3 Methodological and philosophical differences and commonalities

In order to explain the multimethodology of SSM and DES behind the PartiSim framework we next briefly look at their differences and commonalities at a methodological and philosophical level.

Table 1 below compares the stages of each method, SSM and DES. Although DES has been shown to have a variable number of stages, for the purposes of the comparison we take a four stage division in order for it to better map on to SSM’s four stages. On reflection from table 1, the stages appear to be similar in terms of the outputs derived, albeit the approach taken differs. This mapping of their respected stages can help us identify how these two methods could complement each other. For example the first stage in SSM could be used to inform the first stage of DES as it provides a clearer instruction as to what should be done to clarify the problem situation. In the second stage, both SSM and DES use formal models to represent the problematic situation, but different approaches are used. The actual coding of the model on the computer does not provide much room for involving the stakeholders as already argued by Robinson et al (2014). However there are still aspects, such as the input of client data, where an SSM approach could inform the simulation model coding stage. Similarly, SSM could inform the next two stages of the DES modelling process, that of obtaining solutions and implementation.

Table 1: Comparison of the stages involved in DES and SSM interventions.

DES stages	Description	SSM stages	Description	Differences/ Commonalities
Problem structuring/ Conceptualisation	Finding out about the problem, identify objective, develop system description and abstraction of the latter into a conceptual model	Finding out about a problem situation	Discuss problem situation with stakeholders (individually or in a group), considering cultural & political implications. Multiple perspectives taken into account.	<ul style="list-style-type: none"> – Partly similar outcomes: DES goes beyond problem situation to identifying a conceptual model. – Approach taken differs in that DES tends to rely more on observation of processes or data whereas SSM typically relies more on human interaction. – Both involve modeller interaction with stakeholder(s), although in DES interaction typically focusses on satisfying a single decision maker whereas in SSM multiple decision makers.
Simulation model coding	Implementation of conceptual model on the computer	Formulate Purposeful activity models (PAMs)	Root definitions & purposeful activity models are developed to describe the problem situation (also called conceptual models)	<ul style="list-style-type: none"> – In both approaches a formal model is used (simulation model in DES, PAM in SSM), but different in type (often quantitative in DES vs. conceptual/ mental models in SSM) and way of developing them. – Typically only the modeller involved in DES vs. stakeholder(s) and OR analyst typically involved in SSM.
Obtaining solutions	Experiment with a number of scenarios	Debating the situation,	- Conceptual models are	Similar concept in principle, but different approaches used:

	to identify best performing one	using the models	compared to real life situation. - Identify changes which could improve the situation - Accommodate between conflicting interests.	<ul style="list-style-type: none"> – Comparison of statistical (quantitative) results for different scenarios (DES) involving mainly modeller. – Comparison of mental models to real life situation (SSM) involving multiple stakeholders.
Implementation	Implement solution, findings or learning in real life setting	Take action	Take action to improve situation	Similar outcome, but different approach taken: <ul style="list-style-type: none"> – In DES the optimal solution is assumed to be acceptable to the client, whereas SSM accepts uncertainty and the possibility that a second cycle of the study may be required. – In SSM, the client tends to take ownership of action to be taken and the implementation plan due to their involvement throughout the process.)

However a combination of SSM and DES involves linking together parts of methodologies, from different paradigms (Mingers and Brocklesby, 1997). A paradigm is ‘a very general set of philosophical assumptions that define the nature of possible research and intervention’ (p. 490). Whereas a methodology is ‘a structured set of guidelines or activities to assist people in undertaking research or intervention’ (Mingers and Brocklesby 1997, p. 490). The problem here is that SSM and DES do not come from the same paradigm which means that they also have to be combined at the paradigm level.

DES modelling is considered a hard OR method, belonging to the hard paradigm, whereas SSM is considered a soft OR methodology, belonging to the soft paradigm. The differences in the two paradigms are best explained using Table 2. The six key characteristics of the hard and soft paradigm (Rosenhead 1999) clearly show how different the thought process is for a methodology allied to the soft paradigm from one allied to the hard paradigm. For example when taking the fourth characteristic into account, people in SSM are considered active subjects involved in decisions, whereas in DES people are conceptualised as passive objects. All SSM steps involve stakeholders, who take active part in finding a solution and discussion. In some DES steps, the client may be involved, but mainly as the recipient of study outcomes or provider of information required by the modeller.

Table 2: The Six key characteristics of the hard and soft paradigm (Rosenhead 1999)

--	--

Characteristics of the hard paradigm:	Characteristics of the soft paradigm:
Problem formulation with a single objective and optimization. Multiple objectives if recognised, are subject to trade-off on to a common scale.	Non-optimizing; seeks alternative solutions which are acceptable on separate dimensions, without trade-offs.
There are overwhelming data demands, with consequent problems of distortion, data availability and data credibility.	Reduced data demands, achieved by greater integration of hard and soft data with social judgements.
Scientization and depoliticization, there is an assumption of consensus between stakeholders.	Simplicity and transparency aimed at clarifying the terms of conflict.
People are treated as passive objects.	Conceptualises people as active subjects.
There is a single decision maker with abstract objectives from which concrete actions can be deduced from implementation through a hierarchical chain of command.	Facilitates planning from the bottom up.
There is an attempt to abolish future uncertainty, pre-taking future decisions.	Accepts uncertainty, and aims to keep options open for later resolution.

In fact a recent ten year review of published papers up to 2008 on mixing OR methods in practice (Howick and Ackermann, 2011) concluded that only a handful of the papers found involve a multimethodology of DES and SSM. A possible reason for this, among many, is the difficulty in combining the methods at both the philosophical and methodological level. Kotiadis and Mingers (2006) explored the combination of SSM and DES at the philosophical and practical level and noted feelings of unease during the method deployment in their case study. They argued that such barriers to multiparadigm multimethodology can be overcome if authors declare their paradigm position and strategy for deploying the paradigms. Hence, a framework supporting a multiparadigm multimethodology should guide the process and the paradigm selection at each stage.

3. Overview of the PartiSim framework for DES modelling

The proposed PartiSim framework aims to support the execution of the modelling stages adapted or derived from either method (DES or SSM). Each stage can be carried out by following the hard and/or soft paradigm. The PartiSim framework is outlined in Table 3 and it consists of the following parts: stages (column 1), activities (column 2), deliverables or outputs (column 3) and the paradigm deployed (column 4). The framework's parts include information beyond the stages and paradigm deployment in order to offer sufficient guidance to novice modellers. We next explain the rationale for each part of the framework.

PartiSim includes six main stages (1, 2, 3, 4, 5, 6) and five sub-stages (1.a, 2.a, 3.a, 4.a and 5.a) (column 1, Table 3). These stages are based on the DES and SSM stages in Table 1 but adapted and expanded to meet the aims of facilitated DES. Each *stage* (and sub-stage) has a specific purpose, which is achieved by undertaking the prescribed dedicated *activities*. Some activities such as those undertaken in stage 1 and mostly in the sub-stages are generic in nature and related mainly to organising the project or liaising with the stakeholder team. They could be used in any type of OR intervention carried out in a facilitated mode. Other activities are adapted or borrowed from one of the two methods (DES or SSM). For example, the activity “Define system & boundaries” (stage 2) is adapted from SSM which involves decomposing the system into the activities that take place in that system. Whereas the activity “Debate desirable and feasible solution space” (stage 5) is an activity derived from DES, where the results of relevant scenarios are presented and debated. The difference from a traditional DES activity is that it is adapted to be carried out in a facilitated environment, where stakeholders can express their preferences and discuss alternatives.

Four of the PartiSim stages (2, 3, 5 and 6) support the modelling team’s interaction with the stakeholders in a workshop. During the facilitated workshops the facilitator guides the group of stakeholders through workshop activities. The sub-stages that take place before or after the facilitated workshops support the process carried out during the facilitated workshops.

The *activities* prescribed as part of each stage (Table 3, column 2) are distinguished in two types: modelling and workshop activities. The modelling activities are aimed at supporting the modelling process while workshop activities support the facilitation of the group of stakeholders. The activities for the sub-stages are mainly undertaken by the modelling team, who report back to the stakeholders the outputs agreed in the workshops or seek further reflections and clarifications.

Most of the activities support the development of the intermediate *deliverables (outputs)* (Table 3, column 3). They are called intermediate because they can be revised or converted into a different output in the next stage. Some, for example “A bounded system within which the problem to be addressed exists” (sub-stage 2.a), are developed in a sub-stage with the view to using and leading the discussion during the workshop in stage 3. While others such as the conceptual model (stages 2 and 3), are developed during the workshop, refined during a sub-stage (3.a) and converted into a different output (a simulation model) in stage 4.

The application of the PartiSim framework relies on both the hard and soft paradigm being deployed at various points during the simulation study lifecycle. The paradigm strategy is explicit within the framework so that the modelling team know how to think about each stage (are they in soft or hard mode?) (column 4, Table 3). By declaring the paradigm employed (soft and hard paradigm described earlier in table 2) the modelling team becomes aware of the mindset they should adopt in carrying out the prescribed activities. For example PartiSim's stage 5, debating the desirable and feasible solution space, is an activity that would not be deployed in the experimentation stage in a traditional expert mode DES study. For this activity it is important to declare that a soft paradigm is deployed so that alternative future scenarios are not simply based on the optimisation of a single objective. They are instead based on stakeholders' preferences on separate dimensions. Guidance of this nature is considered necessary to support the simulation modeller's way of thinking throughout the lifecycle (stages) of a facilitated simulation study.

Table 3: Overview of the PartiSim Framework, including stages, activities, outputs and paradigm deployed.

Stage & purpose	Activities [†]	Outputs [‡]	Paradigm Deployment and Explanations
1. Initiate simulation study <u>Purpose:</u> Address preliminary information needs.	The modelling team undertake: - informal meetings and/or - on-site observations and/or - one-to-one interviews with project champion and key stakeholder(s). - Identify stakeholder team - Establish feasibility for a simulation study (modelling team and key stakeholders)	A list of the stakeholder team to involve in the study. A preliminary understanding of the problem situation Study proposal, including preliminary study objectives and timescales	Hard paradigm: There is an assumption of consensus on preliminary information provided by key stakeholders.
1.a Pre-workshop stage <u>Purpose:</u> Preparations for Workshop 1	- Identify modelling team and stakeholder team roles. - Decide workshop venue and time slots. - Stakeholders are invited to workshops - Facilitators prepare materials for the workshop.	Simulation study objectives A bounded system within which the problem to be addressed exists	Hard paradigm: Workshop 1 materials are prepared without seeking consensus from stakeholders.
2: Define system (Workshop 1) <u>Purpose:</u> Agree on the problem situation and the wider system, within which it exists.	Stakeholders are invited to: - <i>Brainstorm on problem area(s) to be addressed</i> - <i>Define study objectives (broadly)</i> - <i>Define system & boundaries</i>		Soft paradigm: Activities are simple and transparent and they are aimed at clarifying the terms of conflict. Stakeholders are active in these activities and in producing outputs. Reduced data demands, achieved by greater integration of hard and soft data with social judgements.
2.a Post-workshop 2 stage <u>Purpose:</u> Disseminate Workshop 1 outputs and prepare for Workshop 2	Modelling team: - Re-draw & disseminate Workshop 1 outputs to stakeholders - Liaises with stakeholder team over correctness of Workshop 1 outputs - Prepare preliminary materials for use in Workshop 2	Model inputs, outputs and contents Simulation objectives Communicative model A list of data requirements	Soft paradigm: The modelling team seek alternative views on tidied up outputs of Workshop 1. Hard paradigm: Workshop 2 materials are prepared without seeking consensus from stakeholders.
3: Specify conceptual model (Workshop 2) <u>Purpose:</u> Define a conceptual model that describes the simulation model	Stakeholders are invited to: - <i>Put forward and agree on performance measures to address the problem identified in Workshop 1</i> - <i>Define simulation model objectives</i> - <i>Discuss model contents, model scope and level of detail</i> - <i>Discuss responsibility for data collection</i>	The above are the result of both stages 2 and 3 to form an agreeable to all (study participants) and feasible conceptual model describing DES study	Soft paradigm: Activities are simple and transparent and they are aimed at clarifying the terms of conflict. Stakeholders are active in these activities and in producing outputs. Reduced data demands, achieved by greater integration of hard and soft data with social

[†] Two types of activities: modelling activities and workshop activities. Workshop activities are shown in italics.

[‡] Outputs represent stakeholder-oriented deliverables

			judgements.
3.a Post-workshop 2 stage <u>Purpose:</u> Disseminate Workshop 2 outputs and refine conceptual model	Modelling team: - Prepare report with refined Workshop 2 outputs and data requirements - Liaise with the stakeholder team over correctness of Workshop 2 outputs.		Soft paradigm: Modelling team seek alternative views on tidied up outputs of workshop 2
4. Model coding stage <u>Purpose:</u> Develop computer model	- Data collection (modeller and stakeholder team) Modeller: - Builds simulation model on the computer - Liaises with the project champion over correctness of model & its results (verification & validation) - Sets up preliminary scenarios to be considered in stage 5.	Simulation Model Preliminary model validation and verification	Hard paradigm: Stakeholders are no longer active in the development of the computer model. Modelling team lead the process and liaise with project champion over correctness of model (model validation).
4.a Pre-workshop stage <u>Purpose:</u> Preparations for Workshop 3	- Prepare preliminary materials for use in Workshop 3 (stage 5)	Model results Model validation and verification Alternative future scenarios	Hard paradigm: Workshop 3 materials are prepared without seeking consensus from stakeholders.
5. Experiment with model stage (Workshop 3) <u>Purpose:</u> Define alternative scenarios to experiment with model	Stakeholders are invited to: - <i>Validate the simulation model & its results</i> - <i>Rate performance measures (linked to model results)</i> - <i>Debate desirable and feasible solution space</i>	New alternative future scenarios	Soft paradigm: The activities are non-optimizing; the modelling team seeks alternative solutions which are acceptable to stakeholders on separate dimensions, without trade-offs.
5.a Post-workshop 3/ Pre-workshop 4 stage <u>Purpose:</u> Refine scenarios & prepare for Workshop 4	Modelling team: - Tweak or correct simulation model - Implement additional scenarios suggested (based on stakeholder feedback from Workshop 3.) - Liaises with the stakeholder team over correctness of model results - Prepare preliminary materials for use in Workshop 4	Revised simulation model Revised model results	Soft paradigm: Modelling team seek alternative views on tidied up outputs of Workshop 3. Hard paradigm: Further model coding can be undertaken and Workshop 4 materials are prepared without seeking consensus from stakeholders.
6. Implement findings stage <u>Purpose:</u> Define an implementation plan	Stakeholders are invited to: - <i>Review learning & changes implemented</i> - <i>Risk analysis and feasibility of change</i> - <i>Agree action trail</i>	Agreeable and feasible scenario(s) to be taken forward Action plan with deliverables (including due date and person responsible)	Soft paradigm: Workshop participants are active subjects. The modelling team facilitate team consensus on planning.

The framework is next explained focusing on the organisation of the participants, the workshops and the main stages involved.

3.1 Study organisation: roles and workshop facilitation

A key feature of the PartSim framework is the organisation of facilitated workshops. Prior to the organisation of a workshop the project team who will run the workshop needs to be setup and the relevant roles assigned to those taking part in the intervention and ultimately attending the workshops. We distinguish two teams: the modelling and stakeholder team. The team roles are briefly described in table 4. Assigning different roles can have a positive effect on the group work (Belbin, 2010). Ideas about team roles have been put forward in the literature on group processes (Friend and Hickling 1987; Schein 2006; Vennix, 1996; Roberts 1977). We have adapted the views expressed in the literature to fit the requirements for undertaking a simulation study and to fit with the PartiSim approach. For example, a key role is that of the final decision maker whose involvement can help increase the likelihood of implementation (Mason and Mitroff 1981). PartiSim does not assign a specific role but it is recommended that this person is identified within the key stakeholders' role and invited to the workshops.

Table 4: The PartiSim Team Roles

Roles of project team:	Description of each role:
Modelling team	
The simulation modeller (model coder)	Someone experienced in DES modelling, particularly in coding the model. Is responsible in communicating the viability of transforming the conceptual model into a computer model within the agreed timeframe.
The recorder	Take notes and generally observes the situation and is on hand to provide the facilitator with assistance in organising the workshop particularly in terms of pre-workshop (e.g. sorting agendas preliminary outputs etc.) and post-workshop activities (e.g. disseminating the output of workshops or chasing up data or information). Recording equipment cannot replace this role if confidential information is discussed. Also if recording equipment is used then this role can safeguard in the event of an unexpected electronic failure.
The facilitator	A person that leads activities within a workshop with good facilitation skills such as active listening, chart writing, managing group dynamics and power shifts and reaching closure (Franco and Montibeller 2010). A workshop can be led by one or more facilitators whose role is to enable the group to meet their workshop objectives within the available timeframe by guiding the participants in any activities undertaken, keeping the interaction among the participants relevant and at the centre of the room.
Stakeholder team	
The project champion	This person could be either someone enthusiastic about the study or the initiator of the study (Brailsford et al 2009). He/she serves as a link between the modelling team and the stakeholder team. The project champion will motivate other stakeholders and will liaise with modelling team to organize workshops.
Key stakeholders	People with tacit knowledge of the organisation involved and usually with decision making power in the stakeholder organisation.
Other stakeholders	People with tacit knowledge of the organisation.

The *modelling team* comprises of the simulation modeller(s), the facilitator and the recorder. As a group, they manage the process and stakeholders' expectations, but also encourage participation. Although the facilitator role and the computer model coder roles can coincide (the same person); at least one member of the modelling team is needed to record the information during the workshop (the recorder). Hence the modelling team could consist of as few as two individuals. A key role within the modelling team is that of the facilitator. His/her role is multifaceted and within a workshop can take on the role of: an information seeker, a guiding force, a clarifier, a consolidator of opinions, a peacekeeper, a motivator and a technical advisor with respect to the technical aspects of the simulation model/study. The descriptions of each role (Table 4) provides further guidance regarding the required skills and person specifications for each role.

The *stakeholder team* will typically include subject matter experts, who have an involvement in the organisation or institution of interest. After an initial stakeholder analysis the different stakeholders and their roles, representing different parts or tiers of the organisation are considered in order to decide who should be invited in the workshops. The main roles considered important to include in the workshops and to involve in the study are: the project champion, key stakeholders and other stakeholders. Involving key stakeholders in the study enables a broader level of ownership of the simulation study and its results within the organization (Robinson 2008). Particularly positive for the study is the identification of the project champion (Brailsford et al. 2009), called gatekeeper in system dynamics group model building literature (Richardson and Andersen 1995). From our experience, the project champion has had a huge impact in the successful completion of the study, not only for providing useful information to the modelling team, but also for promoting the study within the organisation.

When designing the workshops, group size and composition are also considered important (Papamichail et al 2007). Phillips and Phillips (1993) describe that the number of participants taking part can have a major influence on the balance between individuality and group. In fact, the suggestions of group size are different depending on different types of group. For a group that the participants had worked together before, no more than around 6-8 members is recommended (Miller 1956; Belbin 1981). When the participants only have little experience of working together previously, the most effective group size is considered around 12-14 (Phillips and Phillips 1993). Other research suggests that brainstorming in a big group of around 20-25 members is more effective (Nunamaker et al. 1998). This is because each

participant can represent different perspectives on the problem (Mason and Mitroff 1981). However, it is generally thought that the effectiveness of a group meeting declines when the group size increases (Grinyer 2000; Ackermann 1996). This is because more and more problems will occur in the decision making task such as difficulties in reaching a common action plan (Shaw et al. 2004).

3.2 The PartiSim framework stages

In the PartiSim framework, the study starts with Study Initiation (stage 1), where the modelling team collates preliminary information about the system to be studied and undertakes role analysis to identify a suitable stakeholder team. Obviously, these two activities, the collection of preliminary information and identification of suitable stakeholders can be undertaken simultaneously and can inform each other. Mason and Mitroff (1981) claim that identifying stakeholders is an easy way of generating the prevalent assumptions about a problem situation. Furthermore, Landry et al. (1983) ascertain that identifying stakeholders is important for developing models that have acceptable levels of conceptual and operational validity, which may subsequently lead to a successful model implementation. As explained earlier stakeholders and modellers are allocated a role and if necessary further stakeholders are identified (table 4).

Stages 2 and 3 take the form of facilitated workshops (Workshop 1 and 2), where the modelling team and the stakeholder team convene in a participative environment. More specifically, the aim of Workshop 1 (stage 2) is to define the system to be studied and to gain a shared understanding about the problematic situation in that system. Workshop 2 (stage 3) aims to determine the modelling objectives, model inputs and outputs and to abstract a communicative model focusing on a specific part of the system, which will become the basis of the simulation study. The information collected and the outputs developed are elements of the conceptual model. In these two workshops, principles from Soft OR, such as SSM are used to initiate debate and enable understanding (Checkland 1999b). Taking a softer approach, the facilitator(s) can use the activities, listed in table 3, to engage the members of the stakeholder team in the discussion. As a result the views expressed will inform the workshop outputs and the process ensures that these outputs are agreeable to all. After each workshop a report of the workshop outputs is produced for the stakeholder team to reconsider and validate outside the workshop environment. For more information on how facilitated conceptual modelling can be carried out in practice, interested readers are referred to Kotiadis et al (2014).

The conceptual model developed in stage 3 is next transformed into a computer model during Model Coding, stage 4 of the PartiSim framework. The modeller develops the code of the simulation model following conventional DES modelling activities. However, the project champion and if necessary other key stakeholders are approached to supply data for the model or even to validate an initial version of the model.

Next, the focus turns to experimentation, which is the topic of the third facilitated workshop (stage 5). In this workshop stakeholders initially explore the computer model to determine if it is valid for its use. . A live demonstration of the model structure is a means of generating confidence in the model and its results (Barber 1977). The focus of this stage lies in identifying relevant scenarios and changes to experimental factors (inputs) and not necessarily choosing the most preferred scenario.

The process followed during this workshop is closer to the interactive experimentation approach in DES (Robinson 2004), where the aim is to develop a general understanding of the model and its key problem areas. After workshop 3 (stage 5.a), the modelling team undertakes further experimentation in order to obtain statistically significant results (Robinson 2004). A report outlining the model results and findings is subsequently prepared and sent to the stakeholders for reflection (stage 5.a).

Stage 6 (Workshop 4) aims to establish an implementation plan consisting of changes to be introduced in the real system as a result of the study. Developing change plans, planning for training and exploring the impact of system implementation can develop favourable attitudes toward the model and the study (Hoover and Perry 1990). This stage builds upon the scenarios identified in Stage 5, moving beyond the simulation model towards identifying an action trail for change. This is achieved in a facilitated workshop environment, where stakeholders are invited to express their views and debate the plans for the future. An important aspect of the implementation workshop is to create awareness of the learning generated throughout the study as this is one of the main benefits of DES studies (Robinson 2004).. The modellers/ facilitator may need to intervene in creating awareness of the learning achieved (Nisbett and Wilson 1977; Robinson 2004; Rouwette et al. 2009), which can in turn help develop actions to address their problematic situation.

Next, the risks and feasibility of each change in a potential scenario are discussed in order to agree on a preferred scenario(s) to be pursued. Roberts-Gray (1985) suggests that supporting the stakeholder team in overcoming barriers to change is a key factor to enabling the success

of implementation plans. Barriers are positive and negative elements, as called in scenario planning (Schoemaker 1995), which include also psychological perceptions (Ajzen 1991) that may hinder the stakeholders from taking action. Having agreed on a preferred scenario, an action trail is next determined, with clear actions, including what, by when and who is responsible. The end of the workshop marks the end of the intervention process, however the implementation of change(s) continues beyond Workshop 4.

Some additional ideas incorporated into the framework include:

- A gap of 1 to 3 months between workshops is believed to give stakeholders the time to process (both consciously and subconsciously) the results. This is based on the results of a study undertaken by (Dijksterhuis et al. 2006), which found that clients who were left to “sleep on” their decisions made better and more consistent decisions.
- Follow-up reports are developed after workshops (especially 1, 2 and 3), because not all those who will be involved in implementing change attend the workshops for reasons such as stakeholder availability, time, group size effectiveness, space. Communication and coordination at all levels of an organization is considered crucial for implementation study success, so that employees understand the reason for change and the implementation strategy (Barber 1977; Größler 2007; Snabe 2007).

4. Discussion: the PartiSim framework

In this section we provide our observations of using the PartiSim framework, consider when it should be used and put forward issues around the deployment of a multi-paradigm multimethodology. Finally we discuss the future research needed to support the development of PartiSim.

4.1 Observations of using PartiSim

We have used the PartiSim framework in two real life studies. We refer to these as the Obesity (Tako et al, 2014) and the Colorectal study. Both studies took place in a similar time frame and were conducted by the same modelling team. The same stages were used in both studies. A summary of the key aspects of both studies can be found in table 5.

Table 5. Summary of the key characteristics of the obesity and colorectal study.

	Obesity study	Colorectal study
Stakeholder description	Multidisciplinary with approximately equal membership of nurses, physicians, surgeons and managers	Multidisciplinary although surgeons accounting for majority.
Simulation Study	To explore:	<ul style="list-style-type: none"> • To understand the patient pathway

objectives	<ul style="list-style-type: none"> • reducing the waiting list for a number of clinics in the pathway • reducing the number of beds required in post op care • the achievement of the 18 week target for referrals 	<ul style="list-style-type: none"> • To explore reducing patient throughput time.
Project management	4 workshops (average duration 2 hours) Most meeting at hospital meeting room	4 workshops (average duration 2 hours) Most meetings in external conference room
Action resulting from study	More operating slots and decision to build new obesity surgery operating theatre.	Decision to introduce a new process in the care pathway.

In both studies workshop participants engaged well with the process, interacting with the facilitators and each other in the workshops. Both studies led to consensus about action to be taken as a result of discussions taking place within the workshops. We will put forward some of the stakeholders closing remarks on the modelling approach and process that were made at the end of an implement findings workshop. An extract from the conversation follows:

Project Champion: We've had good involvement.

Facilitator: It doesn't have to be good! [the extract follows from a series of positive comments so the facilitator is suggesting here that other less positive views can be expressed]

<Laughter>

Stakeholder A: I agree with ... [name removed] in that I think we knew there was a problem, we knew where the problems were. What you've done is you've actually put it in black and white and we can actually see that it is clear, it's there, and that we need to do something about it. But I think what it's shown is every time we correct something, actually the problems work in.

Stakeholder B: It's the quantification and the clarification of the problem, quantified and clear. This I would say will increase, you can put numbers, it's quite an important thing to plan the resources... this process is proper process, this is the standard, proper process. You have a pathway and then you have a model and you validate the model in the workshop and see where the model ends up, so this process is a good process. There's a good process there....

From this extract we can deduce that these stakeholders felt positive about their involvement in the process and the findings. However it is harder to make broader claims about the

benefits of PartiSim from the stakeholders' point of view with only a few case studies to hand. Indeed for most of our stakeholders this was their first encounter with simulation and indeed OR and therefore no comparisons could be made. Nevertheless Stakeholder B's words of quantification and clarification offer real insight about what PartiSim offers above the use of a single methodology (DES or SSM) and single paradigm (Hard or Soft). It offers the stakeholders the benefits of a quantitative and a qualitative approach. Specifically, it offers the outputs that a traditional DES approach can offer but enables a level of engagement and involvement that is more often found in Soft Systems Methodology. Hence the reflection made by the project champion about good involvement.

We now turn our attention to the modelling team's view of PartiSim interventions when comparing these to past experiences of DES studies in healthcare. The benefits of PartiSim can be summarized as:

- Awareness from the outset that we needed to consider the membership of the group. In previous experience the focus was around an individual and their interpretation of the problem and other stakeholders were mostly treated as sources of information. The process gave the stakeholders the opportunity to really consider from the start who to involve knowing that there would be a final workshop that would focus on implementation.
- Validation and verification activities in previous non PartiSim studies were aimed at meeting typically one main person's approval rather than a collective. In PartiSim, the modelling team felt greater pressure in gaining the groups confidence in the model. However satisfying a group of individuals, which arguably is harder, gave the modelling team more confidence in the model.
- Better communication through the medium of workshops rather than meeting up with stakeholders individually. Engaging concurrently with all the stakeholders led to the stakeholders feeling less fearful of the simulation model and its results as everyone met the modelling team at the same time (transparency). We also believe that the multiple workshops enabled the more junior stakeholders to gain confidence with the modelling team as well as with the more senior colleagues within the group and to actively contribute. Conflicts and heated discussions took place in workshops but these were resolved within workshops and led to the creation of common views and consensus by the whole group.

- Workshop participants were involved in the process without being challenged with technical aspects of simulation modelling.
- The modelling team had not previously experienced involvement in the decision making discussions over implementation. Our collective past experience was explaining results and making recommendations rather than engaging in detailed discussions. Setting out a final workshop on implementation signalled to the group of stakeholders that there would be a process where both the stakeholder group and modelling team would be involved.

Reflecting from our perspective as modellers, we believe that the PartiSim framework, provided structure to the overall process and guidance to the facilitation process as part of the individual workshops. Having individual aims for each stage (table 3) enabled us to explore and take into account the variety of issues faced by the real life system rather than focussing on the computer model. Undertaking the simulation study in a participative way helped us save time in building the model, with model coding taking approximately 2-3 weeks' time. This was possible because the workshops enabled a common understanding between the modeller and stakeholder team on what should be included in the model, as well as commitment and quick access to the data needed to develop the model.

On the other hand, there are potential drawbacks to using PartiSim over expert mode DES. The demanding elements to the interventions mentioned were to gain the facilitation skills and to produce reports and tidy up outputs following workshops. In fact, the preparation for a workshop often involved running trial workshops with those in the modelling team acting as stakeholders to trial different forms of communication. Our facilitation skills have undoubtedly affected the group decision processes and outcomes of the study (Eden 1995; Papamichail et al. 2007). No doubt focusing on the model and experimentation, which is commonly the modelling team's concern, would have been easier. Also any benefits gained by engaging one to one with each stakeholder, as is traditionally the case in expert mode, were clearly lost.

However many of the drawbacks described are thought to be temporary. For example in subsequent attempts of applying the framework to other interventions the facilitation and communication were less challenging to the modelling team. This means that there is potentially a 'set up cost' to converting from the expert mode to the facilitated mode.

4.2 When to use the PartiSim framework?

PartiSim is a DES framework that has been designed to support the modellers' interaction with a group of stakeholders in healthcare interventions. However that is not to say that PartiSim could not be used in other contexts outside of healthcare. The decision to use the PartiSim framework should be initially based on whether a group of stakeholders need/want to be involved in the DES study and whether this group can influence implementation. Commitment of a group of stakeholders to participate in the workshops at the start of the project must mean that they are willing to participate in four workshops and also respond to any other communication before and after workshops. Similarly, the analysts comprising the modelling team must be willing and able to take up the required roles as described in table 4.

In PartiSim the modelling teams and the stakeholders' team are partners in the process with roles and responsibilities. This is not necessarily easy to achieve without negotiation and flexibility by all parties involved. In healthcare simulation modelling it is often easier to involve nurses and managers than to involve physicians and surgeons in the process (Robinson et al 2014) because of work scheduling constraints. In the interventions described in this paper, each workshop has not exceeded two hours in order to encourage a wide representation of stakeholders. The decision to keep workshops to a minimum duration by having activities and outputs to fit the time frame was the result of several discussions with surgeons and physicians prior to the design of the PartiSim framework. In both interventions referred to in section 4.1 above, the modelling team met with the groups (table 5) at unsociable hours (e.g. 7am) in light of the stakeholders' clinical commitments. Adopting PartiSim in healthcare or any other context requires a conscious effort by the facilitator to keep workshops to an acceptable to the stakeholders' duration and flexibility from the modelling team on the start time and location (e.g. hospital meeting room). Robinson et al (2014) describe facilitation in the simulation lifecycle over two consecutive full days which is a shorter overall timespan but requires the commitment of two full days by the participants. In addition they propose building a 'throw away' model to fit with the shorter time span. The PartiSim framework is best suited to a longer time span so that the pre- and post-workshop activities can be undertaken. Although PartiSim can support the exploration of 'throw away models' it can also be used to develop models of greater fidelity to the actual system of interest.

A key factor in using PartiSim is being able and prepared to move from one paradigm to another and more specifically from the hard to soft paradigm and vice versa. The interplay

strategy (Schultz and Hatch 1996) best explains the paradigm deployment because the modelling team can move back and forth between paradigms within a stage or from stage to stage allowing cross-fertilisation between paradigms whilst maintaining diversity. The learning gained from applying each activity with a particular paradigm informs the next activity whether a soft or hard paradigm is deployed. This is not necessarily straight forward as most simulation modellers are taught simulation from the expert's mode perspective rather than the facilitative mode (Robinson et al 2014). Typically most management scientists identify with hard OR and find it easier to work within that paradigm. For novice DES modellers this can mean being consumed by the model rather than being focussed on the client interaction and the process (a framework, its stages and outputs). In this paper we have attempted to explain how each paradigm is deployed at each stage to help the user adopt the multi-paradigm framework. However for those individuals or groups identifying with the hard OR paradigm, it may be beneficial to be taught SSM and generally gain an appreciation and understanding of the problem structuring field. Even a simple understanding of the differences as put forward in tables 1 and 2 can aid the understanding of SSM and its adoption. Although there is an amassing of papers combing SSM with DES that help towards this, university teaching of DES still lags behind by not proposing the partnership of the two methodologies. This means that non-academic practitioners, who are arguably less likely to stay abreast with journal papers due to subscription costs but more likely to adopt such practice, remain unaware of it.

4.3 The future of PartiSim (future work)

In developing PartiSim we used an action research approach, where the framework is first developed and then specific modelling activities are followed by a phase of testing and reflection. The product described here is a result of the amendments made, which can be further developed and improved by future work.

In the first instance PartiSim needs to be trialled by a modelling team that does not include the original PartiSim founders. Ideally further real case studies should be undertaken and reported. The case studies should not be necessarily limited to healthcare but other contexts, where it is practical and beneficial to involve a group of stakeholders, should be explored. However, case studies are said to provide anecdotal evidence to support outcomes. Therefore alongside these cases studies we believe that a more systematic analysis of outcomes is needed to explore the effectiveness and usefulness of the facilitation process and approach followed. For example, one outcome, learning is said to occur gradually during the

intervention and the subjects themselves may not be aware of it happening as it changes the system of beliefs and attitudes, used to make judgements (Nisbett and Wilson 1977; Ajzen 1991; Rouwette 2011). Further research is currently being undertaken analysing our recorded workshop materials (from the current and subsequent interventions). We are keen to identify whether divergent (e.g. facilitator helps participants think about their objectives and develop creative and feasible solutions) and convergent (e.g. facilitator helps participants' converge best ideas into options and then to action plan) (Kaner 2007; Franco and Montibeller 2010) thinking processes take place and identifying the presence of human emotion and distress (Taket 2002) in the workshops.

5. Conclusions

Nutt (1986), who studied a number of case studies that involved creating change in management strategy, found that case studies that involved stakeholder participation were more successful in terms of implementation compared to the ones that did not involve stakeholders. Involvement and the ability of key stakeholders to influence decision making not only in modelling but in the decision for change, can be a way of motivating and supporting changes through nonmonetary means (Snabe 2007). This is particularly the case for simulation modelling in healthcare (Fone et al 2003; Eldabi et al 2007). This paper puts forward PartiSim a participative and facilitated DES framework with its activities and outputs and our experience of undertaking it in practice to encourage the OR community to consider using or investing time in researching this new mode of practice. PartiSim is the result of a multi-paradigm multi-methodology that requires the modelling team to adopt a paradigm crossing strategy. We identify best with the interplay strategy (Schultz and Hatch 1996) and also relate this to each stage in our framework in order to fully convey the thought process undertaken. This is to encourage simulation modellers that approach simulation in a hard OR (expert) mode to understand what alterations are required for facilitated simulation and specifically in applying the PartiSim framework.

Acknowledgements

This study was supported by the UK Engineering and Physical Sciences Research Council (EPSRC) grant EP/E045871/1. The authors would also like to thank Christos Vasilakis for his input in developing the ideas on the initial stages of the PartiSim framework.

References

- Ackermann F (1996). Participant's perceptions on the role of facilitators using group decision support systems. *Group Decision and Negotiation* 5 (1): 93–112.
- Ajzen, I. (1991). "The theory of planned behaviour." *Organisational Behaviour and Human Decision Processes* 50: 179-211.

- Balci O. (2012), "A Life Cycle for Modeling and Simulation," *Simulation: Transactions of the Society for Modeling and Simulation International* 88(7): 870–883
- Balci, O. and R. E. Nance (1987). "Simulation Model Development Environments: A Research Prototype." *The Journal of the Operational Research Society* 38(8): 753-763.
- Banks, J., J. S. Carson II, B. L. Nelson and D. M. Nicol (2001). *Discrete-Event System Simulation*. Upper Saddle River, New Jersey, Prentice Hall.
- Barber, B. (1977). "The implementation and utilisation of operational research in the reorganised National Health Service." *European Journal of Operational Research* 1: 146-153.
- Belbin, M.R. (2010) *Management Teams: Why They Succeed or Fail*, Routledge, 3rd ed.
- Brailsford, S.C. and Vissers, J (2010) OR in healthcare: A European perspective. *European Journal of Operational Research*, 212 (3): 223-234.
- Brailsford, S.C., Bolt T., Connell C., Klein, J.H. and Patel, B. (2009) Stakeholder Engagement in Healthcare Simulation in: M. D. Rossetti, R. R. Hill, B. Johansson, A. Dunkin and R. G. Ingalls, (eds.) *Proceedings of the 2009 Winter Simulation Conference*, Austin, Texas, USA, 13-16 December 2009, p.1840-1849.
- Checkland, P. (1999a). *Systems thinking systems practice*. Chichester, Wiley.
- Checkland, P. (1999b). *Soft systems methodology: a 30-year retrospective*. Chichester, UK: Wiley.
- Dijksterhuis, A., M. W. Bos, L. F. Nordgren and R. B. v. Baaren (2006). "On Making the Right Choice: The Deliberation-Without-Attention Effect." *Science* 311(5763): 1005-1007.
- Eden, C. (1995). "On evaluating the performance of 'wide-band' GDSS's." *European Journal of Operational Research* 81(2): 302-311.
- Eden, C. and Radford, K.J. (1990) *Tackling strategic problems: the role of group decision support*, Sage Publications, London.
- Eldabi T. (2009). Implementation issues of modeling healthcare problems: misconceptions and lessons in: M. D. Rossetti, R. R. Hill, B. Johansson, A. Dunkin and R. G. Ingalls, (eds.) *Proceedings of the 2009 Winter Simulation Conference*, Austin, Texas, USA, 13-16 December 2009, p. 1831-1839.
- Eldabi T, Paul RJ and Young T (2007). Simulation modelling in healthcare: reviewing legacies and investigating futures, *Journal of the Operational Research Society*. 58. 262–270.
- Fone D, Hollinghurst S, Temple M, Round A, Lester N, Weightman A, Roberts K, Coyle E, Bevan G, and Palmer P (2003). Systematic review of the use and value of computer simulation modelling in population health and health care delivery. *Journal of Public Health* 25(4): 325-335.
- Franco, L. and G. Montibeller (2010). "Facilitated modelling in operational research." *European Journal of Operational Research* 205: 489-500.
- Friend, J. K. and Hickling, A. (1987) *Planning Under Pressure*, Chichester, England : John Wiley and Sons.
- Grinyer, P.H. (2000). *A cognitive approach to group strategic decision taking: A discussion of evolved practice in the light of received research results*. *Journal of the Operational Research Society*, 51 (21-35).
- Größler, A. (2007). "System dynamics projects that failed to make an impact." *System Dynamics Review* 23(4): 437-452.
- Gunal and Pidd (2005) Simulation modelling for performance measurement in healthcare, In: M.E Kuhl, N.M. Steiger, F.B. Armstrong and J.A Joines (eds) *Proceedings of the 2005 Winter Simulation Conference*, Orlando, FL, USA, December 4-7, 2005. ACM: 2663-2667.

- Harper PR and Pitt MA (2004). On the challenges of healthcare modelling and a proposed project life cycle for successful. *Journal of the Operational Research Society* 55: 657–661
- Hoover, S. V. and R. V. Perry (1990). *Simulation: A problem solving approach*. MA, Addison Wesley.
- Holm LB and Dahl FA (2011) Using soft systems methodology as a precursor for an emergency department simulation model. *OR Insight* 24(3), 168–189.
- Holm, L B, Dahl F. A. and Barra M. (2013) Towards a multimethodology in health care – synergies between Soft Systems Methodology and Discrete Event Simulation, *Health Systems* (2):11–23.
- Howick, S.M. and Ackermann, F. (2011) "Mixing OR methods in practice: past, present and future directions" *European Journal of Operational Research* 215(3): 503–511.
- Jun JB, Jacobson SH, and Swisher JR (1999). Application of discrete-event simulation in health care clinics: A survey. *Journal of the Operational Research Society* 50(2): 109–123.
- Kaner S (2007). *Facilitator's Guide to Participatory Decision Making*. San Francisco, CA, Jossey-Bass.
- Kotiadis, K. (2007). "Using soft systems methodology to determine the simulation study objectives." *Journal of Simulation* 1: 215-222.
- Kotiadis, K. and J. Mingers (2006). "Combining PSMs with hard OR methods: the philosophical and practical challenges." *Journal of the Operational Research Society* 57(7): 856-867.
- Kotiadis, K., Tako, A.A. and Vasilakis, C. (2014) A Participative and Facilitative Conceptual Modelling Framework for Discrete Event Simulation Studies in Healthcare, *Journal of the Operational Research Society*, 65(2): 197-213.
- Kreutzer, W. (1986). *System Simulation - Programming Styles and Languages*. Reading, U.S.A., Addison Wesley Publishers.
- Landry, M., J.-L. Malouin and M. Oral (1983). "Model validation in operations research." *European Journal of Operational Research* 14(3): 207-220.
- Law, A. M. (2007). *Simulation modeling and analysis*. Boston; London, McGraw-Hill.
- Lehaney, B., S. A. Clarke and R. J. Paul (1999). "A case of an intervention in an outpatients department." *Journal of the Operational Research Society* 50: 877-891.
- Lehaney, B. and R. J. Paul (1996). "The use of soft systems methodology in the development of a simulation of out-patient services at Watford General Hospital." *Journal of the Operational Research Society* 47(7): 864-870.
- Lehaney, B. and V. Hlupic (1995). "Simulation modelling for resource allocation and planning in the health sector." *Perspectives in Public Health* 115(6): 382-385.
- Lehaney, B. and R. J. Paul (1994). "Using Soft Systems Methodology to Develop a Simulation of Outpatient Services." *Journal of the Royal Society of Health* 114(5): 248-251.
- Lowery JC (1994). Barriers to implementing simulation in health care. In Proceedings of the 1994 Winter Simulation Conference, Tew J.D, Mannivannan S, Sadowski D.A. and Seila A.F. (eds) December 11-14. 1994. Lake Buena Vista, FL, USA. ACM. 868-875.
- Mason, R. O. and I. I. Mitroff (1981). *Challenging strategic planning assumptions: Theory, cases and techniques* Chichester, Wiley- Interscience.
- Miller G. (1956). "The Magical Number Seven, Plus or Minus Two: Some Limits on Our Capacity for Processing Information". *Psychological Review* 63(2): 81-97.
- Mingers, J., and Brocklesby, J. (1997). Multimethodology: towards a framework for mixing methodologies. *Omega*, 25(5): 489-509.
- Nance, R. (1994). "The Conical Methodology and the evolution of simulation model development." *Annals of Operations Research* 53(1): 1-45.

- Nisbett, R. E. and T. D. Wilson (1977). "Telling more than we can know: Verbal reports on mental processes." *Psychological Review* 84(3): 231-259.
- Nunamaker, J. F., Applegate, L. M., and Konsynski, B. R. (1988). Computer-Aided Deliberation: Model Management and Group Decision Support: Special Focus Article. *Operations Research*, 36(6): 826-848.
- Nutt, P. (1986). "Tactics of Implementation." *The Academy of Management Journal* 29(2): 230-261.
- Papamichail, K. N., G. Alves, S. French, J. B. Yang and R. Snowdon (2007). "Facilitation practices in decision workshops." *Journal of the Operational Research Society* 58(5): 614-632.
- Phillips, L. D. and M. C. Phillips (1993). "Facilitated Work Groups: Theory and Practice." *Journal of the Operational Research Society* 44(6): 533-549.
- Pidd, M. (2007). *Making sure you tackle the right problem: linking hard and soft methods in simulation practice*. In the Proceedings of the 2007 Winter Simulation Conference, S.G. Henderson, B. Biller, M.-H.Hsieh, J.D.T. Shortle, and R.R. Barton (eds.), Washington D.C., Institute of Electrical and Electronic Engineers, Inc.195-204.
- Pidd, M. (2004). *Computer Simulation in Management Science*. Chichester, John Wiley & Sons.
- Richardson, G. P. and D. F. Andersen (1995). "Teamwork in group model building." *System Dynamics Review* 11(2): 113-137.
- Roberts, E. (1977). Strategies for Effective Implementation of Complex Corporate Models. *Interfaces*, 8(1): 26-33.
- Roberts-Gray, C. (1985). "Managing the implementation of innovations." *Evaluation and Program Planning* 8(3): 261-269.
- Robinson, S. (2001). "Soft with a hard centre: discrete-event simulation in facilitation." *Journal of the Operational Research Society* 52(8): 905.
- Robinson, S. (2004). *Simulation: The Practice of Model Development and Use*. Chichester, John Wiley & Sons.
- Robinson, S. (2008). "Conceptual modelling for simulation Part I: definition and requirements." *Journal of the Operational Research Society* 59(3): 278-290.
- Robinson, S., Worthington, C., Burgess, N. and Radnor, Z.J. (2014). Facilitated modelling with discrete-event simulation: Reality or myth? *European Journal of Operational Research*, 234 (1): 231–240.
- Rosenhead J (ed.). (1999). *Rational Analysis for a Problematic World*. John Wiley & Sons: Chichester.
- Rosenhead, J. and J. Mingers (2001). *Rational Analysis for a problematic world revisited*. Chichester, Wiley.
- Rouwette, E., J. Vennix and A. Felling (2009). "On Evaluating the Performance of Problem Structuring Methods: An Attempt at Formulating a Conceptual Model." *Group Decision and Negotiation* 18(6): 567-587.
- Rouwette, E. A. J. A. (2011). "Facilitated modelling in strategy development: measuring the impact on communication, consensus and commitment." *Journal of the Operational Research Society* 62(5): 879-887.
- Sargent, R. G. (2001). *Some approaches and paradigms for verifying and validating simulation models* in B. A. Peters, J. S. Smith, D. J. Medeiros, and M. W. Rohrer, (eds.) Proceedings of the 2001 Winter Simulation Conference, December 9-12 2001, Arlington, VA, USA. 106-114.
- Schein, E. H. (2006). *Organizational culture and leadership* (Vol. 356). John Wiley & Sons.
- Schoemaker, P. J. H. (1995). "Scenario Planning: A Tool for Strategic Thinking." *Sloan Management Review* 36(2): 25-40.

- Schultz, M., and Hatch, M. J. (1996). Living With Multiple Paradigms the Case of Paradigm Interplay in Organizational Culture Studies. *Academy of Management Review*, 21(2), 529-557.
- Shaw, D., Westcombe, M., Hodgkin, J. and Montibeller, G. (2004). *Problem structuring methods for large group interventions*. *Journal of the Operational Research Society* 55(5): 453-463.
- Snabe, B. (2007). *The use of system dynamics in organizational interventions: a participative modelling approach supporting change management efforts*. Verlag, Deutscher Universitats. PhD thesis.
- Taket, A. (2002). "Facilitation: some contributions to theorising the practice of operational research." *Journal of the Operational Research Society* 53(2): 126-136.
- Tako A.A., Kotiadis K, Vasilakis C, Miras A and le Roux CW. (2014) Improving patient waiting times: a simulation study of an obesity care service study. *BMJ Quality and Safety*. 23, pp. 373-381.
- Vennix, J. A. M. (1996). *Group Model-building: Facilitating Team Learning Using System Dynamics*. Chichester, Wiley.
- Wilson, J.C.T. (1981). Implementation of computer simulation projects in health care. *J Opl Res Soc* 32(9): 162-164.
- Young, T., Eatock, J., Jahangirian, M., Naseer, A. and Lilford, R.J. (2009) Three Critical Challenges for Modeling and Simulation in Healthcare in: M. D. Rossetti, R. R. Hill, B. Johansson, A. Dunkin and R. G. Ingalls, (eds.) *Proceedings of the 2009 Winter Simulation Conference*, Austin, Texas, USA, 13-16 December 2009, p. 1823-1830.