



Kent Academic Repository

Le Luyer, Mona, Coquerelle, Michael, Rottier, Stéphane and Bayle, Priscilla (2016) *3D models related to the publication: Internal tooth structure and burial practices: insights into the Neolithic necropolis of Gurgy (France, 5100-4000 cal. BC)*. MorphoMuseum, 2 (1). ISSN 2274-0422.

Downloaded from

<https://kar.kent.ac.uk/62146/> The University of Kent's Academic Repository KAR

The version of record is available from

<https://doi.org/10.18563/m3.2.1.e1>

This document version

Publisher pdf

DOI for this version

Licence for this version

CC BY-NC (Attribution-NonCommercial)

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in *Title of Journal*, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our [Take Down policy](https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies) (available from <https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies>).

3D models related to the publication: Internal tooth structure and burial practices: insights into the Neolithic necropolis of Gurgy (France, 5100-4000 cal. BC).

Le Luyer Mona^{1*}, Coquerelle Michael², Rottier Stéphane¹, Bayle Priscilla¹

¹UMR 5199 PACEA, Université de Bordeaux, CNRS, MCC, Bâtiment B8, Allée Geoffroy Saint Hilaire, CS 50023, 33615 Pessac Cedex, France

²Department of Oral Surgery, Rey Juan Carlos University, Alcorcon, Spain

*Corresponding author: mona.le-luyer@u-bordeaux.fr

Abstract

The present 3D Dataset contains the 3D models of external and internal aspects of human upper permanent second molars from the Neolithic necropolis analyzed in the following publication: Le Luyer M., Coquerelle M., Rottier S., Bayle P., 2016. Internal tooth structure and burial practices: insights into the Neolithic necropolis of Gurgy (France, 5100-4000 cal. BC). Plos One 11(7): e0159688. doi: [10.1371/journal.pone.0159688](https://doi.org/10.1371/journal.pone.0159688)

Keywords: modern humans, Neolithic, upper permanent second molars

Submitted:2016-03-13, published online:2016-25-07. doi: [10.18563/m3.2.1.e1](https://doi.org/10.18563/m3.2.1.e1)

INTRODUCTION

The 3D models correspond to virtually reconstructed crowns of upper permanent second molars (UM2) from 20 Neolithic humans of the necropolis of Gurgy (France) (see Table 1). Crown tissue proportions, thickness and distribution of enamel, as well as enamel-dentine junction shape were assessed to characterize subtle phenotypic dental variation and its underlying causes among individuals buried at Gurgy. In order to finely quantify size and shape variations in a micro-evolutionary context, original methods and templates were developed. The results show that intrasite dental variation reflects burial practices and chronocultural parameters. Underlying causes of these internal tooth structure variations were suggested (see Le Luyer et al., 2016).

METHODS

Following the half-maximum height method (Coleman & Colbert, 2007; Spoor et al., 1993), a semi-automatic threshold-based segmentation with manual corrections was conducted using Avizo 7.0 (Visualization Sciences Group). The 3D surface models were generated using a constrained smoothing algorithm. For each specimen, the outer enamel surface (OES) and the enamel-dentine junction (EDJ) are provided in .ply format, and can therefore be opened with a wide range of freeware. For slightly worn teeth, reconstructions of the apex of dentine horn tips were made using Avizo 7.0 (Visualization Sciences Group).

ACKNOWLEDGEMENTS

This study was supported by the Research National Agency through the DHP project (dir: S. Rottier; 2012-14; Université Bordeaux 1/LaScArBx; Grant number: ANR-10-LABX-52) and the PEPS 3Dent'in (dir: P. Bayle; 2013-14; PEPS IdEx Bordeaux/CNRS; Grant number: ANR-10-IDEX-03-02). M. Le Luyer benefited from a doctoral grant of the Ministère de l'Enseignement Supérieur et de la Recherche. MicroCT data presented in this work were produced through the technical facilities of the MRI platform and of the labEx CeMEB. We are grateful to Renaud Lebrun.

BIBLIOGRAPHY

- Coleman, M. N., Colbert, M. W., 2007. Technical note: CT thresholding protocols for taking measurements on three-dimensional models. *Am J Phys Anthropol* 133(1), 723-725. doi: [10.1002/ajpa.20583](https://doi.org/10.1002/ajpa.20583).
- Spoor, F., Zonneveld, F., Macho, G. A., 1993. Linear measurements of cortical bone and dental enamel by computed tomography: applications and problems. *Am J Phys Anthropol* 91(4), 469-484. doi: [10.1002/ajpa.1330910405](https://doi.org/10.1002/ajpa.1330910405).
- Le Luyer M., Coquerelle M., Rottier S., Bayle P., 2016. Internal tooth structure and burial practices: insights into the Neolithic necropolis of Gurgy (France, 5100-4000 cal. BC). *Plos One* 11(7): e0159688. doi: [10.1371/journal.pone.0159688](https://doi.org/10.1371/journal.pone.0159688).

Model IDs	Taxon	Short description
M3#75_GLN04-206-ULM2	<i>Homo sapiens</i>	OES and EDJ of left UM2
M3#74_GLN04-201-ULM2	<i>Homo sapiens</i>	OES and EDJ of left UM2
M3#76_GLN05-213-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#77_GLN05-215A-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#78_GLN06-215B-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#79_GLN06-223-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#80_GLN04-229-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#81_GLN05-243B-ULM2	<i>Homo sapiens</i>	OES, EDJ and reconstructed dentine horn tip of left UM2
M3#82_GLN04-248-ULM2	<i>Homo sapiens</i>	OES, EDJ and reconstructed dentine horn tip of left UM2
M3#83_GLN04-252-ULM2	<i>Homo sapiens</i>	OES and EDJ of left UM2
M3#84_GLN04-253-ULM2	<i>Homo sapiens</i>	OES and EDJ of left UM2
M3#85_GLN05-257-URM2	<i>Homo sapiens</i>	OES, EDJ and reconstructed dentine horn tip of right UM2
M3#86_GLN04-264-ULM2	<i>Homo sapiens</i>	OES and EDJ of left UM2
M3#87_GLN04-277-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#88_GLN04-289B-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#89_GLN06-291-URM2	<i>Homo sapiens</i>	OES, EDJ and reconstructed dentine horn tip of right UM2
M3#90_GLN05-292-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2
M3#91_GLN05-294-ULM2	<i>Homo sapiens</i>	OES, EDJ and reconstructed dentine horn tip of left UM2
M3#92_GLN05-301-ULM2	<i>Homo sapiens</i>	OES and EDJ of left UM2
M3#93_GLN05-308-URM2	<i>Homo sapiens</i>	OES and EDJ of right UM2

Table 1. List of models. OES: outer enamel surface. EDJ: enamel-dentine junction. UM2: upper permanent second molar