

## **Kent Academic Repository**

## Tamè, Luigi (2016) *Modulatory Effects on Structural Body Representations.* In: Bodily sensations and bodily awareness: building blocks of subjectivity, 10-11 October 2016, Paris, France.

Downloaded from https://kar.kent.ac.uk/98831/ The University of Kent's Academic Repository KAR

The version of record is available from https://doi.org/Session 1, Monday 10th October

This document version Publisher pdf

**DOI for this version** 

Licence for this version UNSPECIFIED

**Additional information** 

#### Versions of research works

#### **Versions of Record**

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

#### **Author Accepted Manuscripts**

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in *Title of Journal*, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

#### **Enquiries**

If you have questions about this document contact <u>ResearchSupport@kent.ac.uk</u>. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our <u>Take Down policy</u> (available from <u>https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies</u>).

# Modulatory Effects on Structural Body Representations

# Luigi Tamè

Birkbeck, University of London



Paris, 10 October 2016

## Primary sensory processing

(basic sensory mechanisms underlying bodily senses)

#### Body schema (dynamic model of body posture underlying skilled action)

#### Body model (metric properties of the body, size, shape...)

### Body structural description


(topological model of the locations and size of body parts relative to each other)

(e.g., Longo et al., 2010; de Vignemont, 2010)


Knowledge of the spatial configuration of bodies is mediated by a representation called the "**body structural description**" (BSD)

The existence of distinct representations of body structure has classically been supported by neuropsychological evidence of patients with conditions such as <u>autotopoagnosia</u> and finger <u>agnosia</u>.

Such patients fail to point to body parts on verbal command (**autotopoagnosia**) or to identify their fingers (**finger agnosia**), but they are relatively unimpaired in skilled action.



Signs of finger agnosia in healthy people have been found using the **In-Between task** (e.g., Rusconi et al., 2009; Tamè et al., in preparation).




(1) identifying which fingers are touched

(2) locating the touched fingers within a structural model of the hand that represents at least the touched fingers and the untouched fingers

Tamè, Farnè & Pavani (in preparation)


# Neural correlates of finger gnosis



The left a-mIPL may provide the core substrate of an explicit bilateral body structure representation for the fingers

Rusconi, Tamè et al (2014) Journal of Neuroscience


Is the body structural description <u>fixed</u> or it can be modulated by the real-time posture of the body?



Postural changes can affect the representation of **hand size**, with no apparent effect on hand shape.

# Aim (In-Between test)

We investigated whether structural body descriptions are modulated by dynamic changes in body posture using the "inbetween" test, a classical measure of finger agnosia.




How many unstimulated fingers are "In-Between" the two touched fingers?

### N=30 Tactile stimuli: 5 ms 72 trials x 6 blocks (ABCCBA)

Tamè, Dransfield, Quettier & Longo (under review)

# Results (In-Between test)



Overall underestimation of finger numerosity.

Judgements were higher when the fingers were splayed compared to when they were close or touching.


This effect was present only when tactile stimuli were presented on non-adjacent fingers.


Tamè, Dransfield, Quettier & Longo (under review)

# Aim (tactile localisation task)

- 1. Changes in posture might have altered the representation of the fingers themselves.
- 2. Alternately, posture may have altered the localisation of touch.
  - To address this question we used a tactile localisation task in which participants verbally judge which two fingers were touched.








Which fingers were touched?

# Results (localisation task)



Results using the localisation task replicate the ones from the In-Between test.

Therefore, posture alters the localisation of touch on nonadjacent fingers. - Body structural descriptions are not as fixed as commonly thought

- Adoption of body structural descriptions seem to be required when body parts are not directly adjacent.

- This dissociation can be attributed to the fact that normally, adjacent body parts fingers, are not supposed to change their relative position in space (physical mechanical constraints)

# Acknowledgments



**Prof. Matthew R Longo** 

Elanah Dransfield (Research Assistant at Bodylab)

Thomas Quettier (Research Assistent at Bodylab)



# Thanks for your attention

## Luigi Tamè

(luigi.tame@gmail.com)



Birkbeck, University of London