

Kent Academic Repository

Parker, B. G., Khanyarn, M., Ambarli, H., Buuveibaatar, B., Kabir, M., Khanal, G., Mirzadeh, H. R., Onon, Y. and Farhadinia, Mohamma (2023) A review of the ecological and socioeconomic characteristics of trophy hunting across Asia. Animal Conservation, 26 (5). pp. 609-624. ISSN 1367-9430.

Downloaded from <u>https://kar.kent.ac.uk/99567/</u> The University of Kent's Academic Repository KAR

The version of record is available from https://doi.org/10.1111/acv.12840

This document version Publisher pdf

DOI for this version

Licence for this version CC BY-NC-ND (Attribution-NonCommercial-NoDerivatives)

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in *Title of Journal*, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact <u>ResearchSupport@kent.ac.uk</u>. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our <u>Take Down policy</u> (available from <u>https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies</u>).

REVIEW

A review of the ecological and socioeconomic characteristics of trophy hunting across Asia

B. G. Parker¹ , M. Khanyari², H. Ambarlı³ , B. Buuveibaatar⁴ , M. Kabir⁵, G. Khanal⁶ , H. R. Mirzadeh⁷, Y. Onon⁸ & M. S. Farhadinia^{9,10}

- 1 Department of Biology, University of Oxford, Oxford, UK
- 2 Nature Conservation Foundation, Mysore, India
- 3 Department of Wildlife Ecology and Management, Faculty of Forestry, Düzce University, Düzce, Turkey
- 4 Wildlife Conservation Society, Mongolia Program, Ulaanbaatar, Mongolia
- 5 Wildlife Ecology Lab, Department of Forestry & Wildlife Management, University of Haripur, Haripur, Pakistan
- 6 Department of National Parks and Wildlife Conservation, Ministry of Forests and Environment, Government of Nepal, Kathmandu, Nepal
- 7 Freelance conservationist, Tehran, Iran
- 8 World Wide Fund for Nature Mongolia, Ulaanbaatar, Mongolia
- 9 Oxford Martin School and Department of Biology, University of Oxford, Oxford, UK
- 10 Durrell Institute of Conservation and Ecology, School of Anthropology and Conservation, University of Kent, Canterbury, UK

Keywords

Asia; conservation spending; communities; other effective area-based conservation measures (OECM); revenue sharing; trophy hunting; socioeconomics.

Correspondence

Mohammad S. Farhadinia, Oxford Martin School and Department of Biology, University of Oxford, 34 Broad Street, Oxford OX1 3BD and Durrell Institute of Conservation and Ecology, School of Anthropology and Conservation, University of Kent, CT2 7NR, Canterbury, UK. Email:

mohammad.farhadinia@biology.ox.ac.uk

Editor: lain Gordon

Received 18 March 2022; accepted 16 November 2022

doi:10.1111/acv.12840

Abstract

The continuing debates about trophy hunting should be underpinned by an understanding of at least the basic characteristics of the practice (e.g. species, quotas, areas, prices). Whilst many countries in Asia have established trophy hunting programmes of considerable importance to conservation and local livelihoods, there remains some ambiguity over the extent of trophy hunting in Asia as its basic characteristics in each country have not been compiled. In this study, we compile information on various ecological and socioeconomic characteristics of trophy hunting of mammals for countries across Asia by reviewing published and unpublished literature, analysing trade data, and obtaining contributions from in-country contacts. Across Asia, established trophy hunting programmes exist in at least 11 countries and target at least 30 species and one hybrid (incl., five Vulnerable and one Endangered species). Trophy hunting in these countries varies markedly in areas (e.g. >1 million km² in Kazakhstan, 37% of country, vs. 1325 km² in Nepal, <1% of country) and annual offtakes (e.g. Kazakhstan: 4500 individuals from 4 of 5 trophy species; Pakistan: 229 from 4 of 7; Mongolia: 155 from 6 of 9; Tajikistan: 126 from 3 of 6; Nepal: 22 from 3 of the 4 that are trophy hunted in practice). Permit prices also vary across species and countries, with domestic and international hunters sometimes charged different rates. Hunters from the USA appear overwhelmingly prominent among international clients. National legislations typically mandate a proportion of trophy hunting revenue to accrue locally (range: 40-100%). We provide five key recommendations for research to inform trophy hunting policy in Asia: (1) Ecological impact assessments; (2) Socioeconomic impact assessments; (3) Evaluations of the contributions of trophy hunting to conservation spending; (4) Evaluations of the contributions of trophy hunting to the post-2020 Global Biodiversity Framework; (5) Further examinations of perceptions of trophy hunting.

Introduction

Trophy hunting is controversial and challenging to implement, which can lead to divergent views and fierce debates over its appropriateness and effectiveness (Houdt *et al.*, 2021). For example, Horowitz (2019) appealed to stop trophy hunting in Africa, whereas Dickman *et al.* (2019) outlined the risks of trophy hunting bans for conservation. Trophy hunting is a form of sport hunting in which wild animals are valued as trophies. Parts of the hunted animal (often exceptional physical attributes such as large horns) are kept and displayed by the hunter to honour the animal and

Animal Conservation •• (2023) ••-•• © 2023 The Authors. Animal Conservation published by John Wiley & Sons Ltd on behalf of Zoological Society of London. **1** This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

remember the hunting experience (Johnson *et al.*, 2010). Normally, annual quotas are set by governing bodies, hunts are marketed by outfitters (IUCN, 2016), and the hunting itself is conducted in designated areas run by private entities, government bodies or community organisations (Baldus, Damm, & Wollscheid, 2008; IUCN, 2016).

In certain cases, and across multiple continents, trophy hunting is thought to contribute towards conservation by incentivising species and habitat protection, as well as to generate valuable revenue for local communities and at national levels (Baldus et al., 2008). Committing to certain principles can promote the sustainability of trophy hunting; for instance, adhering to suitably low, evidence-based offtakes and restricting hunting to mature, non-breeding individuals (Nelson, Lindsey, & Balme, 2013; Di Minin, Leader-Williams, & Bradshaw, 2016). Sustainable trophy hunting may be a particularly important conservation tool where ecotourism is not feasible, such as remote areas with low wildlife densities, as trophy hunting often generates more revenue per client and hunters are more tolerant of harsh conditions (Booth, 2002; Leader-Williams & Hutton, 2005). Moreover, the adequate distribution of benefits from trophy hunting can bolster local support for conservation (Nelson et al., 2013; Angula et al., 2018).

Trophy hunting, however, can also have deleterious impacts. Valid criticisms of certain hunting programmes can be ecological, social and ethical. Ecological problems can include driving population declines and disrupting age-sex and social structures (Loveridge *et al.*, 2007; Packer *et al.*, 2010), while social problems may involve the inadequate or inequitable distribution of benefits which often stem from poor trophy hunting governance (Nelson *et al.*, 2013). More fundamental concerns about trophy hunting relate to animal welfare and the ethics of the practice, which arguably constitute the main obstacles to trophy hunting as an acceptable conservation tool (Batavia *et al.*, 2018).

The trophy hunting industry has received a wealth of attention in both public and academic spheres - especially trophy hunting in areas of sub-Saharan Africa (Lindsey, Roulet, & Romanach, 2007). Yet, in comparison to other areas, trophy hunting in Asia has received relatively little attention in the public and academic spheres. This is despite the fact that trophy hunting in Asia involves a diverse array of species, mainly ungulates like markhor Capra falconeri, Siberian ibex Capra sibirica, argali Ovis ammon, chamois Rupicapra rupicapra, and mouflon Ovis gmelini, as well as carnivores like grey wolf Canis lupus and brown bear Ursus arctos, and that, in some areas, it yields valuable benefits for local communities (Ali et al., 2015; Aryal et al., 2015; Karimov & Cooney, 2019; Rashid et al., 2020). Many trophy hunting areas in Asia also harbour conservation-priority wildlife, such as snow leopard Panthera uncia and Persian leopard Panthera pardus tulliana (Nawaz et al., 2016; Farhadinia et al., 2018; Hosseini et al., 2019), meaning that the impacts of trophy hunting could have cascading effects on the conservation of such co-occurring species (Farhadinia, Moqanaki, & Hosseini-Zavarei, 2014). Moreover, recently established trophy hunting programmes in Japan and the United Arab Emirates indicate that, from a certain perspective, the practice is spreading in Asia (Igota & Suzuki, 2008; Barari Hunting, 2021). However, comprehensive information on the characteristics of trophy hunting across the continent is currently lacking.

Therefore, our main goal of this paper is to consolidate and outline the key ecological and socioeconomic characteristics of trophy hunting in Asia. First, we outline the areas, species, and countries involved in the trophy hunting. We then consider socioeconomic characteristics of the trophy hunting by outlining tender permit prices, mandated revenue sharing, and client origin. Based on these findings, we recommend future directions for research and action on the ecological and socioeconomic impacts of trophy hunting in some of the Asian countries. Although still hampered by a lack of robust information and ambiguity, this paper is the most comprehensive compilation of existing information on trophy hunting for Asia.

Materials and methods

We first surveyed trophy hunting outfitter websites to determine a conservative list of taxonomic and geographic scope of our study (Supporting Information Table S1). Although trophy hunting was advertised in Georgia, Japan, and the United Arab Emirates, we omitted these countries as their hunting industries appeared relatively minor. We then compiled our database of trophy hunting characteristics using three sources of data: existing literature, in-country contacts, and the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) trade database (https://trade.cites.org/en/cites_trade) (Supporting Information Table S2).

Literature review

We obtained information on trophy hunting of mammals in Asia by reviewing published and unpublished literature that satisfied the following inclusion criteria. First, the topic of the literature related directly to trophy hunting of mammals, in that it contained details on certain aspects of trophy hunting (Supporting Information Table S2) or evaluated its impacts at any scale in Asia. Literature could have any publication date and report figures from any time period, yet only the most recent figures are reported in this paper. Finally, as far as could be determined, any figures presented were reliable - for instance, figures directly or indirectly from an official government body or those presented in peerreviewed journal articles. Google Scholar search engine was used to identify relevant scholarly literature. Our boolean search criteria included the following keywords: ("trophy hunting" OR "sport hunting" OR "recreational hunting") AND ("Asia" OR "Azerbaijan" OR "Iran" OR "Turkey" OR "Kazakhstan" OR "Kyrgyzstan" OR "Tajikistan" OR "Uzbekistan" OR "Nepal" OR "Pakistan" OR "Mongolia" OR "Russia").

This search returned 7302 pieces of literature. Based on an assessment of titles against our inclusion criteria of relevance, timeframe, and reliability, we reduced this literature set to 198 documents. Whole documents were then considered against our inclusion criteria and 73 were kept. From this literature we compiled information on country-level ecological (e.g. annual offtakes, total area), socioeconomic (e.g. permit prices at tender, revenue sharing) and governance (e.g. land ownerships status) aspects of trophy hunting. We reported the most recent figures obtained. Permit price at tender is the amount paid by hunters or hunting outfits to a respective governing body to secure the opportunity to hunt an animal. This first transaction for securing the permit to hunt can be followed by various steps leading to the actual hunting such as direct hunting by the hunter obtaining the permit or auction of the permit by a hunting outfits to the highest bidder wanting to hunt. We focus on this component because it usually constitutes a relatively large proportion of revenue that is directly attributable to trophy hunting and can be broadly compared across species and countries. Nevertheless, we acknowledge that trophy hunting can also generate revenue via other avenues, like through fees to access hunting grounds, hire guides, and secure accommodation These other benefits maybe substantial for the local communities and need accounting for in future investigations. For prices reported in a local currency, we used the historical exchange rate for January of the given year (as reported by the International Monetary Fund; https://www.imf.org/ external/np/fin/data/param rms mth.aspx) to calculate a USD value. In addition, to contextualise our information on revenue sharing from trophy hunting, trophy hunting revenue is usually considered to be the revenue generated from the sale of hunting permits at tender. This transaction may be between government bodies and hunting clients directly, or between government bodies and hunting outfitters who in turn sell the permits to clients.

Other sources of information

We supplemented the information gathered from existing literature by contacting in-country academics and practitioners who, in some cases, were able to provide recent figures. We approached six expert in-country contacts (authors 3–6) and requested information on specified aspects of trophy hunting in the given country (Table 1). Where possible, this information was used to supplement figures taken from the compiled literature.

Data collection from the CITES database on trophy trade from Asia for 2010–2019 broadly followed the approach of Mallon (2013). We therefore only extracted trade records for bodies, skulls, skins, or trophies (collectively referred to as trophy items). Restricting the extract to these products prevented exaggerated estimates of actual trophy trade as these are the primary trophy items. This is substantiated by the fact that each trophy (e.g. skin or horns) from the range of animals trophy hunted in Asia is obtained from an individual. In addition, only shipments with purpose code *Hunting Trophy* or *Personal* were included. An exception to these criteria was made for trophies, for which *Commercial* shipments were also included. The purpose code *Hunting Trophy* refers to trade in whole animals or derivates that were

legally obtained by the hunter via hunting for the hunter's personal use and are being transported by or on behalf of the hunter as part of the transfer from its country of origin, ultimately to the hunter's state of residence. Purpose code Personal presumably refers to specimens transported for personal or non-commercial reasons, whilst Commercial relates to trade for the purpose of obtaining economic benefit (whether cash or otherwise). This process yielded a trade database of trade in Asian trophies, each with source country, destination country, and number of items. From this database, we calculated the average annual quantity of trophy items exported from Asian countries with major trophy hunting industries for each CITES-listed trophy species (2010-2019). We also calculated the number of trophy items imported into the main destination countries for each CITESlisted trophy species (2010-2019).

Results

A total of 76 trophy hunting outfitter websites involved in trophy hunting across Asia were surveyed. We identified 11 Asian countries to have an established trophy hunting industry (Figure 1). Our literature search and refinement process yielded a total of 73 pieces of published and unpublished literature related to trophy hunting in Asia between 1998 and 2020. Most figures obtained from the literature are relatively recent; for instance, 74% and 93% of the offtake and permit price figures, respectively, belong to post-2010 period. Information on trophy hunting from our six expert in-country contacts was more recent (post-2017). We also gathered 2123 shipment reports from the CITES database for the period between 2010–2019, which comprises of 9972 presumed trophy items.

Trophy hunting areas

Trophy hunting can be carried out across vast areas of some countries in Asia; for example, around 1 008 213 km² of Kazakhstan (37% of the country; Michel et al., 2015), 332 846 km² of Turkey (43% of country; H. Ambarlı, 2021; pers. comm.), 139 930 km² of Kyrgyzstan (70% of country; Nordbø, Turdumambetov, & Gulcan, 2017), and at least 35 534 km² of Pakistan (4% of country; Muhammad Kabir, 2021; pers. comm.). In contrast, trophy hunting is only permitted in 1325 km^2 area of Nepal (G. Khanal, 2021, personal communication). We were unable to identify the total areas for trophy hunting in other countries. There are five main types of areas in which trophy hunting is carried out through established programmes in Asia: (1) State-managed protected areas; (2) Community-managed hunting concessions; (3) Privately managed hunting areas; (4) Areas of mixed governance (i.e. a combination of state, community, and private); and (5) Free areas without any specific type of management.

Target species

At least 30 species (plus red sheep, a hybrid between mouflon and urial) of mammal from 8 families are regularly

		West	Asia			
*			R.	-		
Azerbaijan		Ira	an		Turkey	
7 7 2 2		6 🐂	0	-	2 *1	
		Centra	al Asia			
	.)		Ŵ			1 /**
Kazakhstan	Kyrgy	zstan	Tajikista	n	Uzbel	kistan
6 1	4	1	5 🐂 1	T	4	1
			1			
Rus	ssia			Mon	golia	
17	5			8 🐂	1	
		South	n Asia			
					F	
Nep	al *2			Pakis	stan	
4	okt			6 🦷	1	

Figure 1 The 11 countries in Asia with established trophy hunting programmes included in this study. Markhor and wolf silhouettes denote number of herbivore and carnivore species targeted by trophy hunting programmes in each country, respectively. Further details are provided in Table 2. *¹Note that brown bear hunting was open in 2015 and 2016 in Turkey and, whilst brown bear and grey wolf are protected under Turkey's national law and the EU Habitat directives, Turkey has an exception for damage causing bears and wolves and can intermittently declare quotas to hunt them. *²Note that as many as 10 species are legally allowed for hunting in Nepal, but in practice only a few species are actually trophy hunted.

targeted for trophy hunting in Asia (Table 1). This consists of 25 species of herbivores (plus the red sheep) and 5 species of carnivore (including brown bear and Asiatic black bear). Fifty-seven percent of the species (n = 17) are listed as Least Concern on the IUCN Red List and 23% are listed as Near Threatened (n = 7). Twenty percent of the species

Image: Norm of the sector of the s					West Asia	g		Central Asia	sia					Central Asia	Asia
Brown Wei Gana Mart Instantened WS 110^{11}	nily	Species		IUCN Red List category	Azerbaija	in Iran	Turkey	Kazakhst	an Kyrgyzsta		Uzbekistan	Nepal	Pakistan	Mongoli	Mongolia Russia
pdd Luciosity Luciosity enginatisy Luciosity enginatisy Luciositerangeteeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee	idae	Bezoar	Capra	Near threatened		WS:	312 ^{13,a}						YES		YES
Lumination Caraction Indication Indication <thindication< th=""> Indication Indicatio</thindication<>		goat	aegagrus			144 ¹									
Turn Catacitation		West	Capra	Endangered											YES
Unit Constrained Mentioned Visit Sector Se		Caucasian	caucasica												
Under Inter 		Tur													
Tur Optimized Mucho Rear Interleted YS 15 ² Sterial Rear Interleted YS 900 ² 60 ³⁰ 00 ¹ Sterial Statistical Numerationed YS 21 6 ³ 60 ³¹ 60 ¹¹ Sterial Statistical Numerationed YS 21 6 ³¹ 60 ³¹ 60 ³¹ Tar Partinetacioned Numerationed Numerationed 21 6 ³¹ 60 ³¹ 61 ³¹ Statistical Statistical Numerationed Numerationed 144 ¹ 145 ¹ 145 ¹		Dagestan	Capra		YES										YES
Marthul Gapan Name threatened YS 15 ¹ Settion Gara shifts ker threatened YS 90 ² 55 ³ 60 ³ Gabele axiputs Vulterable YS 5 ³ 61 ³ 60 ³ Handjan maniform ker threatened YS 5 ³ 61 ³ 60 ³ Handjan position ker threatened YS 5 ³ 5 ³ 5 ¹¹ Karthur ker threatened XS 5 ³ 5 ³ 5 ³ 5 ¹¹ Karthur ker threatened YS 5 ³ 5 ³ 5 ³ 5 ¹¹ Karthur ker threatened YS 5 ³ 5 ³ 5 ¹¹ 5 ¹¹ Karthur ker threatened YS 5 ³ 5 ³ 5 ¹¹ 5 ¹¹ Karthur ker threatened YS 5 ³ 5 ³ 5 ¹¹ Karthur ker threatened YS 5 ³ 5 ³ 5 ³ Karthur Ker thur Ker		Tur	cylindricornis												
Bitcome Insure Base Bitcome Sector Sector Sector <td></td> <td>Markhor</td> <td>Capra</td> <td>Near threatened</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>15¹²</td> <td>YES</td> <td></td> <td>12¹⁰</td> <td></td> <td></td>		Markhor	Capra	Near threatened						15 ¹²	YES		12 ¹⁰		
Behan Capa signita Manthemed YES 50 ⁻¹ 50			falconeri												
Bek All the state of the state		Siberian	Capra sibirica	Near threatened	YES			900 ²	650 ^{5,a}	60 ¹⁷	YES		150 ⁹	607	YES
Golered Gazelle Vunerable 221 613 Second Himidigin Heartingzon Heartingzon Heartingzon Heartingzon Heartingzon Second Second <td></td> <td>lbex</td> <td></td>		lbex													
Gazelle Bugguttrons Tarpison Rentenend Tarpison Norsimme Moultin Oris symein Moultin Dis symein Moultin Dis symein Mongolian Procepta Paradicis Least concern Mongolian Procepta Paradicis Least concern Mongolian Procepta Mongolian Mongolian		Goitered	Gazella	Vulnerable		22 ¹	6 ¹³							YES	
Hindingian Manifaciona Naturalizationa Naturalizationa <td></td> <td>Gazelle</td> <td>subgutturosa</td> <td></td>		Gazelle	subgutturosa												
Talk Binking S11 Nordinic 0sigmenti hententened vis. 51 Nordinic 0sigmenti hententened vis. 51 Red Sheep 0sigmenti kent hentened vis. 51 Nordinic Norgineri kent hentened vis. 51 Osis sympeti least concern vis. 51 141 Osis sympeti least concern vis. 51 vis. Monopolan Procapria teast concern vis. vis. vis. Monopolan Ater aboversi		Himalayan	Hemitragus	Near threatened								78			
AgainDois anmonNear threatened 31^{-1} 30^{-3} 51^{-1} NoullonDis granelini kar threatenedWS: 5^{-3} 90^{-3} 51^{-1} Red SheepDis vignelNot applicableWS: 144^{-1} YS:Sovi vignelDis vignelWS: 144^{-1} YS:Sovi vignelDis vignelWS: 144^{-1} YS:NorgolianProcpaLeast concernWS:YS:NorgolianProcpaLeast concernWS:YS:NorgolianProcpaLeast concernWS:YS:NorgolianProcpaLeast concernWS:YS:NorgolianProcpaLeast concernYS:YS:NorgolianProcpaLeast concernYS:YS:NorgolianRuparianLeast concernYS:YS:NorgolianConsi UpusYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast concernYS:YS:YS:NorgolianLeast		Tahr	jemlahicus												
Moutlon Oris granding of synding Net applicable of synding Visit set Street Visit Set Street Visit Set Street Visit Set Street Visit Set Set Street Visit Set Set Set Set Set Set Set Set Set Se		Argali	Ovis ammon	Near threatened					80 ^{3,a}	51 ¹¹	4 ¹⁵			40 ⁶	YES
Red Sheep Oris granelini Oris uppei Not applicable WS: 144 ¹ Sino Sheep Doix uppei Usat concern Usat Join Nicola Loix uppei Least concern WS: 144 ¹ YS Nongolan Provincia Least concern WS: 144 ¹ YS Nongolan Provincia Least concern WS: 144 ¹ YS Nongolan Provincia Least concern WS: 144 ¹ YS Least concern Proverus YS 23 ³ YS Least concern Proprinting and traiting and trai		Mouflon	Ovis gmelini	Near threatened		WS: 144 ¹	5 ¹³						YES		
Monopolient Ons symethy On symethy Snow Sheep Monopolient On symethy On symethy On symethy On symethy On symethy On symethy Bue Sheep Mathy Bast concern Bue Sheep Mathy Bast concern Bast concern Derivation (Cambrid Bue Sheep Mathy Bast concern Bast concern Derivation (Cambrid Bue Sheep Mathy Bast concern Bast concern Derivation (Cambrid Bue Sheep Mathy Bast concern Bast concern Derivation (Cambrid Bast concern Derivation (Cambrid Derivation (Cambrid		Dod Choon	Ovic amolini v	Not applicable											
Snow Sheep Oniv organish Least concern WS: YEA Uniongolian Procapra Least concern WS: 144 ¹ YEA Mongolian Procapra Least concern WS: Least concern YEA Mongolian Procapra Least concern YEA YEA YEA Mongolian Procapra Least concern YEA YEA YEA Municapra Least concern YEB Least concern YEB YEB YEB Mongolian Canis lupus Least concern YEB YEB YEB YEB Mongolian Canis lupus Least concern YEB YEB YEB YEB Mongolian Alexa alexa Least concern YEB YEB YEB YEB Mongolian Alexa alexa Least concern YEB YEB YEB YEB Revicings Least concern YEB Least concern YEB YEB YEB YEB Red Deer Ca			Ovis vianei			144 ¹									
Urial Oris vignei Vulnerable WS: 1441 Mongolia Perdors Least concern majaur WS: 1441 WS: 1441 Ble Sheep Perdors Least concern Mongolia Perdors Bue Sheep Perdors Least concern Mongolia Seators Bue Sheep Perdors Least concern Mongolia Seators Anable Least concern Mongolia Least concern Mongolia Seators Anable Least concern Mongolia Least concern Mongolia Seators Anable Least concern Mongolia VES VES ¹ Anable Least concern Mongolia Least concern Mongolia VES VES ¹ Carvous Least concern Mongolia Least concern Mongolia VES VES ¹ Carvous Least concern Mongolia Least concern Mongolia VES ¹ VES ¹ Carvous Least concern Mongolia Least concern Mongolia VES ¹ VES ² Sherian Ro Dysayus Least concern Mongolia VES ¹ VES ² Least concern Mondolia Least concern Mongolia VES ¹ VES ² Least concern Mondolia Least concern Mondolia VES ¹ VES ² Least concern Mondolia Least concern Mondolia VES ² VES ² <td></td> <td>Snow Sheep</td> <td>0</td> <td>Least concern</td> <td></td> <td>YES</td>		Snow Sheep	0	Least concern											YES
Monopolian Procapra Least concern 141 Monopolian Procapra Least concern 141 Blue Sheep peudois Least concern 141 Blue Sheep peudois Least concern 141 Blue Sheep peudois Least concern 141 Blue Sheep teast concern 141 141 Rupicapra Least concern 141 141 Rupose Afres afres Least concern 141 Rupose Least concern 141 142 Rupose Least concern YES YES Rupose Least concern 141 1432 Rupo		ci1		Muharahla		10/6				VEC			AQ ¹⁰		
Monopolan Procapra Least concern locatile seat concern navar seat concern navar rest concern low rest concern navar rest concern low rest concern low <td></td> <td>DI0</td> <td>IDIIBIA CIAO</td> <td></td> <td></td> <td>144¹</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>Ċ,</td> <td></td> <td></td>		DI0	IDIIBIA CIAO			144 ¹				-			Ċ,		
Gazelle grtunosa Ibue Sheego Pseudois Least concern Ingrar Least concern Least concern Ingrar Least concern Least concern Ingrar Least concern Least concern Ingrary Least concern VES Ingrary Least concern Pset Ingrary Least concern Pset <tr< td=""><td></td><td>Mongolian</td><td>Procapra</td><td>Least concern</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>YES</td><td>YES</td></tr<>		Mongolian	Procapra	Least concern										YES	YES
Blue Sheed Perdois nayar Least concern bayar Sendois $nayar least concern (however,rupicapra VES 23^{13} rupicapra least concern (however,Rupicapra rupicapra aziatica,sub-specials is fudangered15) YES 23^{13} rupicapra trapicapra rupicapra aziatica,sub-specials is fudangered15) YES YES Moose Alecs alces Least concern YES YES Noose Alecs alces Least concern 99^{13} YES Noose Alecs alces Least concern 90^{13} YES Red Deer appreolus Least concern YES YES Red Deer eagrous VES YES YES Red Deer least concern YES YES YES Red Deer least concern YES YES YES Murtiacin Least concern YES YES YES Red Deer Version VES YES YES Murtiacin Least concern YES YES $		Gazelle	gutturosa												
nayar nayar Rupicapra least concern (however, trupicapra VES 23 ¹³ rupicapra the Anatolian channois, trupicapra Rupicapra rupicapra Rupicapra ub-species is Endangered ¹⁹) VES VES VES Rupicapra Least concern VES VES VES VES Rupose Area selves Least concern VES VES VES VES Ruo beer capreolus Least concern VES VES VES VES Roe beer capreolus Least concern VES VES VES VES Roe beer capreolus Least concern VES VES VES VES Deer pygargus Least concern VES VES VES VES Rob beer canadenzis Least concern VES VES VES VES Rob beer canus VES VES VES VES VES Rober canudenzis Leas		Blue Sheep	Pseudois	Least concern								13 ⁸	18 ⁹		
ChamoisRupicapraLeast concern (however, tup/capraYES $2^{3^{13}}$ Iup/caprathe Anatolian chamois, tup/caprathe Anatolian chamois, sub-species is Endangened ¹⁵)YESYESGrey WolfCanis lupusLeast concernYESYESYESMooseAces alcesLeast concern991 ³ YESWooseCapreolusLeast concern991 ³ YESEuropeanCapreolusLeast concern991 ³ YESRob DeercapreolusLeast concernYESYESDeerpygargusLeast concernYESYESElkLeast concernYESYESYESBeerpygargusLeast concernYESYESElkCervusLeast concernYESYESRed DeerCervus nipponLeast concernYESYESMurtijacMurtijacusLeast concernYESA1 ³ MurtijacMurtijacusLeast concernYESYESMurtijacusLeast concernYESA1 ³ A98 ³ MurtijacusLeast concernYESYESYESMurtijacusLeast concernYESYESYESDeerNititatialOdocoileusLeast concernYESMurtijacusLeast concernYESYESYESDeberNititatialUndovidanYESYESDeberNititatialUndovidanYESYESDeberNititatialUndovidanYES </td <td></td> <td></td> <td>nayaur</td> <td></td>			nayaur												
rupicapra the Anatolian chanois, Rupicapra aviatica, sub-species is Endangered ¹⁵), Rupicapra upicapra asiatica, sub-species is Endangered ¹⁵), Sub-species is Endangered ¹⁵), Rupoban YES YES ¹⁸ YES Grey Wolf Carris lupus Least concern YES YES YES Moose Acres alces Least concern YES YES YES Buopean Carris lupus Least concern 99 ¹³ YES YES Buopean Carris Least concern YES YES YES Buopean Carris Least concern YES YES YES Derer Dygarys Least concern YES YES YES Red Derer Carvus Least concern YES YES YES Red Derer Cervus Least concern YES YES YES Red Derer Cervus Least concern YES YES Munijac Munijac Least concern YES YES Munijac Munijacus Least concern YES YES Munijac Vinterial Odocorieus Least concern YES Munijac Munijacus Least concern YES YES Munijacus Least concern <t< td=""><td></td><td>Chamois</td><td>Rupicapra</td><td>Least concern (however,</td><td>YES</td><td></td><td>23¹³</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>YES</td></t<>		Chamois	Rupicapra	Least concern (however,	YES		23 ¹³								YES
Rupicapra avaitica, sub-species is Endangered ¹⁹) Kupicapra avaitica, sub-species is Endangered ¹⁹) YES YES YES ⁴ YES Moose Area area Least concern YES YES YES YES Moose Area area Least concern YES YES YES YES Moose Area area Least concern YES YES YES YES Reo Deer capreolus Least concern YES YES YES YES Reo Deer capreolus Least concern YES YES YES YES Red Deer canadersis Least concern YES YES YES YES Red Deer cervus nippon Least concern YES YES YES Murtiacus Least concern YES YES YES YES M			rupicapra	the Anatolian chamois,											
Grey Wolfaub-species is findangeed ¹⁵) sub-species is findangeed ¹⁵)YESYES ¹⁸ YESYES ⁴ YESMooseAces alcesLeast concernYEYESYESYESYESMooseAces alcesLeast concernYE99 ¹³ YESYESEuropeanCapreolusLeast concernYES99 ¹³ YESYESRee DeerCapreolusLeast concernYES2021 ² YESDeerDygaryusLeast concernYESYESYESRed DeerCarvusLeast concernYESYESYESRed DeerCervusLeast concernYES47 ¹³ 498 ² MurtjacMurtjacusLeast concernYESYESYESMurtjacMurtjarusLeast concernYESYESYESMurtjacMurtjarusLeast concernYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLeast concernYESYESYESYESMurtjacusLea				Rupicapra rupicapra asiatica,											
Grey WolfCarris lupusLeast concernYESYES ¹⁸ YESYESYESMooseAres afresLeast concernLeast concern99 ¹³ YESYESKoo DeerCapreolusLeast concern99 ¹³ YES99 ¹³ YESRoo DeerCapreolusLeast concernYES2021 ² YESDeer <i>pygargus</i> Least concernYES2021 ² YESDeer <i>pygargus</i> Least concernYES2021 ² YESRed DeerCervusLeast concernYES47 ¹³ 498 ² Red DeerCervus nipponLeast concernYES47 ¹³ 498 ² MurtijacMurtijacusLeast concernYES47 ¹³ 498 ² MurtijacusLeast concernYESA ¹³ 498 ² A ¹³ MurtijacMurtijacusLeast concernYESA ¹³ 498 ² MurtijacusLeast concernYESA ¹³ 498 ² MurtijacusLeast concernYESA ¹³ 498 ² MurtijacusLeast concernYESA ¹³ A ¹³ MurtijacusLeast concernYESA ¹³ A ¹³ DefensLeast concernYESA ¹³ A ¹³ MurtijacusMurtijacusLeast concernYESA ¹³ DefensLeast concernYESA ¹³ A ¹³ DefensLeast concernYESA ¹³ A ¹³ DefensLeast concernYESA ¹³ Defens<				sub-species is Endangered ¹⁹)											
Moose Afees afrees Least concern 99 ¹³ YES European Capreolus Least concern 99 ¹³ YES Roe Deer capreolus Least concern 99 ¹³ YES Deer apreolus Least concern YES 2021 ² Deer pygargus Least concern YES 2021 ² Elk Least concern YES YES YES Red Deer Cervus Least concern YES 498 ² Indian Muntiacus Least concern YES 498 ² Muntiacus Least concern YES 47 ¹³ 498 ² Muntiacus Least concern YES 47 ¹³ 498 ² Deer Odocolleus Least concern YES 47 ¹³ 498 ² Muntiacus Least concern YES 47 ¹³ 498 ² Deer Odocolleus Least concern YES 47 ¹³ 498 ² Muntial Odocolleus Least concern YES 47 ¹³ 498 ² Deer Nintetal Venchone YES 47 ¹³ 498 ²	idae	Grey Wolf	Canis lupus	Least concern	YES		YES ¹⁸	YES	YES ⁴	YES	YES			207	7074 ^{4,a}
an Capreolus Least concern 99 ¹³ YES eer <i>capreolus</i> Least concern YES 2021 ² <i>pygargus</i> Least concern YES 2021 ² <i>pygargus</i> Least concern YES 47 ¹³ 498 ² <i>cervus nippon</i> Least concern YES 47 ¹³ 498 ² <i>er Cervus nippon</i> Least concern YES 47 ¹³ 498 ² <i>er Cervus nippon</i> Least concern YES 47 ¹³ 498 ² <i>in Odocoleus</i> Least concern YES 17 ¹³ 498 ²	vidae	Moose	Alces alces	Least concern											YES
eer capreolus 2021 ² Roe Capreolus Least concern YES 2021 ² <i>pigargus</i> Least concern YES YES <i>cervus</i> Least concern YES YES er Cervus nippon Least concern YES er Cervus nippon Least concern YES Muntiacus Least concern YES 43 ¹³ ail Odocoleus Least concern YES ail Odocoleus Least concern YES ail Odocoleus Least concern ail Odocoleus Least concern ail Odocoleus Least concern		European	Capreolus	Least concern			99 ¹³	YES						YES	YES
I. Roe Capreolus Least concern YES 2021 ² <i>pygargus</i> Least concern YES YES <i>cervus</i> Least concern YES YES er Cervus Least concern YES er Cervus Least concern YES er Cervus nippon Least concern YES er Cervus nippon Least concern YES Muntiacus Least concern YES ail Odocoleus Least concern vignians Vintorcha Least concern		Roe Deer	capreolus												
pygargus pygargus Cervus Least concern canadensis YES er Cervus elapinus YES Annibacus Least concern Annibacus Least concern jac munijak ail Odocolleus laest concern YES		Siberian Roe		Least concern	YES			2021 ²	YES					10^{7}	YES
Cervus Least concern canadensis er Cervus elaphus YES elaphus YES elaphus YES numbicus Least concern jac muntijack iii Odocolieus uriginianus Vulnochlo		Deer	pygargus												
er <i>Cervus</i> Least concern YES 47 ¹³ er <i>Cervus</i> Least concern YES 47 ¹³ er <i>Cervus nippon</i> Least concern YES <i>Muntiacus</i> Least concern ail <i>Odocoileus</i> Least concern <i>virginianus</i> Virtococho		EK	Cervus	Least concern				YES							YES
er Cervus Least concern YES 47 ¹³ elaphus East concern YES 47 ¹³ er Cervus nippon Least concern YES <i>Muntiacus</i> Least concern ail Odocoileus Least concern virginianus vuococho			canadensis												
eraphus er <i>Cervus nippon</i> Least concern <i>Muntiacus</i> Least concern ail <i>Odocoileus</i> Least concern <i>virginianus Vuloco</i> tlo		Red Deer	Cervus	Least concern	YES		47 ¹³	498 ²						156	YES
er Cervus nippon Least concern Muntacus Least concern jac muntjak all Odocoleus Least concern virginianus Vutocetho			elaphus												
Muntiacus jac muntjak ail Odocoileus virginianus		Sika Deer	Cervus nippon		YES										YES
c muntjak Odocoileus virginianus		Indian	Muntiacus	Least concern								18			
Odocoileus virginianus Panaifor		Muntjac	muntjak												
virginianus Panaifor		Whitetail	Odocoileus	Least concern											YES
Danaifor		Deer	virginianus												
kangiter		Reindeer	Rangifer	Vulnerable											YES

Animal Conservation •• (2023) ••-•• © 2023 The Authors. Animal Conservation published by John Wiley & Sons Ltd on behalf of Zoological Society of London. 5

14691795, 0, Downloaded from https://szlpublications.onlinelibary.viley.com/doi/10.1111/acv.12840 by Test, Wiley Online Libaray on [2301/2023]. See the Terms and Conditions (https://onlinelibary.wiley.com/terms-and-conditions) on Wiley Online Libaray for rules of use; OA articles are governed by the applicable Creative Commons License

Table 1	Table 1 Continued													
				West Asia			Central Asia				South Asia		Central Asia	
Family	Species		IUCN Red List category	Azerbaijan Iran	Iran	Turkey	Kazakhstan	Kazakhstan Kyrgyzstan	Tajikistan	Uzbekistan	Nepal	Pakistan	Mongolia	Russia
Felidae	Eurasian	Lynx lynx	Least concern											340 ^{16,a}
Lynx Moschidae Siberian	Lynx Siberian	Moschus	Vulnerable											4235 ^{16,a}
Mustelidae	Musk Deer Mustelidae Wolverine	moschiferus Gulo qulo	Least concern											YES
Suidae	Wild Boar		Least concern	YES	YES	20 ¹⁴	1162 ²	YES	YES	YES	<18		10 ⁶	YES
Ursidae	Brown Bear	Brown Bear Ursus arctos	Least concern	YES		YES ¹⁸						YES		4215 ^{16,a}
	Asiatic Black <i>Ursus</i> Bear thibei	Ursus thibetanus	Vulnerable											YES
Annual tota	l of identified	Annual total of identified quotas (relevant		Unable to	217	492 ^a (2008–	4581	730 ^a (2014	126 (2010–2011,	6 (2004-	22 (2016-	229 (2017	155	15 864 ^a (2008
year(s) for total)	total)			calculate	(2019)	2009 and	(1998)	and 2014	2012–2013 and	2005)	2021)	-2018	(2015)	–2009 and
						2018–2019)		-2015)	2018–2019)			and 2020)		2009–2010)
Referenc for 2014- average; amended for 2012-	es and rele -2015; 4. N 9. Kamran according	vant year(s) (4allon (2013) (2020) for 20 to input from Note that bro	References and relevant year(s) of figures: 1. Iran National Environment Fund figures for 2019–2020 that refer to all wild sheep; 2. Baldus (2014) for 1998; 3. Nawaz <i>et al.</i> (2016), assumed for 2014–2015; 4. Mallon (2013) for 2008–2009; 5. Michel <i>et al.</i> (2015) for 2014; 6. WWF (2015) for 2015; 7. Page (2015) for 2015; 8. Data received from DNPWC for 2016–2021 annual average; 9. Kamran (2020) for 2020; 10. Saif (2017) for 2017–2018; 11. Rosen (2012) for 2010–2011; 12. CITES (2019) for 2018–2019; 13. Yayla, Yayla, & Aktas (2020) for 2018–2019 but amended according to input from H. Ambarli; 14. Baskaya, and Arpacik (2012) for 2008–2009; 15. Mallon (2013) for 2004–2005; 16. Mallon (2013) for 2009–2010; 17. Mallon (2013) for 2013–2013; 18. Note that hrown hear hunting was onen in 2015 and 2015 in Turkey and whilst brown hear and orey wolf are protected under Turkey's national law and the FUI Habitat	Environment <i>et al.</i> (2015) 7–2018; 11. 3askaya, and	Erund fi for 201 Rosen Arpacik	igures for 2C 14; 6. WWF (2012) for 2 < (2012) for 2 n Turkev and	119–2020 tl (2015) for 010–2011; 2008–2009;	nat refer to 2015; 7. Pa 12. CITES ; 15. Mallon	all wild sheep; 2 ige (2015) for 20 (2019) for 2018- (2013) for 2004 (2013) for 2004	2. Baldus (; 115; 8. Dat -2019; 13. -2005; 16.	2014) for 1998 a received fro Yayla, Yayla, 8 Mallon (2013)	; 3. Nawaz ∈ m DNPWC f & Aktas (202 for 2009–20 's national lav	et al. (2016-) or 2016-) 0) for 200 110; 17. N w and the	5), assumed 2021 annual 18–2019 but 1allon (2013) 5 FLI Habitat
directives	, Turkey h	as an excepti	directives, Turkey has an exception for damage causing bears and wolves and can intermittently declare quotas to hunt them (H. Ambarlı, 2021; pers. comm.); 19. Anderwald et al., 2020.	ars and wolv	es and	can intermit	tently decl	are quotas t	o hunt them (H.	Ambarlı, :	2021; pers. co	mm.); 19. Ar	nderwald	et al., 2020.

2020)
Peferences and relevant year(s) of figures: 1. Iran National Environment Fund figures for 2019–2020 that refer to all wild sheep; 2. Baldus (2014) for 1998; 3. Nawaz et al. (2016), assumed
for 2014-2015; 4. Mallon (2013) for 2008-2009; 5. Michel et al. (2015) for 2014; 6. WWF (2015) for 2015; 7. Page (2015) for 2015; 8. Data received from DNPWC for 2016-2021 annual
average; 9. Kamran (2020) for 2020; 10. Saif (2017) for 2017–2018; 11. Rosen (2012) for 2010–2011; 12. CITES (2019) for 2018–2019; 13. Yayla, Yayla, & Aktas (2020) for 2018–2019 but
amended according to input from H. Ambarli; 14. Baskaya, Baskaya, and Arpacik (2012) for 2008-2009; 15. Mallon (2013) for 2004-2005; 16. Mallon (2013) for 2009-2010; 17. Mallon (2013)
for 2012-2013; 18. Note that brown bear hunting was open in 2015 and 2016 in Turkey and, whilst brown bear and grey wolf are protected under Turkey's national law and the EU Habitat
directives, Turkey has an exception for damage causing bears and wolves and can intermittently declare quotas to hunt them (H. Ambarlı, 2021; pers. comm.); 19. Anderwald et al., 2020.
YES', denotes that our review indicates that the species is trophy hunted in that country but a recent estimate for annual offtake via trophy hunting could not be obtained.
^a A figure that relates to annual offtake of a trophy species, but not necessarily via trophy hunting alone (may also include culling, big-game hunting, and offtakes for scientific purposes).

6 Animal Conservation •• (2023) ••-•• © 2023 The Authors. Animal Conservation published by John Wiley & Sons Ltd on behalf of Zoological Society of London.

were listed under a threatened category of the IUCN Red List; specifically, 5 Vulnerable species and 1 Endangered species (West Caucasian tur, *Capra caucasica*). In addition, the Anatolian chamois *Rupicapra rupicapra asiatica*, a subspecies, is classified as Endangered. Wild boar was hunted in almost all countries (n = 10), followed by grey wolf (n = 8 countries), and Siberian ibex (n = 8 countries). At subspecific level, outfitters explicitly advertised multiple subspecies of a species, mainly for argali (12 subspecies), brown bear (7 subspecies), and snow sheep (6 subspecies). The highest number of trophy species was recorded for Russia (22), followed by Mongolia and Azerbaijan (both 9).

Governance of trophy hunting areas

Areas where trophy hunting is conducted have varying forms of governance structures. There are forms of collaborative governance to frame the structure of community-based trophy hunting (CBTH) as a form of collaborative governance that involves multiple stakeholders in the management of common pool resources (e.g. the Torghar project in Pakistan, Woodford, Frisina, & Awan, 2004). Pakistan's communitybased trophy hunting program (CTHP) is premised on providing financial incentives to local communities as a means to acknowledge their contribution to the protection of wildlife in their designated Community Conservation Areas (CCA). Most of these people in these regions are poor, marginal and disadvantaged. Their livelihoods are predominantly dependent on locally available natural resources (Kifayat, Khan, & Ejaz, 2014). As a means to protect wild animals, particularly charismatic mountain ungulates and their mountain habitats, local communities along with provincial wildlife authorities, create CCA, under CTHP. It is crucial for the CTHP's to have well-defined boundaries, robust governance structures, and approved management plans. The CCA's management plan needs to be first approved by local governance structures, which is followed by a notification by the government in the official gazette, which empowers the local people in the management process (Zaman et al., 2019). Majority (upto 80%) of the trophy hunting fee goes directly to the local communities (Nawaz et al., 2016) and is handed over to the CCA by the government within a 45 day period. Trophy revenue earned by communities is used for collective social, economic, and environmental development activities. These include but are not limited to repairing irrigation channels for agriculture, building community schools and basic health units, providing educational stipends and scholarships, provisioning of loans to women for micro businesses, and improving farm-to-market connectivity through village link roads. Socio-economic development activities (projects) are identified by the respective Village/ Valley Conservation Committee (VCC) in consultation with VCC member households, agreed in resolution, and implemented as community projects. Based on this, CTHP has become a significant source of revenue (>30%) for conservation and management of wildlife populations and their habitats in the rugged, remote regions of Pakistan (Shackleton, 2001). Nevertheless, there are certain critical

problems related to such trophy hunting programmes, including limited accurate information illustrating effects of trophy hunting on herd structure and size, weak policy implementation, lack of transparency and corruption (Adhikari *et al.*, 2021).

On the other hand, in most of the Central Asian countries where trophy hunting occurs (e.g. Tajikistan, Kyrgyzstan and Kazakhstan), wildlife is the property of the state which awards rights to use it to individuals or other entities. For instance, in Kyrgyzstan, all hunting areas belong to the government, and, according to Article 11 of the Law of the Kyrgyz Republic which is based on hunting and hunting economy, the right to hunt is given to legal entities (i.e. companies) usually for a period of 15 years (Nordbø et al., 2017). Hunting areas cover nearly 70% of Kyrgyzstan and the trophy hunting tour operators, who are generally based in the capital Bishkek, organise travel to various parts of the country. The Kyrgyz government also provides hunting permits to Kyrgyz citizens. The perception in Kyrgyzstan is that revenue from trophy hunting is part of the shadow economy, majority profits are gained by the tour operators and a few local or regional officials related to these companies. A similar model is operated in Kazakhstan, where wildlife exploitation and management is under the purview of the Okhotzooprom (state hunting department), with limited involvement of local people in protection, management and utilisation of hunted species and state-based approaches are preferred (Michel et al., 2015). Similarly in Russia, in accordance with Federal Law of 29.12.2006 No. 258, implementation of federal State hunting control and supervision were delegated to regional and similar administrative units of Russia. The Ministry of Natural Resources (which as a hunting department as the executive wing) has overall responsibility for development and promotion of State policy in the field of hunting and conservation of hunting resources, including regulations and subordinate acts (Mallon, 2013). In Uzbekistan, the Gosbiokontrol (State Bio-control), which is part of the State Committee on Nature Protection, has a predominant role of quota setting and enforcement. These come under the purview of the "Regulations on Hunting and Fishing on the territory of the Republic of Uzbekistan" (Mallon, 2013).

Furthermore, in Tajikistan, trophy hunting is primarily conducted by various conservancies, that are either owned by individuals or groups. There are several rangers and technicians within conservancies. For instance, about 140 rangers are employed in 10 Markhor hunting conservancies and they are employed either full time (up to 40 h a week) or part time (around 32 h on 4 out of 7 days). Trophy hunting is governed by the Committee of Environmental Protection of Tajikistan and they along with several Ministries determine the quota and the price of hunting licence. Benefit sharing, at least in the context of Markhor hunts in the country are divided into 25% for the conservancy (for salaries, taxes, equipment, etc.), 40% to the government, and 35% to the villages in and around the conservancies (Akramov et al., 2022). In Tajikistan private trophy hunting operations have already proven their market potential; the government received c. USD 770 000 from the sale of permits for 51

legally harvested argali Ovis ammon polii in the 2010–2011 hunting season (Rosen, 2012).

Offtakes

Kazakhstan allows relatively high annual offtakes via trophy hunting, with an estimated total offtake of around 4500 individuals from 4 of its 5 trophy species. In Kazakhstan, relatively high offtakes via trophy hunting occur for Siberian roe deer (2021 in 1998), wild boar (1162 in 1998) and Siberian ibex (900 in 1998). Other countries have notably lower total annual offtakes via trophy hunting; for instance, 229 for 4 of the 7 trophy species in Pakistan (incl., 150 Siberian ibex in 2017-2018 and 49 urial in 2017-2018), 155 for 6 of the 9 trophy species in Mongolia (incl., 60 Siberian ibex in 2015 and 40 argali in 2015), and 126 for 3 of the 6 trophy species in Tajikistan (incl., 60 Siberian ibex in 2012-2013 and 51 argali in 2018-2019). Of the countries in Asia with established trophy hunting programmes, Nepal has one of the lowest total annual offtakes via trophy hunting: 22 for the 4 species that are hunted for trophy hunting in practice (incl., annual averages of 13 blue sheep and 7 Himalayan tahr from 2016-2021).

Russia allows relatively high offtakes of trophy species, with an estimated total annual offtake of over 15 000 individuals from only 4 of its 22 trophy species (Table 1): grey wolves (7074 in 2008–2009), Siberian musk deer (4235 in 2009–2010), brown bears (4215 in 2009–2010), and Eurasian lynx (340 in 2009–2010). However, these figures from Russia relate to total annual offtakes of trophy species as opposed to offtakes via trophy hunting alone.

Trophy exports

Twelve of the species identified in this study as being regularly targeted for trophy hunting in Asia are listed under CITES (Table 2). According to the CITES trade database (2010-2019) for these 12 CITES-listed species, Russia exported the most trophy items (473 trophies/year; 47.4% of total), followed by Kyrgyzstan (212 or 21.2% of total), Tajikistan (85 or 8.5%), and Mongolia (75 or 7.5%). The most exported trophies were from brown bear (395 trophies/ year), argali (204 trophies/year), and Siberian ibex (173 trophies/year). More specifically, the most exported trophies were brown bear from Russia (395 trophies/year), Siberian ibex from Kyrgyzstan (108 trophies/year), and argali from Kyrgyzstan (88 trophies/year) (Table 2). In many cases, trophy exports were substantially lower than reported offtakes of the trophy species. Annual exports for Siberian ibex and blue sheep from Pakistan, for instance, were minor proportions of offtakes around a similar time (5.1% and 11.7%, respectively; Tables 1 vs. 2). Other figures were more comparable, such as for argali from Mongolia (offtakes: 51; exports: 53), Tajikistan (offtakes: 40; exports: 41) and Kyrgyzstan (offtakes: 80; exports: 88).

The USA was the main importer of trophies from 2010–2019 (346 trophies/year; 34.7% of total trophy records considered in the CITES database). Other prominent importers

were Spain (79 trophies/year or 8.0% of total), Germany (68 trophies/year; 6.8% of total), and Mexico (52 trophies per/year or 5.2%). Also, the USA was the dominant importer of trophies for 10 of the 12 CITES-listed trophy species, including for markhor (35% of imports), urial (57%), and West Caucasian tur (35%; Table 3).

Permit prices for trophy hunting

The average permit prices at tender were highest for markhor in Pakistan (\$62 000) and Tajikistan (\$40 000) and then argali (around \$15,000 in multiple countries) (Table 4). Yet, we identified cases of trophy hunts being sold for higher prices, such as a markhor hunt for \$110 000 in Pakistan in 2019 (Ebrahim, 2019). The auction process of multiple countries in Asia to sell trophy hunts contributes to the variation in trophy hunting prices, as exhibited in Nepal where the minimum fee for foreigners is for blue sheep is around \$1250 and for Himalayan tahr around \$650, but the auction process for selling trophy hunts means hunters often bid up to \$11 000 for hunts. The lowest average permit prices found were for wild boar (\$100) and European roe deer (\$220) in Turkey (Table 4).

Moderate geographic differences exist in the average permit prices at tender for certain species. For instance, the average blue sheep permit price in Pakistan (\$9000) is around 7 times greater than the price in Nepal (\$1250), and the average goitered gazelle permit price in Turkey (\$3145) is almost 8 times greater than the price in Mongolia (\$400). However, such geographic comparisons are not possible for many species as average permit prices are unknown.

Additionally, permit prices at tender can be smaller for domestic compared to international clients (Supporting Information Table S3). For example, in Pakistan, domestic hunters pay approximately \$350–700 for an ibex, whereas international hunters will pay \$2500–3000 or more (e.g. \$3600; Kamran, 2020). Similarly, local hunters pay \$50–70 while on-local citizens are charged c. \$650 for urial whereas the hunting fee is \$7000–12 000 for a urial or bezoar goat for international hunters in Iran. There are also cases where domestic and international hunters are charged similarly; for instance, for markhor in Pakistan (Nawaz *et al.*, 2016).

All countries considered have legislation that mandate a proportion of trophy hunting revenue to remain in the local area (Supporting Information Table S4). The countries that mandate the greatest share of trophy hunting revenue to remain in the local area are Mongolia (100%) and Pakistan (80%), and the countries with the lowest shares are Tajikistan and Turkey (40%). Yet, these proportions can vary within countries - for example, in Turkey, agreements between hunting authorities and village heads can specify up to 70-90% of trophy hunting income to the common budgets of local people in the village. In Iran, licence fees are deposited to the state-running National Environment Fund which then allocates income to anti-poaching activities or community conservation. Details on wider trophy hunting governance for each country can be found in Supporting Information Table **S5**.

of	
eriod	
ear p	
9 10-y	
er the	
Š	
ammes	
orogra	
iting	
λ hun	
troph	
najor	
with m	
untries v	
count	
Asian	
rom	
rted f	
expo	
ecies e	
ids Ar	
tropl	
listed	
ITES-	
12 CI	
of the	
ems o	
ohy ite	
of trop	
ntity o	
l quar	
annua	
rage a	
Ave	019
ble 2	10-20
Та	20

			West Asia			Central Asia				South Asia	Asia	Central Asia		
Family	Species		Azerbaijan	Iran	Turkey	Kazakhstan	Kazakhstan Kyrgyzstan Tajikistan		Uzbekistan	Nepal	Pakistan	Mongolia	Russia	Total
Bovidae	Bezoar goat	Capra aegagrus		0.5	50.4						11.4		0.1	62.4
	West Caucasian Tur Capra caucasica	Capra caucasica											14.3	14.3
	Markhor	Capra falconeri						2.7	0.1		9.0			11.8
	Siberian Ibex	Capra sibirica				6.8	107.8	26.4			7.6	19.1	4.2	171.9
	Argali	Ovis ammon					87.7	52.5	1.2			41.3		182.7
	Urial	Ovis vignei		4.0				1.9			25.8			31.7
	Blue Sheep	Pseudois nayaur								8.5	2.1			10.6
Canidae	Grey Wolf	Canis lupus			0.1	9.4	16.3	1.7	0.1			13.9	28.2	69.7
Felidae	Eurasian Lynx	Lynx lynx											9.1	9.1
Moschidae	Siberian Musk Deer	Moschus moschiferus											1.3	1.3
Ursidae	Brown Bear	Ursus arctos											394.7	394.7
	Asiatic Black Bear	Ursus thibetanus											0.2	0.2

cates that species are currently subject to established trophy hunting programmes in the respective country. Figures of >1 mean a quantity of >10 were exported over the 10-year period of 2010–2019.

Table 3 Importer countries for trophies of the 12 Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES)listed trophy species from Asian countries (2010–2019) with relatively major trophy hunting programmes based on the CITES database. Species not mentioned in this table are not included in the CITES database

				Main importer coun	itries	
Family	Species		Total exports (2010–2019)	Country 1 (%)	Country 2 (%)	Country 3 (%)
Bovidae	Bezoar goat	Capra aegagrus	625	USA (57%)	Spain (9%)	Mexico (6%)
	West Caucasian Tur	Capra caucasica	224	USA (35%)	Spain (30%)	Germany (10%)
	Markhor	Capra falconeri	125	USA (35%)	Canada (15%)	Mexico (13%)
	Siberian Ibex	Capra sibirica	1727	USA (43%)	Spain (13%)	Germany (5%)
	Argali	Ovis ammon	2038	USA (47%)	Mexico (11%)	Spain (8%)
	Urial	Ovis vignei	324	USA (57%)	Spain (2%)	Mexico (2%)
	Blue Sheep	Pseudois nayaur	108	USA (45%)	Spain (13%)	Mexico (6%)
Canidae	Grey Wolf	Canis lupus	697	Germany (14%)	France (10%)	China (8%)
Felidae	Eurasian Lynx	Lynx lynx	92	USA (11%)	France (11%)	Slovakia (10%)
Moschidae	Siberian Musk Deer	Moschus moschiferus	13	Hong Kong (46%)	France (23%)	USA (15%)
Ursidae	Brown Bear	Ursus arctos	3954	USA (24%)	Poland (9%)	Germany (9%)
	Asiatic Black Bear	Ursus thibetanus	2	USA (50%)	Ukraine (50%)	

Discussion

Established trophy hunting programmes are carried out in at least 11 countries across Asia, and target at least 30 species (plus one subspecies) of mammals. As outlined by our review, trophy hunting across Asia varies with regards to multiple ecological (e.g. area designated and species targeted) and socioeconomic (e.g. permit fees, revenue sharing, governance, and clientele) characteristics.

Ecological characteristics

In certain areas of Asia, trophy hunting has positively contributed towards conservation efforts (Woodford et al., 2004; Bellon, 2008; Khyber Pakhtunkhwa Wildlife Act, 2015); for instance, by contributing to increased population sizes of targeted species in parts of Pakistan (Khan et al., 2014; Ali et al., 2015; Khan et al., 2019; Khan & Baig, 2020) and Nepal (Aryal et al., 2015). However, poorly managed trophy hunting programmes have also had negative ecological impacts in Asia, for instance by skewing the demographic structures in ungulate populations in Nepal (Aryal et al., 2015), Pakistan (Khan et al., 2019; Khattak et al., 2020), and Turkey (Ambarlı, 2014), and reducing populations, like argali and ibex in Kyrgyzstan (Nordbø et al., 2017) and Anatolian chamois in Turkey (Ambarlı, 2014). A main cause for negative ecological impact is inappropriate quotas, which may not be suitably evidence based (Aryal et al., 2015; Rashid et al., 2020) or not adequately area bound (Ahmad et al., 2020; Haider et al., 2021). This places an emphasis on developing evidence-based quotas for trophy hunting in Asia; especially for the 5 Vulnerable and 1 Endangered species (plus the 1 Endangered sub-species) targeted by established trophy hunting programmes. Alongside, there is evidence that prioritising an ungulate species for trophy hunting can result in negative perceptions among local community towards wild carnivores. This is because local communities might view the wild carnivores as competitors for the ungulates, especially large males that are often targeted as trophies (Rashid *et al.*, 2020). Therein, it is key to ensure that trophy hunting program, although primarily targeting a particular species, also take a holistic ecosystem approach in ensuring conservation goals are met.

The findings of this review also stress the considerable spatial scale of trophy hunting in some countries in Asia. For instance, even the 1 million km² of land designated for trophy hunting in Kazakhstan dwarves that of the areas for trophy hunting for the countries in sub-Saharan Africa (Lindsey et al., 2007). Yet, despite such large spatial scales, much of the area over which trophy hunting is permitted in countries like Russia, Kazakhstan, and Turkey is not actively managed for trophy hunting, but rather animals are simply allowed to be shot. This differs from areas managed specifically and intensively for trophy hunting, like many hunting areas in sub-Saharan Africa (Loveridge et al., 2007). The combination of trophy hunting being allowed over such large areas in several Asian countries with the relatively low intensity of management could have remarkable economic implications; for example, it could result in lower management costs while still yielding valuable benefits (e.g. revenue for outfitters, local communities, and countries).

Socioeconomic aspects

Trophy hunting in areas of Asia yields valuable economic benefits for local communities and countries (e.g. Pakistan: Ali *et al.*, 2015; Rashid *et al.*, 2020; Nepal: Aryal *et al.*, 2015); whilst, in other areas, it generates little economic benefit for local communities, which can lead to negative attitudes towards the industry (e.g. Kyrgyzstan: Nordbø *et al.*, 2017). Nevertheless, given the extent and diversity of trophy hunting in Asia, there has been relatively little research into its wider, multifaceted socioeconomic contributions to local people and countries.

Family Sp Bovidae Be	Coorior										ala	Central Asia	a
	Jecies		Azerbaijan	Iran	Turkey	Kazakhstan	Kyrgyzstan	Tajikistan	Uzbekistan	Nepal	Pakistan	Mongolia	Russia
	Bezoar goat	Capra aegagrus		YES	1000–13 285 ⁷						YES		YES
\$	West Caucasian Tur	Capra caucasica											YES
Ď	Dagestan Tur	Capra cylindricornis	YES										YES
Σ	Markhor	Capra falconeri						40 000 ¹	YES		62 000 ⁵		
Sil	Siberian Ibex	Capra sibirica	YES			YES	4000^{2}	YES	YES		3600 ⁵	2240 ⁹	YES
Ū	Goitered Gazelle	Gazella subgutturosa		YES	3145 ⁷							400 ¹¹	
Ĩ	Himalayan Tahr	Hemitragus jemlahicus								650^{4}			
A	Argali	Ovis ammon					$14 000^2$	9000 ¹	15 000 ⁸			15 200 ³	YES
Σ	Mouflon	Ovis gmelini		YES	20 820 ⁷						YES		
R¢	Red Sheep	Ovis gmelini x Ovis vignei		YES									
Sr	Snow Sheep	Ovis nivicola											YES
j	Urial	Ovis vignei		YES				YES			11 250 ⁶		
Σ	Mongolian Gazelle	Procapra gutturosa										200 ¹¹	YES
B	Blue Sheep	Pseudois nayaur								1250 ⁴	9000 ¹⁰		
Ū	Chamois	Rupicapra rupicapra	YES		1285–6285 ⁷								YES
Canidae Gr	Grey Wolf	Canis lupus	YES		YES	YES	ΥES	YES	YES			YES	YES
Cervidae M	Moose	Alces alces											YES
EL	European Roe Deer	Capreolus capreolus			220 ⁷	YES						YES	YES
Sil	Siberian Roe Deer	Capreolus pygargus	YES			YES	YES					YES	YES
EII	~	Cervus canadensis				YES							YES
R¢	Red Deer	Cervus elaphus	YES		$1285-5000^{7}$	YES						1280 ¹¹	YES
Sil	Sika Deer	Cervus nippon	YES										YES
Ē	Indian Muntjac	Muntiacus muntjak								YES			
\$	Whitetail Deer	Odocoileus virginianus											YES
Rƙ	Reindeer	Rangifer tarandus											YES
Felidae Eu	Eurasian Lynx	Lynx lynx											YES
Moschidae Sił	Siberian Musk Deer	Moschus moschiferus											YES
Mustelidae W	Wolverine	Gulo gulo											YES
	Wild Boar	Sus scrofa	YES	YES	100 ⁷	YES	YES	YES	YES	YES		YES	YES
Ursidae Br	Brown Bear	Ursus arctos	YES		YES						YES		YES
Ą	Asiatic Black Bear	Ursus thibetanus											YES

at tender (USD) for international clients across Asia (years for figures vary by species and country) Drinoo nermit Table 4 Tronhy hunting

10. Nagri (2017) for 2017–2018; 11. Y. Onon (2021; pers. comm.) for (presumably) 2020-2021. 'YES', denotes that the species is trophy hunted in that country but a recent estimate for tro-

phy hunting permit price could not be obtained.

In relation to a component of the socioeconomic impacts of trophy hunting, our review found that average permit prices differ between species and countries, from \$100 for wild boar in Turkey to \$62 000 for markhor in Pakistan. This variation may relate to differences in body size, rarity, and charismatic appeal (Johnson et al., 2010). In Mongolia, for instance, the heavier argali commands a greater permit price (\$3000) than Siberian ibex (\$470). In Pakistan, charisma may be the key factor in determining differences in permit prices for markhor (\$62 000), urial (\$11 250), blue sheep (\$8000) and Siberian Ibex (\$3600), given the apparently minor differences in body size and rarity. For certain species, permit prices differ moderately between countries. This variation may, in part, arise because countries contain different subspecies or offer a different standard of hunting experience. However, cases of notable differences in permit prices might indicate an opportunity for certain countries to raise permit prices at tender and thereby increase trophy hunting revenue. Increasing permit prices in this way could mean that fewer animals need to be hunted in order to generate an equivalent (or greater) revenue, which may also promote trophy hunting sustainability. The potential to raise prices also means the scale of incentives for wildlife conservation could be increased - in various contexts this will result in increased benefits for conservation than decreasing quotas. Furthermore, issues such as poaching and the loss/ degradation of habitat can be countered by well-managed hunting if the benefits reach the right places such as the local community and governments (Shackleton, 2001; Frisina, Awan, & Woodford, 2007; Frisina & Frisina, 2012; Di Minin et al., 2016). Higher prices of local trophy hunts are likely to also incentivise trophy hunting over meat-oriented domestic livestock industry, which across various areas of High Asia are known to degrade rangelands and also can be a source of negative human-wildlife interactions (Mishra et al., 2022).

As trophy hunting can be considered a tool to promote community stewardship over natural resources (Mkanda, Mwakifwamba, & Simpamba, 2014), many countries in Asia have legislation decrees that local people receive a defined share of trophy hunting revenue, from around 40% as a mandated minimum in areas of Turkey and Tajikistan to 100% in Mongolia. These revenues come in various forms including revenues accruing to governments through permits which are then transmitted to the communities or the community directly negotiating for fees with the herders. However, there are cases when locals receive few or no benefits from trophy hunting for various reasons, including in places where there might be good legislation which does not necessarily translate into practice. This is often due to poor legislation, inadequate legislation for benefit sharing, disputed ownership rights or corruption (Amgalanbaatar et al., 2002; Harris & Pletscher, 2002; Michel et al., 2015; Nordbø et al., 2017). Nevertheless, it is important to note that alongside the monetary benefits derived from trophy hunting it is also crucial to understand and uphold the rights, particularly of local communities, to manage the wildlife and their habitats themselves. This is critical to communities in terms of incentivising conservation, and also being able to secure benefits themselves (Adhikari *et al.*, 2021).

Examination of the CITES trade data provided a complementary perspective on trophy hunting in countries in Asia to information from published and unpublished literature. First, we identify major differences between annual exports in the CITES trade data and reported annual offtakes via trophy hunting for various species and countries. Such discrepancies might arise for several reasons, including as a result of trophy hunting by domestic hunters, which would not involve trophy export and would therefore be below the scope of CITES. Notably, in some cases, permits for domestic hunters outnumber those for internationals hunters, like for Siberian ibex in Kyrgyzstan in 2014 (400 for domestic vs. for 250 international hunters; Michel et al., 2015). Similarly, only 35% of Iran's trophy permits issued in 2018 were for international hunters. Nevertheless, this discrepancy highlights that using only CITES data risks misrepresenting the extent of trophy hunting occurring within a country. Second, our consideration of the CITES data stresses the prominence of international hunting from the USA in trophy hunting across Asia. This dominance of trophy hunters from the USA echoes findings from sub-Saharan Africa (Lindsey et al., 2007). It also means that any changes in US legislation for the import of trophies from trophy hunting could have a large and pervasive effect on trophy hunting in Asia.

Recommendations

Reflecting on the findings of this review, we provide five key recommendations for future research that would inform evidence-based policy:

- 1 Ecological impact assessments: Trophy hunting can impose range of demographic effects ranging from positive to negative to deleterious; however, there is still a lack of demographic data for the impacts of harvesting on mammal populations in Asia. The limited existing data is mainly skewed towards non-threatened species (Siberian ibex: Raza *et al.*, 2015; Khan *et al.*, 2019; Ahmad *et al.*, 2020; Blue sheep: Aryal *et al.*, 2015; Khattak *et al.*, 2020, Argali: Amgalanbaatar *et al.*, 2002; Harris & Pletscher, 2002; Himalayan tahr: Aryal *et al.*, 2015), while threatened ungulates like goitered gazelle, and West Caucasian tur, which are potentially prone to deleterious demographic impacts, are rarely studied.
- 2 Socioeconomic impact assessments: Trophy hunting has multifaceted socioeconomic effects, yet only a few studies have focussed on this aspect of trophy hunting in Asia (Harris & Pletscher, 2002; Ali *et al.*, 2015; Aryal *et al.*, 2015; Nordbø *et al.*, 2017; Rashid *et al.*, 2020). Thus, further research is needed on the governance, revenue sharing, and benefits accrued to local communities. Also, there is evidence that illegal hunting is likely prevalent in various areas by local communities, in some cases more than the number of trophy hunts. Therein, more

research is needed, which can be guided by management strategy evaluation models, to understand what incentives can be provided to local people to monitor and comply with trophy hunting regulation over engaging in illegal hunting (Bunnefeld *et al.*, 2013).

- 3 Contribution of trophy hunting to conservation spending and outcomes: Trophy hunting is often perceived as a management tool for generating necessary resources for the protection of biodiversity (Lindsev et al., 2007: Di Minin et al., 2016). However, the financial contribution of the industry to conservation spending of the Asian countries is not yet known. It would therefore be valuable to estimate the total revenue generated by trophy hunting in each country. Additionally, given the high percentages of the revenue that are mandated to be allocated locally in many countries in Asia (both for conservation spending and enhancing local livelihoods), it is crucial that the actual contribution of the permit revenues at local levels be evaluated. Linked to this, as conservation benefits are closely linked to ecological outcomes, more research is needed to understand not only the contributions to local, regional and national economies/livelihoods, but also who gains them and their magnitude, as these are critical in determining ecological outcomes. It is not just proximate ecological impacts of trophy hunting that are important and need further research, but the extent to which the control, distribution, and level of benefits incentivise or enable conservation.
- 4 Contribution to the post-2020 Global Biodiversity Framework: Target 2 of the next generation of the Convention on Biological Diversity's post-2020 Global Biodiversity Framework is to protect at least 30% of the planet by 2030. Recently, "other effective area-based conservation measures" (OECMs) have been endorsed to supplement this target (CBD, 2018; Dudley et al., 2018). OECMs are defined as "geographically defined areas other than PAs, governed to achieve positive biodiversity conservation outcomes with associated ecosystem functions and services as well as cultural, spiritual, socio-economic, and other locally relevant values". Given the sizes of trophy hunting areas in many countries in Asia, their inclusion as OECMs, if properly managed to deliver ecological and socioeconomic benefits, should be evaluated (Farhadinia et al., 2022).
- 5 Further examination of perceptions of trophy hunting: Public perceptions of trophy hunting for conservation are often recognised to strongly oppose the practice (Nelson *et al.*, 2013; Macdonald *et al.*, 2016; Batavia *et al.*, 2018). However, in many areas, including areas across Asia, local perceptions of trophy hunting can be largely positive as it yields valuable benefits (Angula *et al.*, 2018; Rashid *et al.*, 2020; Adhikari *et al.*, 2021). Whilst simultaneously satisfying these conflicting perspectives is challenging, further research into how and why different groups differ in their perceptions of trophy hunting for conservation could provide valuable insights for evaluating the appropriateness of different policies.

References

- Adhikari, L., Khan, B., Joshi, S., Ruijun, L., Ali, G., Shah,
 G.M., Ismail, M., Bano, K., Ali, R., Khan, G., Pasakhala,
 B. & Ali, A. (2021). Community-based trophy hunting programs secure biodiversity and livelihoods: learnings from Asia's high mountain communities and landscapes. *Environ. Chall.* 4, 100175.
- Ahmad, S., Khan, T.U., Hacker, C., Yang, L., Nabi, G., Ullah, S., Wanghe, K.Y., Shah, S., Chen, M.H., Saeed, S. & Luan, X.F. (2020). Critical assessment of Asiatic ibex (*Capra ibex sibirica*) for sustainable harvesting in northern areas of Pakistan. *Glob. Ecol. Conserv.* 22, e00907.
- Akramov, U., Najmiddinov, N., Ghoddousi, A., Khanyari, M., Moheb, Z., Sepahvand, P., Bhatnagar, Y.V. & Herrero, J. (2022). Markhor *Capra falconeri* monitoring in Tajikistan shows population recovery. *Oryx* 56, 493.
- Ali, H., Shafi, M.M., Khan, H., Shah, M. & Khan, M. (2015). Socio-economic benefits of community-based trophy hunting programs. *Environ. Econ.* 6, 9–17.
- Ambarlı, H. (2014). Status and management of Anatolian chamois (Rupicapra rupicapra asiatica): implications for conservation. Lama dei Peligni, Majella National Park, Italy: Chamois International Congress. 17–19 June 2014.
- Amgalanbaatar, S., Reading, R.P., Lhagvasuren, B. & Batsukh, N. (2002). Argali sheep *Ovis ammon* trophy hunting in Mongolia. *Pyrenees* 157, 129–150.
- Anarbaev, M. (2013). Interrelationship between livelihood, livestock and wildlife: enhancing through sustainable approaches to wildlife management. *Oecol. Mont.* 22, 38– 41. Available at https://om.vuvb.uniza.sk/index.php/OM/ article/view/246
- Anderwald, P., Ambarli, H., Avramov, S., Ciach, M., Corlatti, L., Farkas, A., Jovanovic, M., Papaioannou, H., Peters, W. & Sarasa, M. (2020). *Rupicapra rupicapra*. IUCN Red List of Threatened Species: e-T39255A22149561.
- Angula, H.N., Stuart-Hill, G., Ward, D., Matongo, G., Diggle, R.W. & Naidoo, R. (2018). Local perceptions of trophy hunting on communal lands in Namibia. *Biol. Conserv.* 218, 26–31.
- Anonymous. (2020). Tarım ve Orman Bakanlığı, instruction of hunting tourism application for 2020 and 2021. Available at https://bolge6.tarimorman.gov.tr/Duyuru/36/2020-2021-Av-Yili-_1-Nisan-2020-31-Mart-2021_-Av-Turizmi-Uygulama-Talimati
- Aryal, A., Dhakal, M., Panthi, S., Yadav, B.P., Shrestha, L.B., Bencini, R., Raubenheimer, D. & Ji, W.H. (2015). Is trophy hunting of bharal (blue sheep) and Himalayan tahr contributing to their conservation in Nepal? *Hystrix* 26, 85– 88.
- Baldus, R.D. (2014). Consultancy report on the sustainable use of wildlife in Turkmenistan and Kazakhstan. Bonn: Deutsche Gesellschaft fur Internationale Zusammenarbeit.
- Baldus, R. D., Damm, G. R. & Wollscheid, K. (2008). Best practices in sustainable hunting a guide to best practices

from around the world. Budakeszi, Hungary: International Council for Game and Wildlife Conservation.

- Barari Hunting. (2021). *Welcome to Barari Hunting UAE*. Barari Hunting. Available at http://bararihunting.com/en/ home/
- Baskaya, S., Baskaya, E. & Arpacik, A. (2012). Relationship between forest protection and hunting tourism in Turkey. *Afr. J. Agric. Res.* 7, 5637–5643. https://doi.org/10.5897/ ajar10.834
- Batavia, C., Nelson, M.P., Darimont, C.T., Paquet, P.C., Ripple, W.J. & Wallach, A.D. (2018). The elephant (head) in the room: a critical look at trophy hunting. *Conserv. Lett.* 12, e12565.
- Bellon, L. (2008). Sustainable conservation and grassroots realities, lessons from the conservation programme in Torghar, Balochistan, Pakistan. In *Best practices in sustainable hunting*: 27–31. Budakeszi, Hungary: International Council for Game and Wildlife Conservation.
- Booth, V. (2002). Analysis of wildlife markets (sport hunting and tourism). Harare, Zimbabwe: WWF-SARPO.
- Bunnefeld, N., Edwards, C.T., Atickem, A., Hailu, F. & Milner-Gulland, E.J. (2013). Incentivizing monitoring and compliance in trophy hunting. *Conserv. Biol.* 27, 1344– 1354.
- CBD. (2018). Decision adopted by the conference of the parties to the convention on biological diversity. Sharm El-Sheikh, Egypt: Conference of the Parties to the Convention on Biological Diversity.
- CITES. (2019). Community-based trophy hunting of Ibex and Markhor in Tajikistan. CITES & Livelihoods case study 2019. Available at https://cites.org/sites/default/files/eng/prog/ Livelihoods/case_studies/Tajikistan_ibex%26markhor_long_ revSept26.pdf
- Di Minin, E., Leader-Williams, N. & Bradshaw, C.J.A. (2016). Banning trophy hunting will exacerbate biodiversity loss. *Trends Ecol. Evol.* **31**, 99–102.
- Dickman, A., Cooney, R., Johnson, P.J., Louis, M.P. & Roe, D. (2019). Trophy hunting bans imperil biodiversity. *Science* 365, 874.
- Dudley, N., Jonas, H., Nelson, F., Parrish, J., Pyhälä, A., Stolton, S. & Watson, J.E. (2018). The essential role of other effective area-based conservation measures in achieving big bold conservation targets. *Glob. Ecol. Conserv.* 15, 1–7.
- Ebrahim, Z. (2019). *Trophy hunting protects Pakistan's markhor, brings prosperity to villages*. London, UK: The Third Pole.
- Farhadinia, M.S., Johnson, P.J., Hunter, L.T. & Macdonald, D.W. (2018). Persian leopard predation patterns and kill rates in the Iran–Turkmenistan borderland. *J. Mammal.* 99, 713–723.
- Farhadinia, M.S., Moqanaki, E.M. & Hosseini-Zavarei, F. (2014). Predator–prey relationships in a middle Asian montane steppe: Persian leopard versus urial wild sheep in northeastern Iran. *Eur. J. Wildl. Res.* **60**, 341–349.

- Frisina, M.R., Awan, M.N. & Woodford, M.H. (2007). Determining trophy harvest quotas through a status survey of urial (*Ovis orientalis*) in the Kalabagh Game Reserve, Punjab Province, Pakistan. J. Bombay Nat. Hist. Soc. 104, 35.
- Farhadinia, M.S., Waldron, A., Kaszta, Ż., Eid, E., Hughes, A., Ambarlı, H., Al-Hikmani, H., Buuveibaatar, B., Gritsina, M.A., Haidir, I. & Islam, Z.U. (2022). Current trends suggest most Asian countries are unlikely to meet future biodiversity targets on protected areas. *Commun. Biol.* 5, 1221. https://doi.org/10.1038/s42003-022-04061-w
- Frisina, M.R. & Frisina, R.M. (2012). Influence of trophy harvest on the population age structure of argali (*Ovis ammon*) in Mongolia. J. Bombay Nat. Hist. Soc. 109, 173– 176.
- Haider, J., Rakha, B.A., Anwar, M., Khan, M.Z. & Ali, H. (2021). An updated population status of Astor Markhor (*Capra falconeri falconeri*) in Gilgit-Baltistan, Pakistan. *Glob. Ecol. Conserv.* 27, e01555.
- Harris, R.B. & Pletscher, D.H. (2002). Incentives toward conservation of argaii *Ovis ammon*: a case study of trophy hunting in western China. *Oryx* 36, 373–381.
- Horowitz, A. (2019). Trophy hunting: a moral imperative for bans. *Science* **366**, 435.
- Hosseini, M., Farashi, A., Khani, A. & Farhadinia, M.S. (2019). Landscape connectivity for mammalian megafauna along the Iran-Turkmenistan-Afghanistan borderland. *J. Nat. Conserv.* 1, 125735.
- Houdt, S., Brown, R.P., Wanger, T.C., Twine, W., Fynn, R., Uiseb, K., Cooney, R. & Traill, L.W. (2021). Divergent views on trophy hunting in Africa, and what this may mean for research and policy. *Conserv. Lett.* 14. https://doi.org/10. 1111/conl.12840
- Igota, H. & Suzuki, M. (2008). Community-based wildlife management: a case study of sika deer in Japan. *Hum. Dimens. Wildl.* **13**, 416–428.
- IUCN. (2016). *Informing decisions on trophy hunting*. Briefing paper. International Union for Conservation of Nature.
- Johnson, P.J., Kansky, R., Loveridge, A.J. & Macdonald, D.W. (2010). Size, rarity and charisma: valuing African wildlife trophies. *PLoS One* 5, e12866. https://doi.org/10.1371/ journal.pone.0012866
- Kamran, A. (2020). How much does a Markhor hunting license cost in Pakistan? Baaghi TV. Available at https://en. baaghitv.com/how-much-does-a-markhor-hunting-licensecost-in-pakistan/
- Karimov, K. & Cooney, R. (2019). *Ibex and Markhor trophy hunting in Tajikistan*. Available at https://cites.org/sites/ default/files/eng/prog/Livelihoods/case_studies/CITES_ livelihoods_Fact_Sheet_2019_Tajikistan_Ibex_Markhor_rev1. pdf
- Khan, H. & Baig, S.U. (2020). Biodiversity conservation in the Hindu Kush-Karakoram-Himalayan mountain region of northern Pakistan: overview of big mammal protection. J. Mt. Sci. 17, 1360–1373.

14 Animal Conservation •• (2023) ••-•• © 2023 The Authors. Animal Conservation published by John Wiley & Sons Ltd on behalf of Zoological Society of London.

- Khan, M.Z., Begum, F., Riaz, M., Khan, B., Karim, R., Ali, K. & Aman, S. (2019). Predicting the potential impacts of trophy hunting on population structure of Himalayan ibex (*Capra sibirica*) in northern Pakistan. *Pol. J. Ecol.* 67, 264– 270.
- Khan, M.Z., Khan, B., Ahmed, E., Khan, G., Ajmal, A., Ali, R., Abbas, S., Ali, M. & Hussain, E. (2014). Abundance, distribution and conservation of key ungulate species in Hindu Kush, Karakoram and Western Himalayan (HKH) mountain ranges of Pakistan. *Int. J. Agric. Biol.* 16, 1050–1058.
- Khattak, R.H., Ali, H., Rehman, E.U. & Nawaz, M.A. (2020). Population structure of blue sheep (*Pseudios nayaur*) in Shim shal Valley Gilgit-Baltistan Pakistan. *Pak. J. Zool.* 52, 699–707.
- Khyber Pakhtunkhwa Wildlife Act. (2015). P:4. Available at http://kpwildlife.com.pk/Downloads/wildlife_act_2015.pdf
- Kifayat, U., Khan, F.A. & Ejaz, A. (2014). Determinants of poverty in mountain region of Gilgit-Baltistan, Pakistan. *Dev. Country Stud.* 4, 10–19.
- Leader-Williams, N. & Hutton, J.M. (2005). Does extractive use provide opportunities to reduce conflicts between people and wildlife? In *People and wildlife: conflict or coexistence*?: 140–160. Woodroffe, R., Thirgood, S.J. & Rabinowitz, A. (Eds). Cambridge: Cambridge University Press.
- Lindsey, P.A., Roulet, P.A. & Romanach, S.S. (2007). Economic and conservation significance of the trophy hunting industry in sub-Saharan Africa. *Biol. Conserv.* 134, 455–469.
- Loveridge, A.J., Searle, A.W., Murindagomo, F. & Macdonald, D.W. (2007). The impact of sport-hunting on the population dynamics of an African lion population in a protected area. *Biol. Conserv.* 134, 548–558.
- Macdonald, D.W., Johnson, P.J., Loveridge, A.J., Burnham, D. & Dickman, A.J. (2016). Conservation or the moral high ground: siding with Bentham or Kant. *Conserv. Lett.* 9, 307–308.
- Mallon, D. (2013). Trophy hunting of CITES-listed species in Central Asia. EU-CITES Capacity building project No. S-415: CITES Secretariat.
- Michel, S., Yakusheva, N., Pesch, M. & Baldus, R.D. (2015). *The current situation of wildlife management in Central Asian Countries.* Bishkek: KIRLAND Ltd.
- Mishra, C., Samelius, G., Khanyari, M., Srinivas, P.N., Low, M., Esson, C., Venkatachalam, S. & Johansson, Ö. (2022). Increasing risks for emerging infectious diseases within a rapidly changing high Asia. *Ambio* 51, 494–507.
- Mkanda, F.X., Mwakifwamba, A. & Simpamba, T. (2014). Traditional stewardship and conservation in the game management areas of Nkala and Namwala, Zambia. *Oryx* 48, 514–521. https://doi.org/10.1017/s0030605313000574
- Nagri, J. (2017). *GB auctions permits for trophy hunting*. Dawn. Available at https://www.dawn.com/news/1359521
- Nawaz, M., Ud Din, J., Shah, S. & Khan, A. (2016). The trophy hunting program: enhancing snow leopard prey

populations through community participation. In *Snow leopards: biodiversity of the world: conservation from genes to landscapes:* 220–229. Nyhus, P.J., Mccarthy, T. & Mallon, D. (Eds). Cambridge, MA: Academic Press Inc.

- Nelson, F., Lindsey, P. & Balme, G. (2013). Trophy hunting and lion conservation: a question of governance? *Oryx* **47**, 509.
- Nordbø, I., Turdumambetov, B. & Gulcan, B. (2017). Local opinions on trophy hunting in Kyrgyzstan. J. Sustain. Tour. 26, 68–84. https://doi.org/10.1080/09669582.2017.1319843
- Packer, C., Brink, H., Kissui, B.M., Maliti, H., Kushnir, H. & Caro, T. (2010). Effects of trophy hunting on lion and leopard populations in Tanzania. *Conserv. Biol.* 25, 142– 153. https://doi.org/10.1111/j.1523-1739.2010.01576.x
- Page, L. (2015). Killing to save: trophy hunting and conservation in Mongolia. Independent Study Project (ISP) Collection. 2086. Available at https://digitalcollections.sit. edu/isp collection/2086
- Rashid, W., Shi, J.B., Rahim, I.U., Dong, S.K. & Sultan, H. (2020). Issues and opportunities associated with trophy hunting and tourism in Khunjerab National Park, northern Pakistan. *Animals* 10, 597.
- Raza, G., Mirza, S.N., Anwar, M., Hussain, I., Khan, S.W., Ahmad, K., Nawaz, M.A. & Ahmad, N. (2015). Population and distribution of Himalayan ibex, *Capra ibex sibrica*, in Hushe Valley, Central Karakoram National Park, Pakistan. *Pak. J. Zool.* 47, 1025–1030.
- Rosen, T. (2012). Analyzing gaps and options for enhancing argali conservation in central Asia within the context of the convention on the conservation of migratory species of wild animals. Bonn: Convention on Migratory Species.
- Saif, S. (2017). Trophy hunting quota for new season announced. Tribune. Available at https://tribune.com.pk/ story/1573151/trophy-hunting-quota-new-season-announced
- Shackleton, D.M. (2001). A review of community-based trophy hunting programs in Pakistan. Islamabad, Pakistan: IUCN, the World Conservation Union.
- Valdez, R., Michel, S., Subbotin, A. & Klich, D. (2016). Status and population structure of a hunted population of Marco Polo Argali *Ovis ammon polii* (Cetartiodactyla, Bovidae) in southeastern Tajikistan. *Mammalia* 80, 49–57.
- Woodford, M.H., Frisina, M.R. & Awan, G.A. (2004). The Torghar conservation project: management of the livestock, Suleiman Markhor (*Capra falconeri*) and Afghan Urial (*Ovis orientalis*) in the Torghar Hills, Pakistan. *Game Wildl. Sci.* 21, 177–187.
- WWF. (2015). *Quota for hunting in 2015 defined*. WWF. Available at https://wwf.panda.org/?236590/Quota-for-hunting-in-2015-defined
- Yayla, O., Yayla, S. & Aktas, S.G. (2020). Geographical distribution of hunting tourism areas in Turkey. In *Travel* and tourism: sustainability, economics, and management issues: 207–221. Coşkun, İ.O., Othman, N., Aslam, M. & Lew, A. (Eds). Singapore: Springer.

Zaman, S., Chaudhary, J. A., Abbas, S., Ghaznavi, M., Essa, M. & Arif, M. A. (2019). Safeguarding biodiversity conservation through sustainable use in Gilgit-Baltistan: guidelines for streamlining the community-based sustainable trophy hunting programme in Gilgit-Baltistan. Karachi, Pakistan: IUCN.

Supporting information

Additional supporting information may be found online in the Supporting Information section at the end of the article.
 Table S1. Outfitters considered to determine the taxonomic and geographical scope of this study.

Table S2. Source types for the different ecological and socioeconomic characteristics of trophy hunting considered in this study.

 Table S3. Examples of differentiating domestic and international permit prices.

Table S4. Legally mandated proportions of trophy hunting revenue accrued by the central government versus that which remains in the local area.

 Table S5. Summary of trophy hunting governance across
 Asia.