

Kent Academic Repository

Batchelor, John C., Parker, Edward A., Ziai, Mohamed A., Sanchez-Romaguera, Veronica and Yeates, Stephen (2013) *Ultra thin and transfer tattoo UHF RFID tags.* In: Proceedings of PIERS Stockholm 2013. 1 (1). pp. 1-2. Progress in Electromagnetics Research Symposium (PIERS) ISBN 978-1-934142-26-4.

Downloaded from

https://kar.kent.ac.uk/36682/ The University of Kent's Academic Repository KAR

The version of record is available from

http://www.piers.org/piersproceedings/piers2013StockholmProc.php

This document version

UNSPECIFIED

DOI for this version

Licence for this version

UNSPECIFIED

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in *Title of Journal*, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies).

Ultra thin and transfer tattoo UHF RFID tags

This paper describes inkjet printing as a digital fabrication tool for the manufacture of RFID tags on flexible and porous substrates (i.e. paper). The RFID tag presented is a single layer, ultrathin UHF tag in the form of a transfer tattoo, [1] which evolved from ultra-thin, substrate insensitive tag designs, [2]. Operation has been demonstrated when mounted direct on the skin with initial read ranges in the region of 1m and subsequent improvements have enabled read range increases. The implications of ink sintering processes for paper based transfer tattoos will be discussed as specifically applied to this work, [3], and resulting patch conductivities and read ranges highlighted for tags printed on tattoo transfer paper, [4]. Recent developments in selective ink layering will be outlined to illustrate the benefits to cost effective fabrication and efficient tattoo patch operation. Finally, work integrating additional components to improve transponder efficiency will be presented and leading to the concept of an ultra-thin battery for power assisted tagging where on-skin read ranges of 6m are possible. The issues for fabrication will be discussed for deposition and fabrication of such ultra-low profile sensitive tattoo tags.

- 1. M. Ziai and J. Batchelor, *Temporary On-Skin passive UHF RFID Transfer Tag*, *IEEE Transactions on Antennas and Propag.*, **2011**, 59(10), 3565.
- 2. M. Ziai and J. Batchelor, *Thin ultra high-frequency platform insensitive radio frequency identification tags, IET Microw. Antennas Propag.*, **2010**, vol. 4, pp. 390–398.
- 3. V. Sanchez-Romaguera, M.B. Madec, S.G. Yeates, *Ink-jet printing of conductive polymers for smart textiles and flexible electronics*. Materials Research Society Symposium Proceedings, **2009**, 1192E(Materials and Devices for Flexible and Stretchable Electronics), No pp. given, Paper #: 1192-PP14-04.
- 4. http://www.craftycomputerpaper.co.uk/.-Inkjet-Tattoo-Paper_CPJ316I.htm

Ultra thin and transfer tattoo UHF RFID tags

J.C. Batchelor¹, School of Engineering, University of Kent, j.c.batchelor@kent.ac.uk

D.O. Oyeka¹, School of Engineering, University of Kent, doo20@kent.ac.uk

B.M. Turki¹, School of Engineering, University of Kent, bmmt2@kent.ac.uk

E.A. Parker¹, School of Engineering, University of Kent, e.a.parker@kent.ac.uk

S.G. Yeates², School of Chemistry, University of Manchester, stephen.yeates@manchester.ac.uk

V. Sanchez-Romaguera², School of Chemistry, University of Manchester, veronica.sanchez@manchester.ac.uk

Corresponding and Presenting Author: J.C. Batchelor: Tel: +44 1227 827004

Session organiser: W.Whittow (SC4)

Oral Presentation.

¹Jennison Building, University of Kent, Canterbury, CT2 7NT, UK

²School of Chemistry, University of Manchester, Oxford Road, Manchester, M13 9PL, UK