

Kent Academic Repository

Osman, Sarah and Wood, Jane L. (2017) *Interventions to tackle stigma* and discrimination in relation to youth mental health. In: ESRC Seminar, April 2017, Nottingham. (Unpublished)

Downloaded from

https://kar.kent.ac.uk/64911/ The University of Kent's Academic Repository KAR

The version of record is available from

This document version

Presentation

DOI for this version

Licence for this version UNSPECIFIED

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in *Title of Journal*, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies).



Email: so302@kent.ac.uk

The stigma of mental ill-health among gang-affiliated youth: A systematic review

Miss Sarah Osman

This research is supervised by Dr Jane Wood at the Centre of Research and Education in Forensic Psychology.







What is a Gang?

A gang is defined as "any durable, street-orientated youth group whose involvement in illegal activity forms part of its group identity." (Weerman et al., 2009, p.20).

Rationale for Systematic Review

- Gang members are exposed to a range of adverse experiences throughout their membership.
- However, the causative links between gang membership and mental-ill health have not yet been established.
- Findings show that, compared to general offenders, youth gang members are more likely to enter the Criminal Justice System (CJS) with behavioural difficulties (13% vs. 40%) and have high levels of risk for self-harming (Public Health England, 2015).
- Yet, empirical research is only just beginning to cast focus on the relationship between gang membership and mental-ill health (Coid et al., 2013; Petering, 2016; Wood, Kallis, & Coid., in press).
- Despite this growing focus, gang members are stigmatized by criminal justice systems who adopt harsh and punitive approaches rather than focus on mental health interventions.
- Gang members are also stigmatized by members of their own group whereby expressing / mental health difficulties is synonymous with weakness.

Research Questions

This review sought to address the following research questions:

- (1). How does gang membership relate to the mental health and emotions of gang members?
- (2). Do gang members suffer from heightened levels of mental-ill health (e.g. anti-social personality disorder, anxiety, depression, paranoia, perpetration-induced trauma, and posttraumatic stress disorder) compared to non-gang members and affiliates of gang members?
- (3). How does duration and level of gang membership impact on processes of moral disengagement and on emotions such as anger, guilt proneness, rumination and shame proneness?

Methodology

Search Terms		Searched Databases	
Anger	Moral Disengagement	Academic Search Complete	PsychINFO
Anxiety	Paranoia		
Depression	Perpetration	Cochrane Database	PubMed
Desistence	Personality Disorder	Criminal Justice Abstracts	Scopus
Emotions	Posttraumatic Stress		
Gangs	Rumination	National Institute for Clinical Excellence	Web of Science
Guilt	Shame		
Juvenile Delinquency	Trauma	PsychARTICLES	System for Information on Grey
Mental Health	Violence		

Search Process Records identified through Additional records identified database searching through other sources (n = 207,418)(n = 10)Records after duplicates removed (n = 145,381)Records screened using title and abstract Records excluded as per inclusion criteria (n = 145,381)(n = 145,075)Full-text articles excluded Full-text articles (n = 277)assessed for eligibility (n = 306)Quantitative studies Qualitative studies included included (n = 23)(n = 6)

Review Conclusions

Methodological issues clouded the literature and so no conclusions regarding causal mechanisms between variables could be formulated.

Literature

- Studies were largely cross-sectional and of those that relied on longitudinal data; retrospective data, lack of comparable groups, and inconsistencies with measuring gang membership, provided no means of forming conclusions of the higher psychological processes involved with prolonged gang involvement and/or levels of gang involvement (e.g. core vs. affiliate gang membership).
- Nonetheless, a narrative synthesis revealed gang members may be at increased risk of suffering a range of mental health illnesses, but also that individuals with pre-existing difficulties may be increasingly likely to join a gang.
- The diagnosis of mental-ill health amongst the literature demonstrated inconsistencies in the measurement of relevant outcomes, such as anxiety and depression.
- The clinical implications of inaccurate or inconsistent diagnosis become particularly significant as misdiagnosis may result in unresponsive treatment interventions.
- Within the study of gangs, the experience of self-conscious emotions, such as guilt and shame are yet to be explored.
- There are significant research implications pertaining to measurement and study designs that must be addressed if gang research is to influence policy and clinical settings to treat gang membership effects in individuals and address the stigmatization of gang members, who are considered as perpetrators rather than victims of crime and circumstance.

References

Coid, J. W., Ullrich, S., Keers, R., Bebbington, P., Destavola, B. L., Kallis, C., Yang, M., et al. (2013). Gang membership, violence, and psychiatric morbidity. American Journal of Psychiatry, 170, 985-993. doi:10.1176/appi.ajp.2013.12091188

Petering, R. (2016). Sexual risk, substance use, mental health, and trauma experiences of gang-involved homeless youth. Journal of Adolescence, 48, 73-81.

doi: 10.1016/j.adolescence.2016.01.009

Weerman, F. M. Maxson, C. L., Esbensen, F. A., Aldridge, J. Medina, J., & van Gemert, F. (2009). Eurogang program manual: Background, development, and use of the eurogang instruments in multi-site, multi-method comparative research. Retrieved from http://umsl.edu/ccj/Eurogang/EurogangManual.pdf

Wood, J., Kallis, C., & Coid, J. W. (in press). Core and peripheral gang members: Their psychiatric morbidity, violence and trauma.