



# Kent Academic Repository

**Tamè, Luigi, Dransfield, Elanah and Longo, Matthew R. (2015) *Hand posture alters perceived finger numerosity*. [Conference item] (Unpublished)**

## Downloaded from

<https://kar.kent.ac.uk/98832/> The University of Kent's Academic Repository KAR

## The version of record is available from

<https://doi.org/Session 1>

## This document version

Publisher pdf

## DOI for this version

## Licence for this version

UNSPECIFIED

## Additional information

## Versions of research works

### Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

### Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in **Title of Journal**, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

### Enquiries

If you have questions about this document contact [ResearchSupport@kent.ac.uk](mailto:ResearchSupport@kent.ac.uk). Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our [Take Down policy](https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies) (available from <https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies>).

## Hand Posture Alters Perceived Finger Numerosity

Luigi Tamè, Elanah Dransfield, & Matthew R. Longo

Patients with lesions of the left posterior parietal cortex commonly fail in identifying their fingers, a condition known as finger agnosia, yet are relatively unimpaired in skilled action. Such dissociations have classically been taken as evidence that representation of body structure is distinct from sensorimotor representations, such as the body schema. Here, we investigated whether the representations of finger numerosity is modulated by the internal posture of the hand. We used the ‘in between’ test in which participants estimate the number of unstimulated fingers between two touched fingers. Across blocks, the fingers were placed in three postures: (1) with fingers touching each other, (2) fingers separated by one centimetre, (3) fingers spread to the maximum comfortable splay. Participants judged the number of unstimulated fingers ‘in between’ the two touches and responded vocally as quickly and accurately as possible. Critically, participants gave larger numerosity estimates when the fingers were positioned far apart compared to when they were close together or touching. Our results demonstrate that increasing the spatial distance between the fingers makes participants experience the fingers as more numerous. These results show that there are dynamic functional links between offline representations of body structure and online representations of body posture.