



Kent Academic Repository

Alexander, Stephen P. H., Kelly, Eamonn, Mathie, Alistair A., Peters, John A., Veale, Emma L., Armstrong, Jane F., Buneman, O. Peter, Faccenda, Elena, Harding, Simon D., Spedding, Michael and others (2023) *The Concise Guide to PHARMACOLOGY 2023/24: Introduction and Other Protein Targets*. *British Journal of Pharmacology*, 180 (S2). S1-S22. ISSN 0007-1188.

Downloaded from

<https://kar.kent.ac.uk/114895/> The University of Kent's Academic Repository KAR

The version of record is available from

<https://doi.org/doi:10.1111/bph.16176>

This document version

Publisher pdf

DOI for this version

Licence for this version

CC BY (Attribution)

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.




Author Accepted Manuscripts


If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in **Title of Journal**, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our [Take Down policy](https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies) (available from <https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies>).

The Concise Guide to PHARMACOLOGY 2023/24: Introduction and Other Protein Targets

Stephen P. H. Alexander¹ , Eamonn Kelly², Alistair A. Mathie³ , John A. Peters⁴ , Emma L. Veale⁵ , Jane F. Armstrong⁶ , O. Peter Buneman⁷, Elena Faccenda⁶ , Simon D. Harding⁶ , Michael Spedding⁸ , John A. Cidlowski⁹ , Dorian Fabbro¹⁰ , Anthony P. Davenport¹¹ , Jörg Striessnig¹² , Jamie A. Davies⁶ , Katelin E. Ahlers-Dannen¹³, Mohammed Alqinyah¹⁴, Thiruma V. Arumugam¹⁵, Christopher Bodle¹⁶, Josephine Buo Dagner¹⁴, Bandana Chakravarti¹³, Shreoshi P. Choudhuri¹⁷, Kirk M. Druey¹⁸, Rory A. Fisher¹³, Kyle J. Gerber¹⁹, John R. Hepler²⁰, Shelley B. Hooks¹⁴, Havish S. Kantheti¹⁷, Behirda Karaj²¹, Somayeh Layeghi-Ghalehsoukhteh²², Jae-Kyung Lee¹⁴, Zili Luo¹³, Kirill Martemyanov²³, Luke D. Mascarenhas¹⁷, Harrison McNabb²⁴, Carolina Montañez-Miranda²⁰, Osita Ogujiofor¹⁷, Hoa Phan²¹, David L. Roman¹³, Vincent Shaw²⁵, Benita Sjogren²⁴ , Christopher Sobey²⁶ , Mackenzie M. Spicer¹³, Katherine E. Squires²⁰, Laurie Sutton²⁷, Menbere Wendimu¹⁴, Thomas Wilkie¹⁷, Keqiang Xie²³, Qian Zhang²⁴ and Yalda Zolghadri¹⁷



¹School of Life Sciences, University of Nottingham Medical School, Nottingham, NG7 2UH, UK, ²School of Physiology, Pharmacology and Neuroscience, University of Bristol, Bristol, BS8 1TD, UK, ³School of Allied Health Sciences, University of Suffolk, Ipswich, IP4 1QJ, UK, ⁴Neuroscience Division, Medical Education Institute, Ninewells Hospital and Medical School, University of Dundee, Dundee, DD1 9SY, UK, ⁵Medway School of Pharmacy, The Universities of Greenwich and Kent at Medway, Anson Building, Central Avenue, Chatham Maritime, Chatham, Kent, ME4 4TB, UK, ⁶Centre for Discovery Brain Sciences, University of Edinburgh, Edinburgh, EH8 9XD, UK, ⁷Laboratory for Foundations of Computer Science, School of Informatics, University of Edinburgh, Edinburgh, EH8 9LE, UK, ⁸Spedding Research Solutions SARL, Le Vésinet, 78110, France, ⁹National Institute of Environmental Health Sciences, National Institutes of Health, Department of Health and Human Services, Research Triangle Park, NC 27709, USA, ¹⁰PIQR Therapeutics, Basel, 4057, Switzerland, ¹¹Clinical Pharmacology Unit, University of Cambridge, Cambridge, CB2 0QQ, UK, ¹²Pharmacology and Toxicology, Institute of Pharmacy, University of Innsbruck, A-6020, Innsbruck, Austria, ¹³University of Iowa, Iowa City, USA, ¹⁴University of Georgia, Athens, USA, ¹⁵National University of Singapore, Singapore, Singapore, ¹⁶University of Pittsburgh, Iowa City, USA, ¹⁷University of Texas Southwestern Medical Center, Dallas, USA, ¹⁸National Institute of Health, Bethesda, USA, ¹⁹Tetracore Inc., Athens, USA, ²⁰Emory University, Athens, USA, ²¹University of Michigan, East Lansing, USA, ²²Cobel Darou, Shiraz, Iran, ²³Scripps Research Institute, Jupiter, USA, ²⁴Purdue University, West Lafayette, USA, ²⁵Michigan State University, East Lansing, USA, ²⁶La Trobe University, Clayton, Australia, ²⁷University of Maryland, Jupiter, USA

Abstract

The Concise Guide to PHARMACOLOGY 2023/24 is the sixth in this series of biennial publications. The Concise Guide provides concise overviews, mostly in tabular format, of the key properties of approximately 1800 drug targets, and about 6000 interactions with about 3900 ligands. There is an emphasis on selective pharmacology (where available), plus links to the open access knowledgebase source of drug targets and their ligands (www.guidetopharmacology.org), which provides more detailed views of target and ligand properties. Although the Concise Guide constitutes almost 500 pages, the material presented is substantially reduced compared to information and links presented on the website. It provides a permanent, citable, point-in-time record that will survive database updates. The full contents of this section can be found at <http://onlinelibrary.wiley.com/doi/10.1111/bph.16176>. In addition to this overview, in which are identified 'Other protein targets' which fall outside of the subsequent categorisation, there are six areas of focus: G protein-coupled receptors, ion channels, nuclear hormone receptors, catalytic receptors, enzymes and transporters. These are presented with nomenclature guidance and summary information on the best available pharmacological tools, alongside key references and suggestions for further reading. The landscape format of the Concise Guide is designed to facilitate comparison of related targets from material contemporary to mid-2023, and supersedes data presented in the 2021/22, 2019/20, 2017/18, 2015/16 and 2013/14 Concise Guides and previous Guides to Receptors and Channels. It is produced in close conjunction with the Nomenclature and Standards Committee of the International Union of Basic and Clinical Pharmacology (NC-IUPHAR), therefore, providing official IUPHAR classification and nomenclature for human drug targets, where appropriate.

Conflict of interest

The authors state that there are no conflicts of interest to disclose.

© 2023 The Authors. *British Journal of Pharmacology* published by John Wiley & Sons Ltd on behalf of The British Pharmacological Society

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Table of contents

S1 Introduction and Other Protein Targets

S9	Adiponectin receptors
S9	Anti-infective targets
S9	Coronavirus (CoV) proteins
S11	Bacterial protein targets
S11	Aryl hydrocarbon receptor
S12	Non-enzymatic BRD containing proteins
S13	CD molecules
S14	Methyllysine reader proteins
S14	Fatty acid-binding proteins
S16	Notch receptors
S16	Regulators of G protein Signaling (RGS) proteins
S17	RZ family
S17	R4 family
S18	R7 family
S18	R12 family
S19	Sigma receptors
S19	Transthyretin
S20	Tubulins

S23 G protein-coupled receptors

S26	Orphan and other 7TM receptors
S27	Class A Orphans
S34	Class C Orphans
S35	Opsin receptors
S35	Taste 1 receptors
S36	Taste 2 receptors
S38	Other 7TM proteins

S39	5-Hydroxytryptamine receptors
S40	Acetylcholine receptors (muscarinic)
S44	Adenosine receptors
S45	Adhesion Class GPCRs
S49	Adrenoceptors
S53	Angiotensin receptors)
S54	Apelin receptor
S55	Bile acid receptor
S56	Bombesin receptors
S57	Bradykinin receptors
S58	Calcitonin receptors
S59	Calcium-sensing receptor
S60	Cannabinoid receptors
S61	Chemerin receptors
S62	Chemokine receptors
S66	Cholecystokinin receptors
S68	Class Frizzled GPCRs
S70	Complement peptide receptors
S72	Corticotropin-releasing factor receptors
S72	Dopamine receptors
S74	Endothelin receptors
S75	G protein-coupled estrogen receptor
S76	Formylpeptide receptors
S77	Free fatty acid receptors
S78	GABA _B receptors
S80	Galanin receptors
S81	Ghrelin receptor
S82	Glucagon receptor family

S83	Glycoprotein hormone receptors
S84	Gonadotrophin-releasing hormone receptors
S85	GPR18, GPR55 and GPR119
S86	Histamine receptors
S87	Hydroxycarboxylic acid receptors
S88	Kisspeptin receptor
S89	Leukotriene receptors
S90	Lysophospholipid (LPA) receptors
S92	Lysophospholipid (S1P) receptors
S93	Melanin-concentrating hormone receptors
S93	Melanocortin receptors
S94	Melatonin receptors
S95	Metabotropic glutamate receptors
S97	Motilin receptor
S98	Neuromedin U receptors
S99	Neuropeptide FF/neuropeptide AF receptors
S100	Neuropeptide S receptor
S101	Neuropeptide W/neuropeptide B receptors
S101	Neuropeptide Y receptors
S103	Neurotensin receptors
S103	Opioid receptors
S105	Orexin receptors
S107	Oxoglutarate receptor
S107	P2Y receptors
S109	Parathyroid hormone receptors
S110	Platelet-activating factor receptor
S110	Prokineticin receptors
S111	Prolactin-releasing peptide receptor

S112 Prostanoid receptors
 S114 Proteinase-activated receptors
 S115 QRFP receptor
 S116 Relaxin family peptide receptors
 S117 Somatostatin receptors
 S118 Succinate receptor
 S119 Tachykinin receptors
 S120 Thyrotropin-releasing hormone receptors
 S121 Trace amine receptor
 S121 Urotensin receptor
 S122 Vasopressin and oxytocin receptors
 S123 VIP and PACAP receptors

S145 Ion channels

S147 Ligand-gated ion channels
 S147 5-HT₃ receptors
 S149 Acid-sensing (proton-gated) ion channels (ASICs)
 S152 Epithelial sodium channel (ENaC)
 S153 GABA_A receptors
 S159 Glycine receptors
 S161 Ionotropic glutamate receptors
 S166 IP₃ receptors
 S167 Nicotinic acetylcholine receptors (nACh)
 S170 P2X receptors
 S171 ZAC
 S172 Voltage-gated ion channels
 S173 CatSper and Two-Pore channels (TPC)
 S174 Cyclic nucleotide-regulated channels (CNG)
 S176 Potassium channels
 S176 Calcium- and sodium-activated potassium channels (K_{Ca}, K_{Na})
 S178 Inwardly rectifying potassium channels (K_{IR})
 S180 Two-pore domain potassium channels (K_{2P})
 S182 Voltage-gated potassium channels (K_V)
 S185 Ryanodine receptors (RyR)
 S186 Transient Receptor Potential channels (TRP)
 S197 Voltage-gated calcium channels (Ca_V)
 S199 Voltage-gated proton channel (H_V1)

S200 Voltage-gated sodium channels (Na_V)
 S202 Other ion channels
 S202 Aquaporins
 S204 Chloride channels
 S204 ClC family
 S206 CFTR
 S208 Calcium activated chloride channel (CaCC)
 S209 Maxi chloride channel
 S210 Volume regulated chloride channels (VRAC)
 S211 Connexins and Pannexins
 S212 Piezo channels
 S213 Sodium leak channel, non-selective (Na_{Vi})
 S214 Orai channels

S223 Nuclear hormone receptors

S224 1A. Thyroid hormone receptors
 S225 1B. Retinoic acid receptors
 S226 1C. Peroxisome proliferator-activated receptors
 S227 1D. Rev-Erb receptors
 S227 1F. Retinoic acid-related orphans
 S228 1H. Liver X receptor-like receptors
 S229 1I. Vitamin D receptor-like receptors
 S230 2A. Hepatocyte nuclear factor-4 receptors
 S230 2B. Retinoid X receptors
 S231 2C. Testicular receptors
 S232 2E. Tailless-like receptors
 S232 2F. COUP-TF-like receptors
 S233 3B. Estrogen-related receptors
 S234 4A. Nerve growth factor IB-like receptors
 S234 5A. Fushi tarazu F1-like receptors
 S235 6A. Germ cell nuclear factor receptors
 S236 0B. DAX-like receptors
 S236 Steroid hormone receptors
 S237 3A. Estrogen receptors
 S238 3C. 3-Ketosteroid receptors

S241 Catalytic receptors

S243 Cytokine receptor family
 S243 IL-2 receptor family
 S245 IL-3 receptor family
 S245 IL-6 receptor family
 S247 IL-12 receptor family
 S248 Prolactin receptor family
 S248 Interferon receptor family
 S249 IL-10 receptor family
 S250 Immunoglobulin-like family of IL-1 receptors
 S251 IL-17 receptor family
 S252 GDNF receptor family
 S253 Integrins
 S258 Pattern recognition receptors
 S258 Toll-like receptor family
 S259 NOD-like receptor family
 S261 RIG-I-like receptor family
 S262 Receptor guanylyl cyclase (RGC) family
 S262 Transmembrane guanylyl cyclases
 S264 Nitric oxide (NO)-sensitive (soluble) guanylyl cyclase
 S265 Receptor tyrosine kinases (RTKs)
 S265 Type I RTKs: ErbB (epidermal growth factor) receptor family
 S266 Type II RTKs: Insulin receptor family
 S267 Type III RTKs: PDGFR, CSFR, Kit, FLT3 receptor family
 S268 Type IV RTKs: VEGF (vascular endothelial growth factor) receptor family
 S269 Type V RTKs: FGF (fibroblast growth factor) receptor family
 S270 Type VI RTKs: PTK7/CCK4
 S270 Type VII RTKs: Neurotrophin receptor/Trk family
 S271 Type VIII RTKs: ROR family
 S271 Type IX RTKs: MuSK
 S272 Type X RTKs: HGF (hepatocyte growth factor) receptor family
 S272 Type XI RTKs: TAM (TYRO3-, AXL- and MERTK) receptor family
 S273 Type XII RTKs: TIE family of angiopoietin receptors
 S273 Type XIII RTKs: Ephrin receptor family

S274	Type XIV RTKs: RET	S308	Neutral sphingomyelinase coupling factors	S334	Lipid phosphate phosphatases
S274	Type XV RTKs: RYK	S308	Ceramide glucosyltransferase	S335	Phosphatidylinositol kinases
S275	Type XVI RTKs: DDR (collagen receptor) family	S308	Acid ceramidase	S336	Phosphatidylinositol phosphate kinases
S275	Type XVII RTKs: ROS receptors	S309	Neutral ceramidases	S337	Haem oxygenase
S276	Type XVIII RTKs: LMR family	S309	Alkaline ceramidases	S338	Hydrogen sulphide synthesis
S276	Type XIX RTKs: Leukocyte tyrosine kinase (LTK) receptor family	S309	Ceramide kinase	S338	Hydrolases
S277	Type XX RTKs: STYK1	S310	Chromatin modifying enzymes	S340	Inositol phosphate turnover
S278	Receptor serine/threonine kinase (RSTK) family	S311	2.1.1.- Protein arginine N-methyltransferases	S340	Inositol 1,4,5-trisphosphate 3-kinases
S278	Type I receptor serine/threonine kinases	S311	3.5.1.- Histone deacetylases (HDACs)	S340	Inositol polyphosphate phosphatases
S279	Type II receptor serine/threonine kinases	S312	Cyclic nucleotide turnover/signalling	S341	Inositol monophosphatase
S280	Type III receptor serine/threonine kinases	S312	Adenylyl cyclases (ACs)	S341	Kinases (EC 2.7.x.x)
S280	RSTK functional heteromers	S313	Exchange protein activated by cyclic AMP (EPACs)	S342	Rho kinase
S282	Receptor tyrosine phosphatase (RTP) family	S314	Phosphodiesterases, 3',5'-cyclic nucleotide (PDEs)	S342	Protein kinase C (PKC) family
S283	Tumour necrosis factor (TNF) receptor family	S316	Cytochrome P450	S342	Alpha subfamily
		S317	CYP1 family	S343	Delta subfamily
		S317	CYP2 family: drug metabolising subset	S343	Eta subfamily
		S318	CYP2 family: physiological enzymes subset	S344	Iota subfamily
		S319	CYP3 family	S344	FRAP subfamily
		S319	CYP4 family	S345	Cyclin-dependent kinase (CDK) family
		S320	CYP5, CYP7 and CYP8 families	S345	CDK4 subfamily
		S320	CYP11, CYP17, CYP19, CYP20 and CYP21 families	S345	GSK subfamily
		S321	CYP24, CYP26 and CYP27 families	S346	Polo-like kinase (PLK) family
		S322	CYP39, CYP46 and CYP51 families	S346	STE7 family
		S323	DNA topoisomerases	S347	Abl family
		S323	E3 ubiquitin ligase components	S347	Ack family
		S324	Endocannabinoid turnover	S348	Janus kinase (JAK) family
		S324	N-Acylethanolamine turnover	S349	Src family
		S325	2-Acylglycerol ester turnover	S349	Tec family
		S326	Eicosanoid turnover	S350	RAF family
		S326	Cyclooxygenase	S350	Lanosterol biosynthesis pathway
		S327	Prostaglandin synthases	S352	Nucleoside synthesis and metabolism
		S328	Lipoxygenases	S353	Paraoxonase (PON) family
		S329	Leukotriene and lipoxin metabolism	S354	Peptidases and proteinases
		S330	GABA turnover	S354	Blood coagulation components
		S331	Glycerophospholipid turnover	S355	A1: Pepsin
		S331	Phosphoinositide-specific phospholipase C	S355	A22: Presenilin
		S332	Phospholipase A2	S355	C14: Caspase
		S333	Phosphatidylcholine-specific phospholipase D	S356	M1: Aminopeptidase N

S289 Enzymes

S293	AAA ATPases
S293	Acetylcholine turnover
S294	Adenosine turnover
S295	Amino acid hydroxylases
S296	L-Arginine turnover
S297	2.1.1.- Protein arginine N-methyltransferases
S297	Arginase
S297	Arginine:glycine amidinotransferase
S298	Dimethylarginine dimethylaminohydrolases
S298	Nitric oxide synthases
S299	Carbonic anhydrases
S300	Carboxylases and decarboxylases
S300	Carboxylases
S301	Decarboxylases
S303	Catecholamine turnover
S305	Ceramide turnover
S305	Serine palmitoyltransferase
S306	Ceramide synthase
S306	Sphingolipid Δ 4-desaturase
S307	Sphingomyelin synthase
S307	Sphingomyelin phosphodiesterase

S356	M2: Angiotensin-converting enzymes (ACE and ACE2)	S384	Na ⁺ /K ⁺ -ATPases	S409	SLC15 family of peptide transporters
S357	M10: Matrix metalloproteinase	S384	H ⁺ /K ⁺ -ATPases	S412	SLC16 family of monocarboxylate transporters
S357	M12: Astacin/Adamalysin	S385	P4 P-type ATPases; Phospholipid-transporting ATPases	S413	SLC17 phosphate and organic anion transporter family
S358	M28: Aminopeptidase Y	S385	P5 P-type ATPases; Mn ²⁺ -ATPases	S414	Type I sodium-phosphate co-transporters
S358	M19: Membrane dipeptidase	S386	SLC superfamily of solute carriers	S414	Sialic acid transporter
S358	S1: Chymotrypsin	S386	SLC1 family of amino acid transporters	S415	Vesicular glutamate transporters (VGLUTs)
S359	T1: Proteasome	S386	Glutamate transporter subfamily	S416	Vesicular nucleotide transporter
S359	S8: Subtilisin	S388	Alanine/serine/cysteine transporter subfamily	S416	SLC18 family of vesicular amine transporters
S360	S9: Prolyl oligopeptidase	S389	SLC2 family of hexose and sugar alcohol transporters	S418	SLC19 family of vitamin transporters
S360	Peptidyl-prolyl cis/trans isomerases	S389	Class I transporters	S419	SLC20 family of sodium-dependent phosphate transporters
S361	Poly ADP-ribose polymerases	S390	Class II transporters	S419	SLC22 family of organic cation and anion transporters
S362	Prolyl hydroxylases	S390	Proton-coupled inositol transporter	S420	Organic cation transporters (OCT)
S362	Sphingosine 1-phosphate turnover	S391	SLC3 and SLC7 families of heteromeric amino acid transporters (HATs)	S421	Organic zwitterions/cation transporters (OCTN)
S362	Sphingosine kinase	S391	SLC3 family	S421	Organic anion transporters (OATs)
S363	Sphingosine 1-phosphate phosphatase	S391	SLC7 family	S422	Urate transporter
S364	Sphingosine 1-phosphate lyase	S393	SLC4 family of bicarbonate transporters	S423	Atypical SLC22B subfamily
S365	Thyroid hormone turnover	S393	Anion exchangers	S424	SLC23 family of ascorbic acid transporters
S366	1.14.13.9 Kynurenine 3-monooxygenase	S394	Sodium-dependent HCO ₃ ⁻ transporters	S425	SLC24 family of sodium/potassium/calcium exchangers
S366	2.5.1.58 Protein farnesyltransferase	S394	SLC5 family of sodium-dependent glucose transporters	S425	SLC25 family of mitochondrial transporters
S367	3.5.1.- Histone deacetylases (HDACs)	S395	Hexose transporter family	S426	Mitochondrial di- and tri-carboxylic acid transporter subfamily
S367	3.5.3.15 Peptidyl arginine deiminases (PADI)	S395	Choline transporter	S426	Mitochondrial amino acid transporter subfamily
S368	3.6.5.2 Small monomeric GTPases	S395	Sodium iodide symporter, sodium-dependent multi-vitamin transporter and sodium-coupled monocarboxylate transporters	S427	Mitochondrial phosphate transporters
S368	RAS subfamily	S397	Sodium myo-inositol cotransporter transporters	S428	Mitochondrial nucleotide transporter subfamily
S369	RAB subfamily	S398	SLC6 neurotransmitter transporter family	S429	Mitochondrial uncoupling proteins
S374 Transporters		S399	Monoamine transporter subfamily	S429	Miscellaneous SLC25 mitochondrial transporters
S376	ATP-binding cassette transporter family	S399	GABA transporter subfamily	S430	SLC26 family of anion exchangers
S377	ABCA subfamily	S400	Glycine transporter subfamily	S430	Selective sulphate transporters
S378	ABCB subfamily	S402	Neutral amino acid transporter subfamily	S430	Chloride/bicarbonate exchangers
S379	ABCC subfamily	S403	SLC8 family of sodium/calcium exchangers	S431	Anion channels
S380	ABCD subfamily of peroxisomal ABC transporters	S404	SLC9 family of sodium/hydrogen exchangers	S431	Other SLC26 anion exchangers
S381	ABCG subfamily	S404	SLC10 family of sodium/bile acid co-transporters	S432	SLC27 family of fatty acid transporters
S382	F-type and V-type ATPases	S405	SLC11 family of proton-coupled metal ion transporters	S433	SLC28 and SLC29 families of nucleoside transporters
S382	F-type ATPase	S406	SLC12 family of cation-coupled chloride transporters	S433	SLC28 family
S382	V-type ATPase	S407	SLC13 family of sodium-dependent sulphate/carboxylate transporters	S434	SLC29 family
S383	P-type ATPases	S408	SLC14 family of facilitative urea transporters	S435	SLC30 zinc transporter family
S383	P1B P-type ATPases: Cu ⁺ -ATPases			S436	SLC31 family of copper transporters
S383	P2A P-type ATPases: Ca ²⁺ -ATPases			S437	SLC32 vesicular inhibitory amino acid transporter

S438	SLC33 acetylCoA transporter	S447	SLC43 family of large neutral amino acid transporters	S457	SLC58 MagT-like magnesium transporter family
S438	SLC34 family of sodium phosphate co-transporters	S448	SLC44 choline transporter-like family	S458	SLC59 Sodium-dependent lysophosphatidylcholine symporter family
S439	SLC35 family of nucleotide sugar transporters	S449	SLC45 family of putative sugar transporters	S458	SLC60 Glucose transporters
S440	SLC36 family of proton-coupled amino acid transporters	S449	SLC46 family of folate transporters	S459	SLC61 Molybdate transporter family
S442	SLC37 family of phosphosugar/phosphate exchangers	S450	SLC47 family of multidrug and toxin extrusion transporters	S459	SLC62 Pyrophosphate transporters
S442	SLC38 family of sodium-dependent neutral amino acid transporters	S451	SLC48 heme transporter	S460	SLC63 Sphingosine phosphate transporters
S443	System A-like transporters	S452	SLC49 family of FLVCR-related heme transporters	S460	SLC64 Golgi Ca ²⁺ /H ⁺ exchangers
S443	System N-like transporters	S452	SLC50 sugar transporter	S461	SLC65 NPC-type cholesterol transporters
S444	Orphan SLC38 transporters	S453	SLC51 family of steroid-derived molecule transporters	S461	SLC66 Lysosomal amino acid transporters
S444	SLC39 family of metal ion transporters	S454	SLC52 family of riboflavin transporters	S462	SLCO family of organic anion transporting polypeptides
S445	SLC40 iron transporter	S454	SLC53 Phosphate carriers		
S446	SLC41 family of divalent cation transporters	S455	SLC54 Mitochondrial pyruvate carriers		
S446	SLC42 family of Rhesus glycoprotein ammonium transporters	S456	SLC55 Mitochondrial cation/proton exchangers		
		S456	SLC56 Sideroflexins		
		S457	SLC57 NiPA-like magnesium transporter family		

Introduction

In order to allow clarity and consistency in pharmacology, there is a need for a comprehensive organisation and presentation of the pharmacological targets for drugs. This is the philosophy of the IUPHAR/BPS Guide to PHARMACOLOGY presented on the online free access database (<https://www.guidetopharmacology.org/>). This database is supported by the British Pharmacological Society (BPS), the International Union of Basic and Clinical Pharmacology (IUPHAR), the University of Edinburgh and previously the Wellcome Trust. Data included in the Guide to PHARMACOLOGY are derived in large part from interactions with the subcommittees of the Nomenclature and Standards Committee of the International Union of Basic and Clinical Pharmacology (NC-IUPHAR). A major influence on the development of the database was Tony Harmar (1951-2014), who worked with a passion to establish the curators as a team of highly informed and informative individuals, with a focus on high-quality data input, ensuring a suitably validated dataset. The Editors of the Concise Guide have compiled the individual records, in concert with the team of Curators, drawing on the expert knowledge of these latter subcommittees. The tables allow an indication of the status of the nomenclature for the group of targets listed, usually previously published in Pharmacological Reviews. In the absence of an established subcommittee, advice from several prominent, independent experts has generally been obtained to produce an authoritative consensus on nomenclature, which attempts to fit in within the general guidelines from NC-IUPHAR. This current edition, the Concise Guide to PHARMACOLOGY 2023/24, is the latest snapshot of the database in print form, following on from the Concise Guide to PHARMACOLOGY 2021/22. It contains data drawn from the online database as a rapid overview of the major pharmacological targets. Thus, there are many fewer targets presented in the Concise Guide compared to the online database. The priority for inclusion in the Concise Guide is the presence of quantitative pharmacological data for human proteins. This means that often orphan family members are not presented in the Concise Guide, although structural information is available on the online database. The organisation of the data is tabular (where appropriate) with a standardised format, where possible on a single page, intended to aid understanding of, and comparison within, a particular target group. The Concise Guide is intended as an initial resource, with links to additional reviews and resources for greater depth and information. Pharmacological and structural data focus primarily on human gene products, wherever possible, with links to HGNC gene nomenclature and UniProt IDs. In a few cases, where data from human proteins are limited, data from other species are indicated. Pharmacological tools listed are prioritised on the basis of selectivity and availability. That is, agents (agonists, antagonists, inhibitors, activators, etc.) are included where they are both available (by donation or from commercial sources, now or in the near future) AND the most selective. The Concise Guide is divided into seven sections, which comprise pharmacological targets of similar structure/function. These are G protein-coupled receptors, ion channels (including ligand-gated, voltage-gated and other ion channels), catalytic receptors, nuclear hormone receptors, enzymes, transporters and other protein targets. We hope that the Concise Guide will provide for researchers, teachers and students a state-of-the-art source of accurate, curated information on the background to their work that they will use in the Introductions to their Research Papers or Reviews, or in supporting their teaching and studies. We recommend that any citations to information in the Concise Guide are presented in the following format: Alexander SPH *et al.* (2023). The Concise Guide to PHARMACOLOGY 2023/24: Introduction and other protein targets. *Br J Pharmacol* 180: S1-S22.

In this overview are listed protein targets of pharmacological interest, which are not G protein-coupled receptors, ion channels, nuclear hormone receptors, catalytic receptors, transporters or enzymes.

Acknowledgements

We are very grateful to the British Pharmacological Society and the International Union of Basic and Clinical Pharmacology, for financial support of the website and for advice from the NC-IUPHAR subcommittees. We thank the University of Edinburgh, who host the www.guidetopharmacology.org website. Previously, the International Union of Basic and Clinical Pharmacology and the Wellcome Trust (099156/Z/12/Z) also supported the initiation and expansion of the database. We are also tremendously grateful to the long list of collaborators from NC-IUPHAR subcommittees and beyond, who have assisted in the construction of the Concise Guide to PHARMACOLOGY 2023/24 and the online database www.guidetopharmacology.org.

Conflict of interest

The authors state that there are no conflicts of interest to disclose.

© 2023 The Authors. *British Journal of Pharmacology* published by John Wiley & Sons Ltd on behalf of The British Pharmacological Society.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Family structure

- Abscisic acid receptor complex
- S9 Adiponectin receptors
- S9 Anti-infective targets
 - Antimalarial targets
 - Viral protein targets
- S9 Coronavirus (CoV) proteins
- Other viral proteins
- S11 Bacterial protein targets
- S11 Aryl hydrocarbon receptor
- Autophagy receptors
- B-cell lymphoma 2 (Bcl-2) protein family
- Bromodomain-containing proteins
- S12 Non-enzymatic BRD containing proteins
- Butyrophilin and butyrophilin-like proteins
- S13 CD molecules
 - Chaperone proteins
 - Chitinase-like proteins
 - Chromatin reader proteins
- S14 Methyllysine reader proteins
 - Circadian clock proteins
 - Claudins
 - Complement system regulators
- Cytolytic pore-forming proteins
- EF-hand domain containing proteins
- S14 Fatty acid-binding proteins
 - Guanine nucleotide exchange factors (GEFs)
 - Heat shock proteins
 - Human endogenous retrovirus (HERV) proteins
 - Hypoxia-inducible factors
 - Immune checkpoint proteins
 - Immunoglobulin C1-set domain-containing proteins
 - Immunoglobulin C2-set domain-containing proteins
 - Immunoglobulin like domain containing proteins
 - Immunoglobulins
 - Inhibitors of apoptosis (IAP) protein family
 - Kelch-like proteins
 - Kinesins
 - Leucine-rich repeat proteins
 - Lymphocyte antigens
 - Mitochondrial-associated proteins
 - Myosin binding proteins
 - Neuropilins and Plexins
 - Non-catalytic pattern recognition receptors
- S16 Notch receptors
- Nuclear export proteins
- Pentraxins
- Serum pentraxins
- S16 Regulators of G protein Signaling (RGS) proteins
- S17 RZ family
- S17 R4 family
- S18 R7 family
- S18 R12 family
- Repulsive guidance molecules
- Reticulons and associated proteins
- Ribosomal factors
- Sialic acid binding Ig like lectins
- S19 Sigma receptors
 - Signal regulatory proteins
 - Tetraspanins
 - Transcription factors
 - Transcription factor regulators
 - NF- κ B regulators
- S19 Transthyretin
- S20 Tubulins
 - Tumour-associated antigens
 - WD repeat-containing proteins

Adiponectin receptors

Other protein targets → Adiponectin receptors

Overview: Adiponectin receptors (**provisional nomenclature**, [ENSM00500000270960](#)) respond to the 30 kDa complement-related protein hormone adiponectin (also known as ADIPOQ: adipocyte, C1q and collagen domain-containing protein; ACRP30, adipose most abundant gene transcript 1;

apM-1; gelatin-binding protein: [Q15848](#)) originally cloned from adipocytes [74]. Although sequence data suggest 7TM domains, immunological evidence indicates that, contrary to typical 7TM topology, the carboxyl terminus is extracellular, while the amino terminus is intracellular [137]. Signalling through these recep-

tors appears to avoid G proteins; modelling based on the crystal structures of the adiponectin receptors suggested ceramidase activity, which would make these the first in a new family of catalytic receptors [124].

Nomenclature	Adipo1 receptor	Adipo2 receptor
HGNC, UniProt	ADIPOR1 , Q96A54	ADIPOR2 , Q86V24
Rank order of potency	globular adiponectin (ADIPOQ , Q15848) > adiponectin (ADIPOQ , Q15848)	globular adiponectin (ADIPOQ , Q15848) = adiponectin (ADIPOQ , Q15848)

Comments: T-Cadherin ([CDH13](#), [P55290](#)) has also been suggested to be a receptor for (hexameric) adiponectin [51].

Further reading on Adiponectin receptors

Fisman EZ *et al.* (2014) Adiponectin: a manifold therapeutic target for metabolic syndrome, diabetes, and coronary disease? *Cardiovasc Diabetol* **13**: 103 [[PMID:24957699](#)]
Okada-Iwabu M *et al.* (2018) Structure and function analysis of adiponectin receptors toward development of novel antidiabetic agents promoting healthy longevity. *Endocr J* **65**: 971-977 [[PMID:30282888](#)]

Ruan H *et al.* (2016) Adiponectin signaling and function in insulin target tissues. *J Mol Cell Biol* **8**: 101-9 [[PMID:26993044](#)]
Wang Y *et al.* (2017) Cardiovascular Adiponectin Resistance: The Critical Role of Adiponectin Receptor Modification. *Trends Endocrinol Metab* **28**: 519-530 [[PMID:28473178](#)]
Zhao L *et al.* (2014) Adiponectin and insulin cross talk: the microvascular connection. *Trends Cardiovasc Med* **24**: 319-24 [[PMID:25220977](#)]

Anti-infective targets

Other protein targets → Anti-infective targets

Overview: This is a collection of anti-infective ligand-target interactions.

Coronavirus (CoV) proteins

Other protein targets → Anti-infective targets → Viral protein targets → Coronavirus (CoV) proteins

Overview: Coronaviruses are large, often spherical, enveloped, single-stranded positive-sense RNA viruses, ranging in size from 80-220 nm. Their genomes and protein structures are highly conserved. Three coronaviruses have emerged over the last 20

years as serious human pathogens: SARS-CoV was identified as the causative agent in an outbreak in 2002-2003, Middle East respiratory syndrome (MERS) CoV emerged in 2012 and the novel coronavirus SARS-CoV-2 emerged in 2019-2020.

SARS-CoV-2 is the virus responsible for the infectious disease termed COVID-19 ([WHO Technical Guidance 2020](#)).

Nomenclature	CoV 3C-like (main) protease	CoV Non-structural protein 15
EC number	3.4.22.69 (SARS-CoV-2)	–
Inhibitors	nirmatrelvir (pK _i 9.6) [88] – SARS-CoV-2, bofutrelvir (pIC ₅₀ 7.3) [25] – SARS-CoV-2	tipiracil [57] – SARS-CoV-2
Comments	The Mpro enzyme (also known as nsp5 or 3CL protease) cleaves the two polyproteins encoded by the SARS-CoV-2 genome (pp1a and pp1ab) into a range of non-structural proteins (nsp1-11 from pp1a; nsp1-16 from pp1ab). As these component proteins play crucial roles in viral replication, Mpro is considered to be a strong molecular target for drug development. Small molecule Mpro inhibitors would be predicted to reduce viral replication [47, 63, 91].	Nsp15 (NendoU) is a uridylylate-specific endoribonuclease that is essential during the coronavirus lifecycle. The search for inhibitors of SARS-CoV-2 nsp15 that may have antiviral action is ongoing. Two allosteric inhibitors have been reported, FUZS-5 (12200) and LIZA-7 (12199). The docking positions of these compounds within nsp15 have been determined by X-ray crystallography [34].

Nomenclature	CoV Papain-like protease	CoV RNA-dependent RNA polymerase
EC number	3.4.22.46 (SARS-CoV-2)	–
Inhibitors	XR8-23 (pIC ₅₀ 6.4) [106] – SARS-CoV-2, GRL-0617 (pIC ₅₀ 5.6–5.6) [27, 86] – SARS-CoV-2	remdesivir [36] – SARS-CoV-2, remdesivir [36] – SARS-CoV
Comments	PL-pro is a domain within coronavirus Nsp3. Its proteolytic activity cleaves three sites in the viral replicase polyprotein (recognition consensus sequence LXGG↓XX) to release the three non-structural proteins Nsp1, Nsp2, and Nsp3 [44]. It has additional non-proteolytic functions as part of the multicomponent replicase-transcriptase complex [107].	The conservation of RdRP catalytic domain between different RNA viruses endows inhibitors that were designed against other viral pathogens with activity against the SARS coronaviruses. Viral RdRP is the molecular target of nucleotide-based broad-spectrum antiviral compounds like remdesivir , tenofovir and ribavirin [36, 130, 141].

Nomenclature	CoV Spike glycoprotein
Inhibitors	EK-1-C4 (Binding) [136] – SARS-CoV-2
Antibodies	regdanvimab (Binding) (pK _d 10.6) [56] – SARS-CoV-2, casirivimab (Binding) (pIC ₅₀ 10.2) [42] – SARS-CoV-2
Comments	The spike protein on the surface of CoV particles is central for viral infection of host cells (by binding to ACE2). It is the molecular target of a wide range of clinically approved monoclonal antibodies that reduce infection. At any point in time, the efficacy of these therapeutics is heavily dependent upon spike mutations in the circulating CoV variants. Spike is also the antigen that's exploited for raising anti-CoV immunity by inoculation with either mRNA and/or adenovirus vaccines that induce spike protein expression.

Comments: SARS-CoV-2 causes fewer fatalities than either of its predecessors MERS-CoV and SARS-CoV, but it is far more transmissible [90].

Further reading on Coronavirus (CoV) proteins

- Alexander SPH *et al.* (2020) A rational roadmap for SARS-CoV-2/COVID-19 pharmacotherapeutic research and development: IUPHAR Review 29. *Br J Pharmacol* **177**: 4942-4966 [PMID:32358833]
- Kronenberger T, Laufer SA and Pillaiyar T (2023) COVID-19 therapeutics: Small-molecule drug development targeting SARS-CoV-2 main protease. *Drug Discov Today* **28**: 103579 [PMID:37028502]
- Li G, Hilgenfeld R, Whitley R and De Clercq E (2023) Therapeutic strategies for COVID-19: progress and lessons learned. *Nat Rev Drug Discov* **22**: 449-475 [PMID:37076602]
- Pang X, Xu W, Liu Y, Li H and Chen L (2023) The research progress of SARS-CoV-2 main protease inhibitors from 2020 to 2022 *Eur J Med Chem* **257**: 115491 [PMID:37244162]
- Pozzi C, Vanet A, Francesconi V, Tagliacruzchi L, Tassone G, Venturelli A, Spyrakis F, Mazzorana M, Costi MP and Tonelli M (2023) Antitarget, Anti-SARS-CoV-2 Leads, Drugs, and the Drug Discovery-Genetics Alliance Perspective. *J Med Chem* **66**: 3664-3702 [PMID:36857133]
- von Delft A, Hall MD, Kwong AD, Purcell LA, Saikatendu KS, Schmitz U, Tallarico JA and Lee AA (2023) Accelerating antiviral drug discovery: lessons from COVID-19. *Nat Rev Drug Discov* **22**: 585-603 [PMID:37173515]
- Yang T, Wang SC, Ye L, Maimaitiyiming Y and Naranmandura H (2023) Targeting viral proteins for restraining SARS-CoV-2: focusing lens on viral proteins beyond spike for discovering new drug targets. *Expert Opin Drug Discov* **18**: 247-268 [PMID:36723288]

Bacterial protein targets

Other protein targets → Anti-infective targets → Bacterial protein targets

Overview: Antimicrobial resistance is recognized by the World Health Organization (WHO) as a major global health threat, and it is estimated that drug-resistant infections contribute to almost 5 million deaths a year [9]. The rapid spread of bacterial strains resistant to available antibacterial medicines is of particular

concern, including the 'ESKAPE' pathogens (*Enterococcus faecium*, *Staphylococcus aureus*, *Klebsiella pneumoniae*, *Acinetobacter baumannii*, *Pseudomonas aeruginosa*, and *Enterobacter* spp.) that are responsible for many nosocomial infections [95, 123]. Antibacterial compounds act on essential bacterial molecular

pathways, resulting in inhibition of growth or death of the microorganisms. These mechanisms of action include: altered DNA replication and structure, cell membrane integrity, and inhibition of cell wall peptidoglycan synthesis, nucleic acid precursor synthesis and protein synthesis.

Complexes

Nomenclature	DNA gyrase
Subunits	DNA gyrase subunit A, DNA gyrase subunit B
Comments	DNA gyrase is a type II DNA topoisomerase [31] and one of two enzymes of this subclass found in bacteria, the other being DNA topoisomerase 4. DNA gyrase introduces negative supercoils in closed circular double-stranded DNA in an ATP-dependent manner. This enzyme is the clinically-validated target for a number of antibacterial drug classes, including the aminocoumarins such as novobiocin and fluoroquinolones such as moxifloxacin, levofloxacin, ciprofloxacin and ofloxacin.

Subunits

Nomenclature	DNA gyrase subunit A	DNA gyrase subunit B
Inhibitors	ofloxacin (pIC ₅₀ 5.5) [12] – <i>Escherichia coli</i>	novobiocin (Competitive) (pIC ₅₀ 7.1) [6] – <i>Escherichia coli</i>
Comments	DNA gyrase subunit A is comprised of an N-terminal domain (59-64 kDa) involved in DNA cleavage and ligation, and a C-terminal domain (33 kDa) involved in DNA-protein interactions [93].	DNA gyrase subunit B is comprised of an N-terminal domain (43 kDa) containing the ATPase activity, and a C-terminal domain (47 kDa) involved in interactions with subunit A and DNA.

Aryl hydrocarbon receptor

Other protein targets → Aryl hydrocarbon receptor

Overview: The aryl hydrocarbon receptor, highly expressed in the liver and barrier organs, is resident in the cytoplasm bound to the chaperone heat shock protein hsp90. Upon agonist activation, the ligand:aryl hydrocarbon receptor complex migrates

to the nucleus and binds the aryl hydrocarbon receptor nuclear translocator (ARNT, P27540, also known as HIF1 β). The complex regulates transcription of selected genes through interaction with xenobiotic response elements (XRE). Among the genes

regulated by the AHR/ARNT complex are cytochrome P450s, particularly CYP1A1, and the period circadian protein homolog 1 (PER1, O15534). The aryl hydrocarbon receptor is also capable of non-genomic signalling.

Nomenclature	Aryl hydrocarbon receptor
HGNC, UniProt	AHR, P35869
Agonists	indolo[3,2-b]carbazole [15] – Mouse, tapinarof [114], indole-3-carbinol [15] – Mouse, TCDD
Antagonists	ezutomid (pK _d 7.3) [134]

Further reading on Aryl hydrocarbon receptor

Bock KW. (2019) Aryl hydrocarbon receptor (AHR): From selected human target genes and crosstalk with transcription factors to multiple AHR functions. *Biochem Pharmacol* **168**: 65-70 [PMID:31228464]

Bock KW. (2020) Aryl hydrocarbon receptor (AHR) functions: Balancing opposing processes including inflammatory reactions. *Biochem Pharmacol* **178**: 114093 [PMID:32535108]

Roman AC *et al.* (2018) The aryl hydrocarbon receptor in the crossroad of signalling networks with therapeutic value. *Pharmacol Ther* **185**: 50-63 [PMID:29258844]

Rothhammer V *et al.* (2019) The aryl hydrocarbon receptor: an environmental sensor integrating immune responses in health and disease. *Nat Rev Immunol* **19**: 184-197 [PMID:30718831]

Shi Y *et al.* (2020) The aryl hydrocarbon receptor: An environmental effector in the pathogenesis of fibrosis. *Pharmacol Res* **160**: 105180 [PMID:32877693]

Sladekova L, Mani S and Dvorak Z (2023) Ligands and agonists of the aryl hydrocarbon receptor AhR: Facts and myths. *Biochem Pharmacol* **213**: 115626 [PMID:37247746]

Non-enzymatic BRD containing proteins

Other protein targets → Bromodomain-containing proteins → Non-enzymatic BRD containing proteins

Overview: Bromodomains bind proteins with acetylated lysine residues, such as histones, to regulate gene transcription. Listed herein are examples of bromodomain-containing proteins for which sufficient pharmacology exists.

Nomenclature	bromodomain adjacent to zinc finger domain 2A	bromodomain adjacent to zinc finger domain 2B	CREB binding protein	polybromo 1	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 4
Common abbreviation	–	–	–	–	SMARCA4
HGNC, UniProt	<i>BAZ2A</i> , Q9UIF9	<i>BAZ2B</i> , Q9UIF8	<i>CREBBP</i> , Q92793	<i>PBRM1</i> , Q86U86	<i>SMARCA4</i> , P51532
Inhibitors	–	–	–	<i>GNE-064</i> (pIC ₅₀ 7.7) [125]	<i>GNE-064</i> (pIC ₅₀ 8) [125]
Selective inhibitors	<i>GSK2801</i> (pK _d 6.6) [104]	<i>GSK2801</i> (Binding) (pK _d 6.9) [104]	<i>I-CBP112</i> (pK _d 6.8) [105]	<i>PFI-3</i> (Binding) (pK _d 7.3) [120]	<i>PFI-3</i> (Binding) (pK _d 7.1) [120]

Further reading on Non-enzymatic BRD containing proteins

Fujisawa T *et al.* (2017) Functions of bromodomain-containing proteins and their roles in homeostasis and cancer. *Nat Rev Mol Cell Biol* **18**: 246-262 [PMID:28053347]

Myrianthopoulos V *et al.* (2019) From bench to bedside, via desktop. Recent advances in the application of cutting-edge in silico tools in the research of drugs targeting bromodomain modules. *Biochem Pharmacol* **159**: 40-51 [PMID:30414936]

Nicholas DA *et al.* (2017) BET bromodomain proteins and epigenetic regulation of inflammation: implications for type 2 diabetes and breast cancer. *Cell Mol Life Sci* **74**: 231-243 [PMID:27491296]

Ramadoss M *et al.* (2018) Targeting the cancer epigenome: synergistic therapy with bromodomain inhibitors. *Drug Discov Today* **23**: 76-89 [PMID:28943305]

Spriano F *et al.* (2020) Targeting BET bromodomain proteins in cancer: The example of lymphomas. *Pharmacol Ther* **215**: 107631 [PMID:32693114]

Tang P *et al.* (2021) Targeting Bromodomain and Extraterminal Proteins for Drug Discovery: From Current Progress to Technological Development. *J Med Chem* **64**: 2419-2435 [PMID:33616410]

CD molecules

Other protein targets → [CD molecules](#)

Overview: Cluster of differentiation refers to an attempt to catalogue systematically a series of over 300 cell-surface proteins associated with immunotyping. Many members of the group have identified functions as enzymes (for example, see [CD73](#)

[ecto-5'-nucleotidase](#)) or receptors (for example, see [CD41 integrin, alpha 2b subunit](#)). Many CDs are targeted for therapeutic gain using antibodies for the treatment of proliferative disorders. A full listing of all the Clusters of Differentiation proteins is not

possible in the Guide to PHARMACOLOGY; listed herein are selected members of the family targeted for therapeutic gain.

Nomenclature	CD2	CD3e	CD6	CD20 (membrane-spanning 4-domains, subfamily A, member 1)
HGNC, UniProt	CD2, P06729	CD3E, P07766	CD6, P30203	MS4A1, P11836
Antibodies	–	catumaxomab (Binding) [69], muromonab-CD3 (Binding) [35], otelixizumab (Binding) [17]	–	ofatumumab (Binding) (pK _d 9.9) [70], rituximab (Binding) (pK _d 8.5) [117], ibrutumomab tiuxetan (Binding), obinutuzumab (Binding) [3, 94], tositumomab (Binding)

Nomenclature	CD33	CD52	CD80	CD86	cytotoxic T-lymphocyte-associated protein 4 (CD152)	programmed cell death 1 (CD279)	CD300a
Common abbreviation	SIGLEC3	–	–	–	CTLA-4	PD-1	–
HGNC, UniProt	CD33, P20138	CD52, P31358	CD80, P33681	CD86, P42081	CTLA4, P16410	PDCD1, Q15116	CD300A, Q9UGN4
Endogenous ligands	–	–	–	–	–	programmed cell death 1 ligand 1 (CD274, Q9NZQ7) (Binding)	–
Antibodies	lintuzumab (Binding) (pK _d ~10) [19], gemtuzumab ozogamicin (Binding) [13]	alemtuzumab (Binding) [32, 108]	–	–	ipilimumab (Binding) (pK _d >9) [40], tremelimumab (Binding) (pK _d 8.9) [43]	pembrolizumab (Binding) (pK _d ~10) [20], nivolumab (Binding) (pK _d 9.1) [41, 60, 62]	–

Comments: The endogenous ligands for human PD-1 are [programmed cell death 1 ligand 1 \(CD274, Q9NZQ7\)](#) (PD-L1 *aka* CD274) and programmed cell death 1 ligand 2 (PD-L2; [PDCD1LG2](#)). These ligands are cell surface peptides, normally involved in immune system regulation. Expression of PD-1 by cancer cells induces immune tolerance and evasion of immune system attack [59]. Anti-PD-1 monoclonal antibodies are used to induce immune checkpoint blockade as a therapeutic intervention in cancer, effectively re-establishing immune vigilance. [Pembrolizumab](#) was the first anti-PD-1 antibody to be approved by the US FDA.

Further reading on CD molecules

Bewersdorf JP *et al.* (2021) Immune checkpoint inhibition in myeloid malignancies: Moving beyond the PD-1/PD-L1 and CTLA-4 pathways. *Blood Rev* **45**: 100709 [PMID:32487480]

Chi Z *et al.* (2021) Transcriptional and epigenetic regulation of PD-1 expression. *Cell Mol Life Sci* **78**: 3239-3246 [PMID:33738533]

Gabius HJ *et al.* (2015) The glycobiology of the CD system: a dictionary for translating marker designations into glycan/lectin structure and function. *Trends Biochem Sci* **40**: 360-76 [PMID:25981696]

Huang MY *et al.* (2021) Combination therapy with PD-1/PD-L1 blockade in non-small cell lung cancer: strategies and mechanisms. *Pharmacol Ther* **219**: 107694 [PMID:32980443]

Peng Z, Li M, Li H and Gao Q (2023) PD-1/PD-L1 immune checkpoint blockade in ovarian cancer: Dilemmas and opportunities. *Drug Discov Today* **28**: 103666 [PMID:37302543]

Vosoughi T *et al.* (2019) CD markers variations in chronic lymphocytic leukemia: New insights into prognosis. *J Cell Physiol* **234**: 19420-19439 [PMID:31049958]

Methyllysine reader proteins

Other protein targets → Chromatin reader proteins → Methyllysine reader proteins

Overview: Methyllysine reader proteins bind to methylated proteins, such as histones, allowing regulation of gene expression.

Nomenclature	L3MBTL histone methyl-lysine binding protein 3
HGNC, UniProt	L3MBTL3, Q96JM7
Selective agonists	UNC1215 [53]

Further reading on Methyllysine reader proteins

Barghout SH, Machado RAC and Barsyte-Lovejoy D (2022) Chemical biology and pharmacology of histone lysine methylation inhibitors. *Biochim Biophys Acta Gene Regul Mech* **1865**: 194840 [PMID:35753676]

Furuya K *et al.* (2019) Epigenetic interplays between DNA demethylation and histone methylation for protecting oncogenesis. *J Biochem* **165**: 297-299 [PMID:30605533]

Levy D. (2019) Lysine methylation signaling of non-histone proteins in the nucleus. *Cell Mol Life Sci* **76**: 2873-2883 [PMID:31123776]

Li J *et al.* (2019) Understanding histone H3 lysine 36 methylation and its deregulation in disease. *Cell Mol Life Sci* **76**: 2899-2916 [PMID:31147750]

Shafabakhsh R *et al.* (2019) Role of histone modification and DNA methylation in signaling pathways involved in diabetic retinopathy. *J Cell Physiol* **234**: 7839-7846 [PMID:30515789]

Fatty acid-binding proteins

Other protein targets → Fatty acid-binding proteins

Overview: Fatty acid-binding proteins are low molecular weight (100-130 aa) chaperones for long chain fatty acids, fatty acyl CoA esters, eicosanoids, retinols, retinoic acids and related metabolites and are usually regarded as being responsible for

allowing the otherwise hydrophobic ligands to be mobile in aqueous media. These binding proteins may perform functions extracellularly (*e.g.* in plasma) or transport these agents; to the nucleus to interact with nuclear receptors (principally PPARs and

retinoic acid receptors [103]) or for interaction with metabolic enzymes. Although sequence homology is limited, crystallographic studies suggest conserved 3D structures across the group of binding proteins.

Nomenclature	fatty acid binding protein 1	fatty acid binding protein 2	fatty acid binding protein 3	fatty acid binding protein 4	fatty acid binding protein 5
HGNC, UniProt	FABP1, P07148	FABP2, P12104	FABP3, P05413	FABP4, P15090	FABP5, Q01469
Rank order of potency	stearic acid, oleic acid > palmitic acid, linoleic acid > arachidonic acid, α -linolenic acid [96]	stearic acid > palmitic acid, oleic acid > linoleic acid > arachidonic acid, α -linolenic acid [96]	stearic acid, oleic acid, palmitic acid > linoleic acid, α -linolenic acid, arachidonic acid [96]	oleic acid, palmitic acid, stearic acid, linoleic acid > α -linolenic acid, arachidonic acid [96]	–
Inhibitors	fenofibrate (pK _i 7.6) [21] – Rat, fenofibric acid (pK _i 6.5) [21] – Rat, HTS01037 (pK _i 5.1) [46] – Mouse	–	–	–	compound 13 (pK _i 8.7) [122]
Selective inhibitors	–	–	–	HMS0316 (pK _i >9) [71]	–

Comments	A broader substrate specificity than other FABPs, binding two fatty acids per protein [126].	Crystal structure of the rat FABP2 [99].	Crystal structure of the human FABP3 [138].	–	Crystal structure of the human FABP5 [48].
----------	--	--	---	---	--

Nomenclature	fatty acid binding protein 6	fatty acid binding protein 7	peripheral myelin protein 2	fatty acid binding protein 9	fatty acid binding protein 12
HGNC, UniProt	FABP6 , P51161	FABP7 , O15540	PMP2 , P02689	FABP9 , Q0Z7S8	FABP12 , A6NFH5
Comments	Able to transport bile acids [142].	Crystal structure of the human FABP7 [11].	In silico modelling suggests that PMP2/FABP8 can bind both fatty acids and cholesterol [75].	–	–

Nomenclature	retinol binding protein 1	retinol binding protein 2	retinol binding protein 3	retinol binding protein 4	retinol binding protein 5	retinol binding protein 7
HGNC, UniProt	RBP1 , P09455	RBP2 , P50120	RBP3 , P10745	RBP4 , P02753	RBP5 , P82980	RBP7 , Q96R05
Rank order of potency	–	stearic acid > palmitic acid, oleic acid, linoleic acid, α -linolenic acid, arachidonic acid [97]	–	–	–	–
Inhibitors	–	–	–	A1120 (pIC ₅₀ 7.8) [131]	–	–

Nomenclature	retinaldehyde binding protein 1	cellular retinoic acid binding protein 1	cellular retinoic acid binding protein 2
HGNC, UniProt	RLBP1 , P12271	CRABP1 , P29762	CRABP2 , P29373
Rank order of potency	11-cis-retinal, 11-cis-retinol > 9-cis-retinal, 13-cis-retinal, 13-cis-retinol, all-trans-retinal, retinol [24]	tretinoin > alitretinoin stearic acid > palmitic acid, oleic acid, linoleic acid, α -linolenic acid, arachidonic acid [97]	–

Comments: Although not tested at all FABPs, [BMS309403](#) exhibits high affinity for FABP4 (pIC₅₀ ~8.8) compared to FABP3 or FABP5 (pIC₅₀ <6.6) [28, 122]. [HTS01037](#) is reported to interfere with FABP4 action [46]. Ibuprofen displays some selectivity for FABP4 (pIC₅₀ 5.5) relative to FABP3 (pIC₅₀ 3.5) and FABP5 (pIC₅₀ 3.8) [73]. Fenofibric acid displays some selectivity for FABP5 (pIC₅₀ 5.5) relative to FABP3 (pIC₅₀ 4.5) and FABP4 (pIC₅₀ 4.6) [73]. Multiple pseudogenes for the FABPs have been identified in the human genome.

Further reading on Fatty acid-binding proteins

Gajda AM *et al.* (2015) Enterocyte fatty acid-binding proteins (FABPs): different functions of liver and intestinal FABPs in the intestine. *Prostaglandins Leukot Essent Fatty Acids* **93**: 9-16 [PMID:25458898]

Glatz JF. (2015) Lipids and lipid binding proteins: a perfect match. *Prostaglandins Leukot Essent Fatty Acids* **93**: 45-9 [PMID:25154384]

Hotamisligil GS *et al.* (2015) Metabolic functions of FABPs—mechanisms and therapeutic implications. *Nat Rev Endocrinol* **11**: 592-605 [PMID:26260145]

Matsumata M *et al.* (2016) Fatty acid binding proteins and the nervous system: Their impact on mental conditions. *Neurosci Res* **102**: 47-55 [PMID:25205626]

Nguyen HC *et al.* (2020) Role of the Fatty Acid Binding Proteins in Cardiovascular Diseases: A Systematic Review. *J Clin Med* **9**: [PMID:33105856]

Osumi T *et al.* (2016) Heart lipid droplets and lipid droplet-binding proteins: Biochemistry, physiology, and pathology. *Exp Cell Res* **340**: 198-204 [PMID:26524506]

Notch receptors

Other protein targets → [Notch receptors](#)

Overview: Aberrant Notch signalling is implicated in a number of human cancers [65, 84, 112, 128], and there is intense pharmaceutical activity being directed towards achieving clinically effective Notch pathway inhibition [26, 79].

Nomenclature	notch receptor 1	notch receptor 2	notch receptor 3	notch receptor 4
HGNC, UniProt	NOTCH1, P46531	NOTCH2, Q04721	NOTCH3, Q9UM47	NOTCH4, Q99466
Inhibitors	IMR-1 (Binding) (pK _d 5) [10]	–	–	–
Antibodies	brontictuzumab (Binding) (pK _d 8.4) [37]	tarextumab (Binding) (pK _d >10) [38]	tarextumab (Binding) (pK _d 9.9) [38]	–
Comments	Various types of activating and inactivating NOTCH1 mutations have been reported to be associated with human diseases, for example: aortic valve disease [30, 78], Adams-Oliver syndrome 5 [118], T-cell acute lymphoblastic leukemia (T-ALL) [132], chronic lymphocytic leukemia (CLL) [92] and head and neck squamous cell carcinoma [1, 119].	–	–	Notch receptor 4 is a potential therapeutic molecular target for triple-negative breast cancer [66, 81].

Further reading on Notch receptors

Fabbro D *et al.* (2020) Notch Inhibition in Cancer: Challenges and Opportunities. *Chimia (Aarau)* **74**: 779-783 [PMID:33115560]
 Moore G *et al.* (2020) Top Notch Targeting Strategies in Cancer: A Detailed Overview of Recent Insights and Current Perspectives. *Cells* **9**: [PMID:32575680]
 Palmer WH *et al.* (2015) Ligand-Independent Mechanisms of Notch Activity. *Trends Cell Biol* **25**: 697-707 [PMID:26437585]

Previs RA *et al.* (2015) Molecular pathways: translational and therapeutic implications of the Notch signaling pathway in cancer. *Clin Cancer Res* **21**: 955-61 [PMID:25388163]
 Takebe N *et al.* (2015) Targeting Notch, Hedgehog, and Wnt pathways in cancer stem cells: clinical update. *Nat Rev Clin Oncol* **12**: 445-64 [PMID:25850553]

Regulators of G protein Signaling (RGS) proteins

Other protein targets → [Regulators of G protein Signaling \(RGS\) proteins](#)

Overview: Regulator of G protein Signaling, or RGS, proteins serve an important regulatory role in signaling mediated by G protein-coupled receptors (GPCRs). They all share a common RGS domain that directly interacts with active, GTP-bound G α subunits of heterotrimeric G proteins. RGS proteins stabilize the transition state for GTP hydrolysis on G α and thus induce a

conformational change in the G α subunit that accelerates GTP hydrolysis, thereby effectively turning off signaling cascades mediated by GPCRs. This GTPase accelerating protein (GAP) activity is the canonical mechanism of action for RGS proteins, although many also possess additional functions and domains. RGS proteins are divided into four families, R4, R7, R12 and

RZ based on sequence homology, domain structure as well as specificity towards G α subunits. For reviews on RGS proteins and their potential as therapeutic targets, see *e.g.* [5, 49, 83, 98, 109, 110, 111, 139, 140].

RZ family

Other protein targets → Regulators of G protein Signaling (RGS) proteins → RZ family

Overview: The RZ family of RGS proteins is less well characterized than the other families. It consists of, RGS17 (also known as RGSZ2), RGS19 (also known as GAIP) and RGS20 (with several splice variants including RGSZ1 and Ret-RGS). All members contain an N-terminal cysteine string motif [68] which is a site of

palmitoylation and could serve functions in membrane targeting, protein stability or aid protein-protein interactions [2, 68]. However, the function in the case of RZ family RGS proteins is not yet fully understood. Members of the RZ family of RGS proteins are the only RGS proteins that have selective GAP activity

for $G\alpha_z$, a function that resulted in the name of the family [33, 76, 129, 135]. However, the members of the RZ family are able to also GAP $G\alpha_{i/o}$ members with varying selectivity.

Nomenclature	regulator of G-protein signaling 17	regulator of G-protein signaling 19	regulator of G-protein signaling 20
Common abbreviation	RGS17	RGS19	RGS20
HGNC, UniProt	RGS17, Q9UGC6	RGS19, P49795	RGS20, O76081

R4 family

Other protein targets → Regulators of G protein Signaling (RGS) proteins → R4 family

Overview: The R4 family of RGS proteins is the largest family of RGS proteins with 10 members. Each of the R4 family members contain only small N- and C-termini apart from the RGS domain. The N-terminal amphipathic helix present in most R4

family members serves an important function in membrane association and can directly bind phospholipids. In contrast to the RGS domain, which is well conserved among members of the R4 family of RGS proteins, the N- and C-termini vary, enabling

specificity of non-GAP functions. Despite the non-complex structure of these proteins, several R4 family RGS proteins have been shown to possess additional functions apart from acting as GAPs at activated $G\alpha$ subunits [14, 100].

Nomenclature	regulator of G-protein signaling 1	regulator of G-protein signaling 2	regulator of G-protein signaling 3	regulator of G-protein signaling 4
Common abbreviation	RGS1	RGS2	RGS3	RGS4
HGNC, UniProt	RGS1, Q08116	RGS2, P41220	RGS3, P49796	RGS4, P49798
Selective inhibitors	–	–	–	RGS4 inhibitor 11b (pIC ₅₀ 7.8) [127], CCG-50014 (pIC ₅₀ 7.5) [16, 127], CCG-203920 (pIC ₅₀ 7.3) [127]

Nomenclature	regulator of G-protein signaling 5	regulator of G-protein signaling 8	regulator of G-protein signaling 13	regulator of G-protein signaling 16	regulator of G-protein signaling 18	regulator of G-protein signaling 21
Common abbreviation	RGS5	RGS8	RGS13	RGS16	RGS18	RGS21
HGNC, UniProt	RGS5, O15539	RGS8, P57771	RGS13, O14921	RGS16, O15492	RGS18, Q9NS28	RGS21, Q2M5E4

Further reading on R4 family

Xie Z *et al.* (2016) R4 Regulator of G Protein Signaling (RGS) Proteins in Inflammation and Immunity. *AAPS J* **18**: 294-304 [PMID:26597290]

Searchable database: <https://www.guidetopharmacology.org/>

Full Contents of ConciseGuide: <http://onlinelibrary.wiley.com/doi/10.1111/bph.16176/full>

RZ family S17

R7 family

Other protein targets → Regulators of G protein Signaling (RGS) proteins → R7 family

Overview: The members of the R7 family of RGS proteins [7] are more complex structures than the R4 family and are closely related to the *C. elegans* homologues EGL-10 and EAT-16 that were identified in the early stage of RGS protein research [39, 61]. Apart from the RGS domain, several additional domains

are present in these proteins that mediate protein-protein interactions, sub-cellular localization and protein stability. All R7 family members form obligatory dimers with G β 5 through the G- γ like (GGL) domain and the disheveled-EGL10-Pleckstrin homology (DEP) domain [113]. The DEP and DEP helical

extension domain interact with R7 binding protein (R7BP) or RGS9 anchoring protein (R9AP; in retina) that serves as a plasma membrane anchoring mechanism [45, 54].

Nomenclature	regulator of G-protein signaling 6	regulator of G-protein signaling 7	regulator of G-protein signaling 9	regulator of G-protein signaling 11
Common abbreviation	RGS6	RGS7	RGS9	RGS11
HGNC, UniProt	RGS6, P49758	RGS7, P49802	RGS9, O75916	RGS11, O94810

R12 family

Other protein targets → Regulators of G protein Signaling (RGS) proteins → R12 family

Overview: The R12 family consisting of RGS10, 12 and 14. RGS12 and 14 are large proteins with additional domains that can participate in protein-protein interactions and other functions. In contrast, RGS10 is a small protein consisting of the RGS domain and small N- and C-termini, similar to members of

the R4 family. However, the sequence homology the RGS10 RGS domain clearly places it in the R12 family [64]. The G $\alpha_{i/o}$ -Loco (GoLoco) motif in RGS12 and 14 has GDI activity (for Guanine nucleotide Dissociation Inhibitor) towards G α_{11} , G α_{12} and G α_{13} [58, 109]. Through this activity RGS12 and RGS14 can inhibit

G protein signaling both by accelerating GTP hydrolysis and by preventing G protein activation. Splice variants of RGS12 and RGS14 also contain membrane targeting and protein-protein interaction domains [101, 115, 116].

Nomenclature	regulator of G-protein signaling 10	regulator of G-protein signaling 12	regulator of G-protein signaling 14
Common abbreviation	RGS10	RGS12	RGS14
HGNC, UniProt	RGS10, O43665	RGS12, O14924	RGS14, O43566

Further reading on Regulators of G protein Signaling (RGS) proteins

Alqinyah M *et al.* (2018) Regulating the regulators: Epigenetic, transcriptional, and post-translational regulation of RGS proteins. *Cell Signal* **42**: 77-87 [PMID:29042285]
 Fuentes N *et al.* (2021) RGS proteins, GRKs, and beta-arrestins modulate G protein-mediated signaling pathways in asthma. *Pharmacol Ther* **223**: 107818 [PMID:33600853]
 Neubig RR *et al.* (2002) Regulators of G-protein signalling as new central nervous system drug targets. *Nat Rev Drug Discov* **1**: 187-97 [PMID:12120503]

Sethakorn N *et al.* (2010) Non-canonical functions of RGS proteins. *Cell Signal* **22**: 1274-81 [PMID:20363320]
 Sjögren B. (2017) The evolution of regulators of G protein signalling proteins as drug targets - 20 years in the making: IUPHAR Review 21. *Br J Pharmacol* **174**: 427-437 [PMID:28098342]
 Sjögren B *et al.* (2010) Thinking outside of the "RGS box": new approaches to therapeutic targeting of regulators of G protein signaling. *Mol Pharmacol* **78**: 550-7 [PMID:20664002]

Sigma receptors

Other protein targets → [Sigma receptors](#)

Overview: Although termed 'receptors', the evidence for coupling through conventional signalling pathways is lacking. Initially described as a subtype of opioid receptors, there is only a modest pharmacological overlap and no structural convergence with the G protein-coupled receptors; the crystal structure of the sigma1 receptor [102] suggests a trimeric structure of a single short transmembrane domain traversing the endoplasmic reticulum membrane, with the bulk of the protein facing the cytosol. A wide range of compounds, ranging from psychoactive agents to antihistamines, have been observed to bind to these sites.

Nomenclature	sigma non-opioid intracellular receptor 1	$\sigma 2$
HGNC, UniProt	SIGMAR1 , Q99720	TMEM97 , Q5BJF2
Agonists	–	1,3-ditolyguanidine [67] – Guinea pig
Selective agonists	PRE-084 [121], (+)-SKF 10.047	–
Antagonists	–	SM 21 (pIC ₅₀ 7.2) [72]
Selective antagonists	NE-100 (pIC ₅₀ 8.4) [85], BD-1047 (pIC ₅₀ 7.4) [77]	–
Labelled ligands	[³H]pentazocine (Agonist)	[³H]-di-o-tolylguanidine (Agonist)
Comments	–	The sigma2 receptor has been reported to be TMEM97 [4], a 4TM protein partner of NPC1, the Niemann-Pick C1 protein, a 13TM cholesterol-binding protein.

Comments: (-)-[pentazocine](#) also shows activity at opioid receptors.

Further reading on Sigma receptors

Chu UB *et al.* (2016) Biochemical Pharmacology of the Sigma-1 Receptor. *Mol Pharmacol* **89**: 142-53 [[PMID:26560551](#)]

Herrando-Grabulosa M *et al.* (2021) Sigma 1 receptor as a therapeutic target for amyotrophic lateral sclerosis. *Br J Pharmacol* **178**: 1336-1352 [[PMID:32761823](#)]

Sambo DO *et al.* (2018) The sigma-1 receptor as a regulator of dopamine neurotransmission: A potential therapeutic target for methamphetamine addiction. *Pharmacol Ther* **186**: 152-167 [[PMID:29360540](#)]

Schmidt HR *et al.* (2019) The Molecular Function of σ Receptors: Past, Present, and Future. *Trends Pharmacol Sci* **40**: 636-654 [[PMID:31387763](#)]

Su TP *et al.* (2016) The Sigma-1 Receptor as a Pluripotent Modulator in Living Systems. *Trends Pharmacol Sci* **37**: 262-278 [[PMID:26869505](#)]

Vavers E *et al.* (2019) Allosteric Modulators of Sigma-1 Receptor: A Review. *Front Pharmacol* **10**: 223 [[PMID:30941035](#)]

Transthyretin

Other protein targets → [Transthyretin](#)

Overview: Transthyretin (TTR) is a homo-tetrameric protein which transports thyroxine in the plasma and cerebrospinal fluid and retinol (vitamin A) in the plasma. Many disease causing mutations in the protein have been reported, many of which cause complex dissociation and protein mis-assembly and deposition of toxic aggregates amyloid fibril formation [89].

These amyloidogenic mutants are linked to the development of pathological amyloidoses, including familial amyloid polyneuropathy (FAP) [8, 23], familial amyloid cardiomyopathy (FAC) [52], amyloidotic vitreous opacities, carpal tunnel syndrome [80] and others. In old age, non-mutated TTR can also form pathological amyloid fibrils [133]. Pharmacological intervention

to reduce or prevent TTR dissociation is being pursued as a therapeutic strategy. To date one small molecule kinetic stabilising molecule ([tafamidis](#)) has been approved for FAP, and is being evaluated in clinical trials for other TTR amyloidoses.

Searchable database: <https://www.guidetopharmacology.org/>

Full Contents of ConciseGuide: <http://onlinelibrary.wiley.com/doi/10.1111/bph.16176/full>

Sigma receptors S19

Nomenclature	transthyretin
Common abbreviation	TTR
HGNC, UniProt	TTR , P02766
Inhibitors	tafamidis (pK _d 8.7) [18]

Comments: Excess production and accumulation of TTR causes hereditary transthyretin-mediated amyloidosis. Two novel drugs are now approved to combat this disease: inotersen (Tegsedi) [55] and patisiran (Onpatro) [50]. Both of these drugs act to reduce the amount of TTR protein (both wild type and mutant) produced in the liver, but by slightly different mechanisms. Inotersen is an antisense oligonucleotide inhibitor of TTR synthesis, whereas patisiran is a double-stranded small interfering RNA (which targets a conserved sequence in the 3' UTR of mutant and wild-type TTR mRNA). Inotersen is administered subcutaneously, and patisiran is delivered by intravenous infusion in a lipid nanoparticle formulation.

Further reading on Transthyretin

- Adams D *et al.* (2019) Hereditary transthyretin amyloidosis: a model of medical progress for a fatal disease. *Nat Rev Neurol* **15**: 387-404 [PMID:31209302]
- Bezerra F *et al.* (2020) Modulation of the Mechanisms Driving Transthyretin Amyloidosis. *Front Mol Neurosci* **13**: 592644 [PMID:33362465]
- Dohrn MF *et al.* (2020) Targeting transthyretin - Mechanism-based treatment approaches and future perspectives in hereditary amyloidosis. *J Neurochem* [PMID:33155274]
- Galant NJ *et al.* (2017) Transthyretin amyloidosis: an under-recognized neuropathy and cardiomyopathy. *Clin Sci* **131**: 395-409 [PMID:28213611]
- Griffin JM *et al.* (2019) Transthyretin cardiac amyloidosis: A treatable form of heart failure with a preserved ejection fraction. *Trends Cardiovasc Med* [PMID:31889610]

Tubulins

Other protein targets → [Tubulins](#)

Overview: Tubulins are a family of intracellular proteins most commonly associated with microtubules, part of the cytoskeleton. They are exploited for therapeutic gain in cancer chemotherapy as targets for agents derived from a variety of natural products: taxanes, colchicine and vinca alkaloids. These are thought to act primarily through β -tubulin, thereby interfering with the normal processes of tubulin polymer formation and disassembly.

Nomenclature	tubulin alpha 1a	tubulin alpha 4a	tubulin beta class I	tubulin beta 3 class III	tubulin beta 4B class IVb	tubulin beta 8 class VIII
HGNC, UniProt	TUBA1A , Q71U36	TUBA4A , P68366	TUBB , P07437	TUBB3 , Q13509	TUBB4B , P68371	TUBB8 , Q3ZCM7
Inhibitors	–	–	vinblastine (pIC ₅₀ 9), eribulin (pIC ₅₀ 8.2) [82], paclitaxel (Mitotic cell cycle arrest in A431 cells) (pEC ₅₀ 8.1) [87], colchicine (pIC ₅₀ 8) [22], cabazitaxel , docetaxel , ixabepilone , vincristine	combretastatin A4 (pIC ₅₀ 8.2) [29]	–	–

Further reading on Tubulins

- Arnst KE *et al.* (2019) Current advances of tubulin inhibitors as dual acting small molecules for cancer therapy. *Med Res Rev* **39**: 1398-1426 [PMID:30746734]
- Boiarska Z *et al.* (2021) Microtubule-targeting agents and neurodegeneration. *Drug Discov Today* **26**: 604-615 [PMID:33279455]
- Eshun-Wilson L *et al.* (2019) Effects of α -tubulin acetylation on microtubule structure and stability. *Proc Natl Acad Sci USA* **116**: 10366-10371 [PMID:31072936]
- Magiera MM *et al.* (2018) Tubulin Posttranslational Modifications and Emerging Links to Human Disease. *Cell* **173**: 1323-1327 [PMID:29856952]
- Penna LS *et al.* (2017) Anti-mitotic agents: Are they emerging molecules for cancer treatment? *Pharmacol Ther* **173**: 67-82 [PMID:28174095]
- Zhang YF, Huang J, Zhang WX, Liu YH, Wang X, Song J, Jin CY and Zhang SY (2023) Tubulin degradation: Principles, agents, and applications. *Bioorg Chem* **139**: 106684 [PMID:37356337]

References

1. Agrawal N *et al.* (2011) [21798897]
2. Ajit SK *et al.* (2007) [17126529]
3. Alduaij W *et al.* (2011) [21378274]
4. Alon A *et al.* (2017) [28559337]
5. Alqinyah M *et al.* (2018) [29042285]
6. Alt S *et al.* (2011) [21693461]
7. Anderson GR *et al.* (2009) [19521673]
8. Andrade C. (1952) [12978172]
9. Antimicrobial Resistance Collaborators. (2022) [35065702]
10. Astudillo L *et al.* (2016) [27197169]
11. Balendiran GK *et al.* (2000) [10854433]
12. Barnard FM *et al.* (2001) [11408214]
13. Bernstein ID. (2000) [10720144]
14. Bernstein LS *et al.* (2000) [10764749]
15. Bjeldanes LF *et al.* (1991) [1658785]
16. Blazer LL *et al.* (2011) [21329361]
17. Bolt S *et al.* (1993) [8436176]
18. Bulawa CE *et al.* (2012) [22645360]
19. Caron PC *et al.* (1992) [1458463]
20. Carven GJ *et al.* (2010) Patent number: US20100266617.
21. Chuang S *et al.* (2008) [18533710]
22. Cifuentes M *et al.* (2006) [16504507]
23. Coelho T. (1996) [8894411]
24. Crabb JW *et al.* (1998) [9541407]
25. Dai W *et al.* (2020) [32321856]
26. Fabbro D *et al.* (2020) [33115560]
27. Freitas BT *et al.* (2020) [32428392]
28. Furuhashi M *et al.* (2007) [17554340]
29. Gangjee A *et al.* (2013) [23895532]
30. Garg V *et al.* (2005) [16025100]
31. Gellert M *et al.* (1976) [186775]
32. Ginaldi L *et al.* (1998) [9593475]
33. Glick JL *et al.* (1998) [9748279]
34. Godoy AS *et al.* (2022) *bioRxiv*
35. Goldstein G. (1987) [3105134]
36. Gordon CJ *et al.* (2020) [32284326]
37. Gurney AI *et al.* (2014) Patent number: US20140011271A1.
38. Gurney AL *et al.* (2012) Patent number: US8226943 B2.
39. Hajdu-Cronin YM *et al.* (1999) [10421631]
40. Halk EL *et al.* (2001) Patent number: WO2001014424.
41. Hall RD *et al.* (2013) [23302904]
42. Hansen J *et al.* (2020) [32540901]
43. Hanson DC *et al.* (2004) Patent number: US6682736 B1.
44. Harcourt BH *et al.* (2004) [15564471]
45. Hepler JR. (2005) [16046666]
46. Hertzel AV *et al.* (2009) [19754198]
47. Hilgenfeld R. (2014) [25039866]
48. Hohoff C *et al.* (1999) [10493790]
49. Hollinger S *et al.* (2002) [12223533]
50. Hoy SM. (2018) [30251172]
51. Hug C *et al.* (2004) [15210937]
52. Jacobson DR *et al.* (1997) [9017939]
53. James LI *et al.* (2013) [23292653]
54. Jayaraman M *et al.* (2009) [19042037]
55. Keam SJ. (2018) [30120737]
56. Kim C *et al.* (2021) [33436577]
57. Kim Y *et al.* (2021) [33564093]
58. Kimple RJ *et al.* (2001) [11387333]
59. Klement JD *et al.* (2023) [36917954]
60. Kline J *et al.* (2010) [21154117]
61. Koelle MR *et al.* (1996) [8548815]
62. Korman AJ *et al.* (2006) Patent number: WO2006121168.
63. La Monica G *et al.* (2022) [36169610]
64. Lee JK *et al.* (2015) [26123306]
65. Lefort K *et al.* (2007) [17344417]
66. Lehmann BD *et al.* (2015) [25993190]
67. Lever JR *et al.* (2006) [16463398]
68. Linder ME *et al.* (2007) [17183362]
69. Linke R *et al.* (2010) [20190561]
70. Liu Q. (2013) Patent number: WO2013007052.
71. Liu X *et al.* (2011) [21481589]
72. Mach RH *et al.* (1999) [10096443]
73. Machbub B *et al.* (1988) [24248795]
74. Maeda K *et al.* (1996) [8619847]
75. Majava V *et al.* (2010) [20421974]
76. Mao H *et al.* (2004) [15096504]
77. Matsumoto RR *et al.* (1995) [8566098]
78. McBride KL *et al.* (2008) [18593716]
79. Moore G *et al.* (2020) [32575680]
80. Murakami K *et al.* (1999) [10403814]
81. Nagamatsu I *et al.* (2014) [24403446]
82. Narayan S *et al.* (2011) [21324687]
83. Neubig RR *et al.* (2002) [12120503]
84. Ntziachristos P *et al.* (2014) [24651013]
85. Okuyama S *et al.* (1993) [7901723]
86. Osipiuk J *et al.* (2021) [33531496]
87. Ouyang X *et al.* (2006) [16377187]
88. Owen DR *et al.* (2021) [34726479]
89. Penchala SC *et al.* (2013) [23716704]
90. Petersen E *et al.* (2020) [32628905]
91. Pillaiyar T *et al.* (2016) [26878082]
92. Puente XS *et al.* (2011) [21642962]
93. Reece RJ *et al.* (1989) [2555327]
94. Reslan L *et al.* (2014) [23537278]
95. Rice LB. (2008) [18419525]
96. Richieri GV *et al.* (1994) [7929039]
97. Richieri GV *et al.* (2000) [10852718]
98. Ross EM *et al.* (2000) [10966476]
99. Sacchettini JC *et al.* (1989) [2671390]
100. Saitoh O *et al.* (2001) [11087736]
101. Schiff ML *et al.* (2000) [11130074]
102. Schmidt HR *et al.* (2016) [27042935]
103. Schroeder F *et al.* (2008) [17882463]
104. SGC. [thesgc.org](https://www.guidetopharmacology.org). Accessed on 03/03/2015.
105. SGC. [thesgc.org](https://www.guidetopharmacology.org). Accessed on 03/03/2015.
106. Shen Z *et al.* (2021) [34665619]
107. Shin D *et al.* (2020) [32726803]
108. Shitara K *et al.* (2011) Patent number: US7923538 B2.
109. Siderovski DP *et al.* (2005) [15951850]
110. Sjögren B. (2011) [21907914]
111. Sjögren B *et al.* (2010) [20691960]
112. Sjölund J *et al.* (2008) [18079963]
113. Slepak VZ. (2009) [20374716]
114. Smith SH *et al.* (2017) [28595996]
115. Snow BE *et al.* (2002) [11771424]
116. Snow BE *et al.* (1998) [9651375]
117. Stein R *et al.* (2004) [15102696]
118. Stittrich AB *et al.* (2014) [25132448]
119. Stransky N *et al.* (2011) [21798893]
120. Structural Genomics Consortium. <http://www.thesgc.org>. Accessed on 10/11/2014.
121. Su TP *et al.* (1991) [1658302]
122. Sulsky R *et al.* (2007) [17502136]
123. Tacconelli E *et al.* (2018) [29276051]
124. Tanabe H *et al.* (2015) [25855295]
125. Taylor AM *et al.* (2022) [35930799]
126. Thompson J *et al.* (1997) [9054409]
127. Turner EM *et al.* (2012) [22368763]
128. Vilimas T *et al.* (2007) [17173050]
129. Wang J *et al.* (1998) [9748280]
130. Wang Y *et al.* (2020) [32633831]
131. Wang Y *et al.* (2014) [24835984]
132. Weng AP *et al.* (2004) [15472075]
133. Westermarck P *et al.* (1981) [7016817]
134. Wilkinson IVL *et al.* (2020) [31755636]
135. Wong YH *et al.* (1992) [1347957]
136. Xia S *et al.* (2020) [32231345]
137. Yamauchi T *et al.* (2003) [12802337]
138. Young AC *et al.* (1994) [7922029]
139. Zhang P *et al.* (2011) [21778436]
140. Zhong H *et al.* (2001) [11356902]
141. Zhu W *et al.* (2020) [32660307]
142. Zwicker BL *et al.* (2013) [23603607]