University of Kent

Kent Academic Repository

Kurt, Özgür, Scanlan, Pauline D., Gentekaki, Eleni, Robertson, Lucy J., Carmena, David, Dogruman-Al, Funda and Tsaousis, Anastasios D. (2026) ***The Blastocystis-colorectal cancer hypothesis: correlation is not causation [version 2; peer review: 2 approved, 1 approved with reservations].*** **Open Research Europe, 5 . ISSN 2732-5121.**

Downloaded from

https://kar.kent.ac.uk/116608/ The University of Kent's Academic Repository KAR

The version of record is available from

https://doi.org/10.12688/openreseurope.21693.2

This document version

Publisher pdf

DOI for this version

Licence for this version

CC BY (Attribution)

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.

Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in ***Title of Journal*** , Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies).

Check for updates

OPEN LETTER

REVISED The Blastocystis-colorectal cancer hypothesis: correlation is not causation

[version 2; peer review: 2 approved, 1 approved with reservations]

Özgür Kurt[1], Pauline D. Scanlan[2,3], Eleni Gentekaki[4], Lucy J. Robertson[5], David Carmena[6], Funda Dogruman-Al[7], Anastasios D. Tsaousis[8,9]

[1]Acibadem University School of Medicine, Department of Medical Microbiology, Istanbul, Turkey
[2]APC Microbiome Ireland, University College Cork, Cork, Ireland
[3]School of Microbiology, University College Cork, Cork, Ireland
[4]University of Nicosia School of Veterinary Medicine, Nicosia, Cyprus
[5]Norwegian University of Life Sciences, As, Norway
[6]Spanish National Centre for Microbiology, Majadahonda, Spain, Spain
[7]Gazi University School of Medicine, Department of Medical Microbiology, Division of Medical Parasitology, Ankara, Turkey
[8]University of Kent School of Biosciences, Canterbury, England, UK
[9]Laboratory of Molecular and Evolutionary Parasitology, University of Kent School of Natural Sciences, Canterbury, England, UK

v2 **First published:** 10 Dec 2025, **5**:379
https://doi.org/10.12688/openreseurope.21693.1
Latest published: 22 Sep 2026, **5**:379
https://doi.org/10.12688/openreseurope.21693.2

Abstract

Although superficially persuasive, claims suggesting a causal link between *Blastocystis* and colorectal cancer (CRC) lack robust scientific support. As *Blastocystis* is the most common gut protist found in human populations globally, its detection in CRC patients is unsurprising and does not imply pathogenicity. Current claims championing a causal role for *Blastocystis* in CRC are based on speculative correlations, a single poorly controlled animal study, and inconsistent subtype associations. We argue that linking *Blastocystis* to CRC is premature, misleading, and may give rise to unnecessary concern in patients that are colonised by or test positive for *Blastocystis.* We emphasise the need for rigorously designed investigations to establish causal roles for any microorganism in disease and the importance of conclusions being based on solid evidence, particularly in matters of public health.

Keywords

Blastocystis, colorectal cancer, gut microbiome, correlation, causation

This article is included in the COST Actions gateway.

Open Peer Review

Approval Status ✓ ✓ ?

	1	2	3
version 2 (revision) 22 Sep 2026			
version 1 10 Dec 2025	✓ view	✓ view	? view

1. **Camelia Munteanu**, University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca, Cluj-Napoca, Romania
2. **Sonia H Navia**, Universidad Nacional Autónoma de México, Tlalnepantla, Mexico
3. **Bidisha Barat**, The University of Chicago, Chicago, USA

Any reports and responses or comments on the article can be found at the end of the article.

This article is included in the Blastocystis collection.

Corresponding authors: Özgür Kurt (ozgur.kurt@acibadem.edu.tr), Pauline D. Scanlan (p.scanlan@ucc.ie), Anastasios D. Tsaousis (A.Tsaousis@kent.ac.uk)

Author roles: Kurt Ö: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Scanlan PD**: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Gentekaki E**: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Robertson LJ**: Writing – Original Draft Preparation, Writing – Review & Editing; **Carmena D** : Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Dogruman-Al F**: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Tsaousis AD**: Conceptualization, Funding Acquisition, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: This project has received funding from the European Union's Framework Programme for Research & Innovation as part of the COST Action [CA21105], as supported by the COST Association (European Cooperation in Science and Technology). (Blastocystis under One Health).
The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2026 Kurt Ö *et al*. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Kurt Ö, Scanlan PD, Gentekaki E *et al.* **The Blastocystis-colorectal cancer hypothesis: correlation is not causation [version 2; peer review: 2 approved, 1 approved with reservations]** Open Research Europe 2026, **5**:379 https://doi.org/10.12688/openreseurope.21693.2

First published: 10 Dec 2025, **5**:379 https://doi.org/10.12688/openreseurope.21693.1

REVISED **Amendments from Version 1**

In our current version we have responded to the useful and constructive feedback of the reviewers by making some edits to the main text. Specifically we acknowledge the important point they raise regarding how the environment may favor the growth of certain microbial species. As our understanding of specific abiotic and biotic factors that may support or inhibit *Blastocystis* growth are relatively limited in both health and disease context we feel that perhaps the most prudent approach here is to emphasise this point a little more strongly in the text and specifically outline the importance of q-PCR to future studies. We also have addressed their point on problems in morphological identification, terminology, and interpretation across studies by including new text highlighting how *Blastocystis* is a highly pleomorphic organism, that links between STs and pathogenicity is simply not known and how this might affect studies and data interpretation.

Any further responses from the reviewers can be found at the end of the article

As active members of the European COST (Cooperation on Science and Technology) Action *Blastocystis under One Health* (CA21105) we wish to express our concerns regarding several statements presented in the review "An Update on *Blastocystis*: Possible Mechanisms of *Blastocystis*-Mediated Colorectal Cancer" by Tocci, Das, and Sayed.[1] Based on our collective expertise in *Blastocystis* research, we wish to note that no comprehensive epidemiological, *in vitro* or *in vivo* data conclusively supports the assertions of Tocci *et al.*[1] who suggest that a direct causal relationship between *Blastocystis* infection or colonisation and the development of colorectal cancer (CRC) has been established. Establishing causation requires carefully designed and integrated mechanistic and epidemiological studies with appropriate controls. Such studies currently do not exist, and the claims in the review of Tocci *et al.*[1] rely heavily on speculative interpretations of limited studies that we discuss in brief below.

Blastocystis is the most common protist in the human gut globally. More than 45 subtypes have been identified; over 10 of these are found in humans, with ST3 the most prevalent globally.[2,3] Despite the first description of *Blastocystis* being published more than 110 years ago,[4] its clinical significance is still under debate.[5–7] According to the available data, when *Blastocystis* is detected in clinical cases it is primarily associated with gastroenterological and dermatological conditions that are related to both the host's immune status and other components of the gut microbiota.[8–11] Although some studies have reported an increased prevalence of *Blastocystis* among cancer patients,[12,13] these studies do not provide any evidence or mechanistic insights that would implicate a causal role for *Blastocystis* in CRC. For example, it could simply be that in CRC, alternations to the local environment, including the tumour microenvironment, which are associated with altered host physiology and immune function, as well as treatment-induced changes in gut ecology and broader dysbiosis, may create conditions that favour the colonisation and/or overgrowth of *Blastocystis.* This may explain an increased prevalence in cancer patients in some studies, however, future work should also include q-PCR assays to assess variation in *Blastocystis* abundance and potential overgrowth across different gut microenvironments and cohorts of interest. An association between *Blastocystis* and carcinogenesis has been shown in a rat model, where urinary oxidative indices correlated with carcinogenesis were shown to be higher in rats infected with *Blastocystis* than in non-infected rats.[14] However, to our knowledge, this is the only *in vivo* study reported in the literature and was conducted in laboratory rodents and not humans. The *Blastocystis* isolate used was ST3, the most common subtype occurring in humans, but not adapted to infect rodents, which typically harbour ST4. Most importantly, this isolate was obtained from a faecal sample of a non-symptomatic individual, concentrated on a density gradient and subsequently used to infect rats with the presence of other microbes (e.g. bacteria, viruses) in the concentrate not excluded.

Furthermore, the morphological forms presented in the study[14] appear to be inconsistent with recognised *Blastocystis* morphotypes. Given the marked pleomorphism of *Blastocystis,*[15] morphological variability may complicate reliable microscopic identification and classification,[16] potentially contributing to inconsistencies reported across studies rather than reflecting true biological differences. On this note, Tocci and colleagues[1] outline that certain *Blastocystis* subtypes are pathogenic. However, a detailed understanding of the genetic and phenotypic diversity of *Blastocystis* STs and their biological significance with respect to host health and disease is limited. Robust research data linking the disease-causing potential or pathogenicity of subtypes or morphotypes to CRC is simply not available. Based on the current literature, it is not possible to differentiate *Blastocystis* subtypes and/or strains as being either commensal or pathogenic, as contradictory study findings on *Blastocystis* subtypes and pathogenicity are widespread.[15–18]

Contrary to studies suggesting a role for *Blastocystis* in CRC, a recent study using state-of-the-art metagenomic approaches that presented data from the largest cohort studied to date (involving more than 56,000 individuals from 32 countries) demonstrated a negative correlation between CRC and *Blastocystis.*[19] More generally, a negative correlation between *Blastocystis* and other diseases that involve inflammation of the gastrointestinal tract e.g. ulcerative colitis and Crohn's Disease have been reported in independent studies.[20,21]

Conclusion

The history of microbial oncology, exemplified by *Helicobacter pylori* and gastric cancer[22,23] demonstrates that microbial involvement in cancer is possible. However, in those cases, causation was only established after decades of carefully controlled epidemiological, mechanistic, and clinical studies. For *Blastocystis*, such a body of evidence does not currently exist, and if we critically assess the evidence that is available at present, there is no credible basis for asserting that *Blastocystis* causes CRC in humans. The high prevalence of *Blastocystis* globally makes its detection in cancer patients unsurprising, and current studies provide, at best, speculative correlations. Importantly, premature claims of causation carry the risk of misleading clinicians, alarming patients, and diverting research away from more productive avenues. Furthermore, they undermine the nuanced view emerging from microbiome science,[24–27] where *Blastocystis* is often associated with gut health rather than disease. Future research may yet clarify the potential roles of *Blastocystis*, whether neutral, beneficial, or detrimental, but until such evidence exists, statements linking *Blastocystis* to cancer should be regarded as misleading and premature.

Ethics and consent statement

Ethical approval and consent were not required.

Disclaimer

The views expressed in this article are those of the author(s). Publication in Open.

Research does not imply endorsement by the COST ACTION funding body.

Data availability statement

No data are associated with this article.

References

1. Tocci S, Das S, Sayed IM: **An update on *Blastocystis*: possible mechanisms of *Blastocystis*-mediated Colorectal Cancer.** *Microorganisms.* 2024; **12**(9): 1924.
PubMed Abstract | Publisher Full Text | Free Full Text
2. Aykur M, Malatyalı E, Demirel F, *et al.*: ***Blastocystis*: a mysterious member of the gut microbiome.** *Microorganisms.* 2024; **12**(3): 461.
PubMed Abstract | Publisher Full Text | Free Full Text
3. Matovelle C, Tejedor MT, Monteagudo LV, *et al.*: **Prevalence and associated factors of *Blastocystis* sp. infection in patients with gastrointestinal symptoms in Spain: a case-control study.** *Trop Med Infect Dis.* 2022; **7**(9): 226.
PubMed Abstract | Publisher Full Text | Free Full Text
4. Alexeieff A: **Sur la nature les formations dites "Kystes de Trichomonas intestinalis".** *C R Soc Biol (Paris).* 1911; **71**: 296–298.
5. King A: **Single-celled organisms set for greater role in gut health.** *Nature.* 2025.
PubMed Abstract | Publisher Full Text
6. Deng L, Tan KSW: **Unveiling the hidden ally: *Blastocystis* links healthier diets and cardiometabolic benefits.** *Signal Transduct Target Ther.* 2025; **10**(1): 77.
PubMed Abstract | Publisher Full Text | Free Full Text | Reference Source
7. Deng L, Tan KSW: **From parasite to partner: unravelling the multifaceted role of *Blastocystis* in human health and disease.** *Lancet Microbe.* 2025; **6**(9): 101155.
Publisher Full Text
8. Gijsbers CF, Schweizer JJ, Büller HA: **Protozoa as a cause of Recurrent Abdominal Pain in children.** *J Pediatr Gastroenterol Nutr.* 2013; **57**(5): 603–606.
PubMed Abstract | Publisher Full Text
9. Jafari A, Bahrami F, Nasiri-Kalmarzi R, *et al.*: **Chronic urticaria associated with *Blastocystis hominis* infection.** *Arch Dermatol Res.* 2024; **316**(7): 413.
PubMed Abstract | Publisher Full Text
10. Casero RD, Mongi F, Sánchez A, *et al.*: ***Blastocystis* and urticaria: examination of subtypes and morphotypes in an unusual clinical manifestation.** *Acta Trop.* 2015; **148**: 156–161.
PubMed Abstract | Publisher Full Text
11. Rudzińska M, Sikorska K: **Epidemiology of *Blastocystis* infection: a review of data from Poland in relation to other reports.** *Pathogens.* 2023; **12**(8): 1050.
PubMed Abstract | Publisher Full Text | Free Full Text
12. Labania L, Zoughbor S, Ajab S, *et al.*: **The associated risk of *Blastocystis* infection in cancer: a case control study.** *Front Oncol.* 2023; **13**: 1115835.
PubMed Abstract | Publisher Full Text | Free Full Text
13. Sulżyc-Bielicka V, Kołodziejczyk L, Adamska M, *et al.*: **Colorectal Cancer and *Blastocystis* sp. infection.** *Parasit Vectors.* 2021; **14**(1): 200.
PubMed Abstract | Publisher Full Text | Free Full Text
14. Kumarasamy V, Kuppusamy UR, Jayalakshmi P, *et al.*: **Exacerbation of colon carcinogenesis by *Blastocystis* sp.** *PLoS One.* 2017; **12**(8): e0183097.
PubMed Abstract | Publisher Full Text | Free Full Text
15. Seijas-Pereda L, Köster PC, Dashti A, *et al.*: **Intragenomic diversity of the small subunit rDNA gene shows limited impact on the pathogenicity of *Blastocystis* infection in clinical patients.** *Microbes Infect.* 2025; **27**(2): 105422.
Publisher Full Text
16. Tan TC, Suresh KG, Smith HV: **Phenotypic and genotypic characterisation of *Blastocystis hominis* isolates implicates subtype 3 as a subtype with pathogenic potential.** *Parasitol Res.* 2008; **104**(1): 85–93.
PubMed Abstract | Publisher Full Text
17. Yason JA, Liang YR, Png CW, *et al.*: **Interactions between a pathogenic *Blastocystis* Subtype and gut microbiota: *in vitro* and *in vivo* studies.** *Microbiome.* 2019; **7**(1): 30.
PubMed Abstract | Publisher Full Text | Free Full Text
18. Deng L, Wojciech L, Png CW, *et al.*: **Experimental colonization with *Blastocystis* ST4 is associated with protective immune responses and modulation of gut microbiome in a DSS-induced colitis mouse model.** *Cell Mol Life Sci.* 2022; **79**(5): 245.
PubMed Abstract | Publisher Full Text | Free Full Text
19. Piperni E, Nguyen LH, Manghi P, *et al.*: **Intestinal *Blastocystis* is linked to healthier diets and more favorable cardiometabolic outcomes in 56, 989 individuals from 32 countries.** *Cell.* 2024; **187**(17): 4554–4570. e18.
PubMed Abstract | Publisher Full Text
20. Beghini F, Pasolli E, Truong TD, *et al.*: **Large-scale comparative metagenomics of *Blastocystis*, a common member of the human

gut microbiome. *ISME J.* 2017; **11**(12): 2848–2863.
PubMed Abstract | Publisher Full Text | Free Full Text

21. Rossen NG, Bart A, Verhaar N, *et al.*: **Low prevalence of *Blastocystis* sp. in active ulcerative colitis patients.** *Eur J Clin Microbiol Infect Dis.* 2015; **34**(5): 1039–1044.
PubMed Abstract | Publisher Full Text | Free Full Text

22. Liu Z, Xu H, You W, *et al.*: ***Helicobacter pylori* eradication for primary prevention of gastric cancer: progresses and challenges.** *J Natl Cancer Cent.* 2024; **4**(4): 299–310.
PubMed Abstract | Publisher Full Text | Free Full Text

23. Duan Y, Xu Y, Dou Y, *et al.*: ***Helicobacter pylori* and gastric cancer: mechanisms and new perspectives.** *J Hematol Oncol.* 2025; **18**(1): 10.
PubMed Abstract | Publisher Full Text | Free Full Text

24. Scanlan PD, Stensvold CR, Rajilić-Stojanović M, *et al.*: **The microbial eukaryote *Blastocystis* is a prevalent and diverse member of the healthy human gut microbiota.** *FEMS Microbiol Ecol.* 2014; **90**(1): 326–330.
PubMed Abstract | Publisher Full Text

25. Laforest-Lapointe I, Arrieta MC: **Microbial eukaryotes: a missing link in gut microbiome studies.** *mSystems.* 2018; **3**(2): e00201–e00217.
PubMed Abstract | Publisher Full Text | Free Full Text

26. Andersen LO, Stensvold CR: ***Blastocystis* in health and disease: are we moving from a clinical to a public health perspective?** *J Clin Microbiol.* 2016; **54**(3): 524–528.
PubMed Abstract | Publisher Full Text | Free Full Text

27. Tsaousis AD, Shaw D, Jirku K, *et al.*: **Rethinking *Blastocystis*: ubiquity and cyclical abundance in the human gut.** *Trends Parasitol.* 2025; **41**(11): 954–958.
PubMed Abstract | Publisher Full Text

Open Peer Review

Current Peer Review Status: ✔ ✔ ?

Version 1

Reviewer Report 06 April 2026

https://doi.org/10.21956/openreseurope.23467.r71489

© **2026 Barat B.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

?

Bidisha Barat
The University of Chicago, Chicago, Illinois, USA

Major Concerns

1. **Expand Discussion on Reverse Causality**
   While the manuscript suggests that CRC-associated changes may explain *Blastocystis* prevalence, this point could be strengthened by:
   - Elaborating on tumor-associated changes (e.g., hypoxia, immune modulation, mucus alterations)
   - Discussing how these changes may facilitate opportunistic colonization
2. **Clarify Morphological and Subtype Arguments**
   The critique of morphological inconsistencies is important but could be clearer:
   - Specify whether inconsistencies arise from methodological differences or misclassification
   - Clarify whether morphotypes are biologically meaningful or artifacts
   - Avoid overinterpretation given ongoing debates in the field
3. **Address Quantitative vs Qualitative Detection**
   The manuscript focuses on presence/absence data but would benefit from discussing:
   - The importance of *Blastocystis* load (e.g., qPCR-based quantification)
   - Distinguishing colonization from overgrowth
   - Potential threshold effects relevant to disease associations
4. **Integration with Broader Microbiome Context**
   While briefly mentioned, the manuscript could further integrate:
   - Interactions between *Blastocystis* and bacterial communities
   - Whether *Blastocystis* may act as a marker of a “healthy” microbiome rather than a driver

Is the rationale for the Open Letter provided in sufficient detail? (Please consider whether existing challenges in the field are outlined clearly and whether the purpose of the letter is explained)

Partly

Does the article adequately reference differing views and opinions?
Partly

Are all factual statements correct, and are statements and arguments made adequately supported by citations?
Yes

Is the Open Letter written in accessible language? (Please consider whether all subject-specific terms, concepts and abbreviations are explained)
Yes

Where applicable, are recommendations and next steps explained clearly for others to follow? (Please consider whether others in the research community would be able to implement guidelines or recommendations and/or constructively engage in the debate)
Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Microbiome and colorectal cancer

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Reviewer Report 27 March 2026

https://doi.org/10.21956/openreseurope.23467.r70107

© 2026 Navia S. This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Sonia H Navia
Universidad Nacional Autónoma de México, Tlalnepantla, Mexico

The letter addresses the controversial relationship between the gut protist *Blastocystis* and colorectal cancer (CRC). It argues that the current claim of a direct link between both conditions still lacks a solid scientific basis. The authors appropriately highlight the high persistence of *Blastocystis* in healthy populations, which makes its detection in CRC patients not entirely unexpected, but not necessarily evidence of a pathogenic role. In this sense, the manuscript offers a useful and timely counterpoint to premature causal interpretations.
The authors clearly identify the main concern: the publication of a review (Tocci et al.) that suggests mechanisms of causality without definitive evidence. They also explain well why this can be problematic, as it may unnecessarily alarm colonized patients. Importantly, the manuscript

does not ignore studies that support the pathogenicity hypothesis, but instead contrasts them with evidence from large meta-analyses and calls for more rigorous mechanistic and epidemiological studies.

I do, however, have a few suggestions that could strengthen the manuscript:

- First, although CRC clearly changes the intestinal environment, the discussion could expand a bit more on how immunological, physiological, and morphological changes during cancer development may favor opportunistic colonization by *Blastocystis*. This would reinforce the idea that the association may be a consequence of the disease rather than its cause.
- Second, the authors criticize the inconsistent forms described in previous studies. This is an important point, but it would help to clarify whether this refers to problems in morphological identification, terminology, or interpretation across studies. Also, if the authors suggest that different forms may have distinct effects in the colon, that idea should be presented cautiously, since the biological relevance of several *Blastocystis* morphotypes is still debated.
- Finally, I would suggest that future studies should go beyond reporting simple PCR-based presence/absence and also include parasite burden, for example by qPCR. Given that the colon tumor microenvironment changes substantially, it is plausible that cancer may favor increased *Blastocystis* abundance without implying a causal role. In that sense, distinguishing colonization from possible overgrowth could help better frame the association and avoid overinterpretation.

Is the rationale for the Open Letter provided in sufficient detail? (Please consider whether existing challenges in the field are outlined clearly and whether the purpose of the letter is explained)

Yes

Does the article adequately reference differing views and opinions?

Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language? (Please consider whether all subject-specific terms, concepts and abbreviations are explained)

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow? (Please consider whether others in the research community would be able to implement guidelines or recommendations and/or constructively engage in the debate)

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Cancer immunology, CRC microbiota

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 11 Jun 2026

Pauline Scanlan

Reviewer comments: The letter addresses the controversial relationship between the gut protist *Blastocystis* and colorectal cancer (CRC). It argues that the current claim of a direct link between both conditions still lacks a solid scientific basis. The authors appropriately highlight the high persistence of *Blastocystis* in healthy populations, which makes its detection in CRC patients not entirely unexpected, but not necessarily evidence of a pathogenic role. In this sense, the manuscript offers a useful and timely counterpoint to premature causal interpretations. The authors clearly identify the main concern: the publication of a review (Tocci et al.) that suggests mechanisms of causality without definitive evidence. They also explain well why this can be problematic, as it may unnecessarily alarm colonized patients. Importantly, the manuscript does not ignore studies that support the pathogenicity hypothesis but instead contrasts them with evidence from large meta-analyses and calls for more rigorous mechanistic and epidemiological studies.

Reply: Thank you for you very positive comments on our review and your constructive and important feedback. I do, however, have a few suggestions that could strengthen the manuscript:

1. First, although CRC clearly changes the intestinal environment, the discussion could expand a bit more on how immunological, physiological, and morphological changes during cancer development may favor opportunistic colonization by *Blastocystis*. This would reinforce the idea that the association may be a consequence of the disease rather than its cause.

Reply: This is an important point, and it is likely that changes in the disease intestine relative to a healthy one does favor the growth of certain microbial species. However, our understanding of specific abiotic and biotic factors that may support or inhibit Blastocystis growth are relatively limited in both health and disease contexts. As such we feel that perhaps the most prudent approach here is to emphasize this point a little more strongly perhaps but not go into specific details about what these factors might be as we simply do not have enough information. We have re written the following paragraph to emphasize this a little more and also to address your later point about qPCR and abundance, see paragraph below and main text lines 99-106: "It could simply be that in colorectal cancer (CRC) alterations to the local gut environment (including the tumor microenvironment) that are associated with altered host physiology and immune function, as well as treatment-induced disruption of gut ecology and broader dysbiosis may create conditions that favor the colonization and/or overgrowth of Blastocystis. This could explain the higher prevalence of Blastocystis observed in cancer patients in some studies and in addition to prevalence-based assays, future work should include q-PCR assays to assess Blastocystis abundance and potential overgrowth across different gut microenvironments and cohorts of interest."

1. Second, the authors criticize the inconsistent forms described in previous studies. This is an important point, but it would help to clarify whether this refers to problems in morphological identification, terminology, or interpretation across studies. Also, if the authors suggest that different forms may have distinct effects in the colon, that

idea should be presented cautiously, since the biological relevance of several *Blastocystis* morphotypes is still debated.

Reply: *Blastocystis* is a highly pleomorphic organism, as comprehensively described by Tan 2008 (PMID: 18854485), who outlines the main morphotypes (vacuolar, granular, amoeboid, and cyst), along with less frequently reported variants such as a vacuolar and Mult vacuolar forms. This marked morphological variability can make forms difficult to distinguish (particularly under routine light microscopy examination) and they may not always fit neatly into established categories. As highlighted by Stensvold 2015 (PMID: 25709945), there is also a lack of consensus regarding *Blastocystis* morphology, and some reported forms may represent artifacts. In practical terms, this variability complicates accurate microscopic identification and increases the risk of misclassification, especially in the absence of specialized expertise. Accordingly, when we noted that "the morphological forms presented in the study [14] appear to be inconsistent with recognized *Blastocystis* morphotypes," our intention was not to question specific findings, but rather to suggest that discrepancies across studies may arise from methodological limitations in morphological identification. Therefore, we have revised the manuscript to reflect a more cautious interpretation, emphasizing that (i) *Blastocystis* exhibits substantial pleomorphism, (ii) this variability can hinder reliable microscopic detection and classification, and (iii) these challenges may contribute to inconsistencies reported across studies. This information has been now added in current lines 116-119 of the manuscript.

1. Finally, I would suggest that future studies should go beyond reporting simple PCR-based presence/absence and also include parasite burden, for example by qPCR. Given that the colon tumor microenvironment changes substantially, it is plausible that cancer may favor increased *Blastocystis* abundance without implying a causal role. In that sense, distinguishing colonization from possible overgrowth could help better frame the association and avoid overinterpretation.

Reply: We agree, and we have incorporated the importance of qPCR and quantitative data as outlined above, lines 99-106.

Competing Interests: None

Reviewer Report 04 March 2026

https://doi.org/10.21956/openreseurope.23467.r69716

© 2026 Munteanu C. This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Camelia Munteanu
University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca, Cluj-Napoca, Romania

In this open letter, Kurt et al. emphasize that the implication that *Blastocystis* sp. may act as a causative factor in colorectal cancer (CRC) is not sufficiently supported by the current evidence. They present solid arguments outlining the limitations of the available studies and stress that

further experimental and mechanistic research is necessary before any causal relationship can be established.
Importantly, the authors caution against prematurely assigning a pathogenic role to *Blastocystis* sp. in CRC in the absence of robust supporting data. By carefully examining the existing literature, they challenge the assumption that this organism should be regarded as a confirmed etiological factor in colorectal carcinogenesis.
Overall, this commentary is timely and relevant. It provides a balanced perspective on the topic and encourages a more cautious interpretation of the current findings. For these reasons, it is appropriate for Indexing.

Is the rationale for the Open Letter provided in sufficient detail? (Please consider whether existing challenges in the field are outlined clearly and whether the purpose of the letter is explained)
Yes

Does the article adequately reference differing views and opinions?
Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?
Yes

Is the Open Letter written in accessible language? (Please consider whether all subject-specific terms, concepts and abbreviations are explained)
Yes

Where applicable, are recommendations and next steps explained clearly for others to follow? (Please consider whether others in the research community would be able to implement guidelines or recommendations and/or constructively engage in the debate)
Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Cancer etiology, cancer biology, biomarkers, cancer omics analysis

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.