

Kent Academic Repository

McKenzie, Beulah E., Friedrich, Heiner, Wirix, Maarten J. M., de Visser, Joël F., Monaghan, Olivia R., Bomans, Paul H. H., Nudelman, Fabio, Holder, Simon J. and Sommerdijk, Nico A. J. M. (2015) *Back Cover: Controlling Internal Pore Sizes in Bicontinuous Polymeric Nanospheres (Angew. Chem. Int. Ed. 8/2015).* 10.1002/anie.201500264 https://doi.org/10.1002/anie.201500264.

Downloaded from

https://kar.kent.ac.uk/50604/ The University of Kent's Academic Repository KAR

The version of record is available from https://doi.org/10.1002/anie.201500264

This document version

Publisher pdf

DOI for this version

Licence for this version

CC BY (Attribution)

Additional information

Versions of research works

Versions of Record

If this version is the version of record, it is the same as the published version available on the publisher's web site. Cite as the published version.


Author Accepted Manuscripts

If this document is identified as the Author Accepted Manuscript it is the version after peer review but before type setting, copy editing or publisher branding. Cite as Surname, Initial. (Year) 'Title of article'. To be published in *Title of Journal*, Volume and issue numbers [peer-reviewed accepted version]. Available at: DOI or URL (Accessed: date).

Enquiries

If you have questions about this document contact ResearchSupport@kent.ac.uk. Please include the URL of the record in KAR. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.kent.ac.uk/guides/kar-the-kent-academic-repository#policies).

Angelyand Chemiker Angelyand Chemiker International Edition Alguman of the Gesellschaft Deutscher Chemiker Chemike



The internal morphology ...

... of complex polymeric nanospheres was resolved by S. J. Holder, N. A. J. M. Sommerdijk et al., as reported in their Communication on page 2457 ff. They demonstrated that the internal structure can be controlled by changing the overall molecular weight and relative hydrophilic content of the composite polymer. This opens the way for using these bicontinuous polymer nanospheres in a variety of applications, such as controlled release vectors and as templates for the synthesis of inorganic and hybrid materials.

WILEY-VCH